

## Contents

Do the conditions leading to neutral variation in the genome remain constant?	209
THE CONDITIONS LEADING TO NEUTRAL VARIATION IN THE GENOME	215
UNPREDICTABLE CHANGES IN POPULATION FITNESS	217
The problem of selective overdominance in the interpretation of population change	
LARGE-CLASS NEUTRAL GENES	221
behaviour known and unknown between neutrality and selection: A and an argument to accommodate new evidence of benefit	
<b>1. THE ROLE OF GENETIC VARIABILITY IN EVOLUTION</b>	<b>3</b>
<i>Problems raised by Darwin and his contemporaries about the nature of inherited variation remain unanswered at the present time</i>	
Darwin and variability	3
Simple models of population structure espoused by the early Mendelians	5
Does evolution proceed by saltations?	6
The role of natural selection	11
<b>2. NEUTRALISM V. SELECTION</b>	<b>13</b>
<i>The controversy between 'neutralists' and 'selectionists' is an old one, and is unlikely to be resolved in the near future</i>	
The consequences of having many neutral alleles in a population	13
Selection and drift before 1966	15
<b>3. ARGUMENTS FOR AND AGAINST POSTULATING A LARGE CLASS OF NEUTRAL GENES</b>	<b>22</b>
<i>It is shown that the need for postulating a large class of selectively neutral genes is, at least in part, a function of the assumptions made about the nature of genetic variability</i>	
The magnitude of the substitutional load	22
The magnitude of the segregational load	32
The decrease of fitness from inbreeding	43
The constancy of rates of molecular evolution	45
The distribution of allele frequencies as an indicator of selection or neutrality	57
Neutrality v. selection or purifying v. balancing selection?	66

<b>4. NEW MOLECULAR EVIDENCE FOR SELECTION</b>	<b>68</b>
<i>Selection must be more powerful than conventional population-genetics theory permits if it is to influence all parts of the genome</i>	
The evolution of molecular function	68
Untranslated and degenerate regions of the genome	79
Other evidence for the action of selection on untranslated regions	90
<b>5. EVIDENCE FOR BALANCING SELECTION</b>	<b>92</b>
<i>A great variety of selective mechanisms have been found or inferred to be responsible for the maintenance of human polymorphisms. One important mechanism for which there is no evidence is unconditional heterozygote advantage</i>	
Cases of conditional single-gene heterozygote advantage	92
Polymorphisms in which heterozygote advantage is not certain	104
Polymorphisms for which balancing selection can be inferred, although a clearcut mechanism cannot be implicated	113
Summary	133
<b>6. MATCHING MODES OF SELECTION TO CLASSES OF VARIABILITY</b>	<b>137</b>
<i>Alleles with pronounced selective effects are likely to show rather limited interaction with the environment, and to be acted upon by multiplicative or approximately multiplicative selection. Those with much smaller effect will both be more numerous and more likely to be acted on by truncation or quasi-truncation</i>	
A classification of the types of genetic variability subject to selection	137
Fitness potential and rank-order selection	141
<b>7. THE NATURE OF BALANCED GENETIC VARIABILITY</b>	<b>159</b>
<i>The distribution of polymorphisms subject to conditional heterosis and marginal overdominance may be very different from that expected from unconditional heterosis, and may mimic that of neutral alleles. Such modes of selection will be missed by the design of most population genetics experiments</i>	
What kinds of balancing selection are possible?	160
Information from quantitative genetics on the nature of genetic variability	182
Heritability, genotype-environment interactions, and viability measurements	195

Some possible examples of marginal overdominance at single loci in drosophila	209
Do diverse environments allow more genetic variability to be retained?	213
<b>8. THE CONDITIONS UNDER WHICH THE GENE IS THE UNIT OF SELECTION</b>	<b>217</b>
<i>The problem of associative overdominance in the interpretation of population genetics experiments is shown to be minimized in a large outbred population. Under these conditions associations between loci resulting from linkage can be shown to be small and primarily due to sampling. The sampling effect is demonstrated for the human MNSs and Rh loci. Experiments are suggested which take advantage of this phenomenon</i>	
Linkage disequilibrium and the interpretation of population genetics experiments	218
How linkage can influence the genome	221
The theory of the crystallization process	227
Predicting the results of simulations	231
The conditions for crystallization	234
The pattern of disequilibria to be expected from sampling	238
Data from humans illustrate the influence of allele frequency on sampling disequilibrium	243
Linkage disequilibrium and associative overdominance	248
<b>9. THE EVOLUTION OF RECOMBINATION</b>	<b>254</b>
<i>The contrasts between selection in which the fitness is determined directly by the genotype and selection in which it is determined only indirectly by the genotype are explored. It is suggested that for most of the cases investigated the former gives a selective advantage to reduced rates of recombination between loci, while the latter gives a selective advantage to increased rates of recombination</i>	
The essence of Fisher's problem	255
Mechanisms that reduce the variance of the selected character	256
How truncation selection provides an advantage to recombination	263
The results of computer simulations	264
<b>10. CONCLUSIONS</b>	<b>279</b>
<b>BIBLIOGRAPHY</b>	<b>282</b>
<b>INDEX</b>	<b>305</b>