

# Contents

|   |     |
|---|-----|
| Series Preface  | vii |
| Preface   | ix  |
| <b>Chapter 1</b>  |     |
| Introduction: The Structure and Composition of Biomembranes             | 1   |
| 1.1 The Importance and Diversity of Membranes                           | 1   |
| 1.2 Historical Perspective  | 6   |
| 1.3 Membrane Morphology   | 9   |
| 1.31 X-Ray Diffraction  | 9   |
| 1.32 Electron Microscopy  | 10  |
| 1.4 Membrane Isolation  | 13  |
| 1.41 Cell Disruption  | 14  |
| 1.42 Membrane Separations   | 15  |
| 1.43 Criteria of Membrane Purification                                  | 19  |
| 1.5 Composition of Membranes  | 20  |
| 1.51 Membrane Lipids  | 23  |
| 1.52 Lipids Play Multiple Roles Within Membranes                        | 32  |
| 1.53 Membrane Proteins  | 33  |
| 1.6 Chapter Summary   | 35  |
| Box 1.1 An Example of Particles Visualized by Freeze-Cleavage           | 12  |
| Box 1.2 Sedimentation Velocity and Sedimentation Equilibrium            | 18  |
| <b>Chapter 2</b>  |     |
| The Structures and Properties of Membrane Lipids                        | 36  |
| 2.1 Lipid Crystals  | 36  |
| 2.2 Lipid–Water Mixtures  | 40  |
| 2.21 Lipid Hydration  | 41  |
| 2.22 Examples of Phase Diagrams of Single Component Lipid–Water Systems | 43  |

|         |   |    |
|---------|---|----|
| 2.23    | Two Techniques Used for Examining Lipid Polymorphisms                       | 45 |
| 2.24    | Lipid Headgroup Orientation in the Bilayer                                  | 47 |
| 2.25    | Acyl Chain Configuration and Packing in the Bilayer                         | 48 |
| 2.26    | Techniques Useful for Characterizing the Interior of the Bilayer            | 50 |
| 2.3     | The Thermodynamics of Lipid Polymorphism                                    | 55 |
| 2.31    | The Hydrophobic Force   | 55 |
| 2.32    | Micelle Formation   | 57 |
| 2.33    | Micelle Shapes: Why Does a Bilayer Form?                                    | 60 |
| 2.34    | Lipid Shapes  | 63 |
| 2.4     | Lipid Phase Transitions   | 64 |
| 2.41    | Differential Scanning Calorimetry   | 65 |
| 2.42    | Lipid Mixtures  | 70 |
| 2.5     | Model Membrane Systems  | 75 |
| 2.51    | Monolayers at an Air–Water Interface  | 75 |
| 2.52    | Monolayers on a Solid Support   | 78 |
| 2.53    | Planar Bilayer Membranes  | 79 |
| 2.54    | Planar Bilayer Membranes on a Solid Support                                 | 79 |
| 2.55    | Liposomes   | 80 |
| 2.6     | Chapter Summary   | 83 |
| Box 2.1 | Some Lipids Isolated from Biological Membranes Do Not Form a Stable Bilayer | 43 |
| Box 2.2 | Information Is Obtained Both from the Midpoint and Width of the Transition  | 66 |

Chapter 3

Characterization and Structural Principles of Membrane Proteins

|      |   |     |
|------|---|-----|
| 3.1  | Overview of Membrane Protein Structure  | 85  |
| 3.2  | Purification of Membrane Proteins   | 87  |
| 3.21 | Detergents  | 87  |
| 3.3  | Characterization of Purified Intrinsic Membrane Proteins  | 91  |
| 3.31 | Subunit Molecular Weight (SDS-PAGE Analysis)  | 91  |
| 3.32 | Molecular Weight of the Native Protein by Hydrodynamic Measurements                             | 93  |
| 3.33 | Radiation Inactivation  | 95  |
| 3.34 | Spectroscopic Methods and Secondary Structure   | 96  |
| 3.35 | Enzymological Characterization  | 98  |
| 3.36 | Quaternary Structure and Chemical Crosslinking  | 98  |
| 3.4  | Three-Dimensional Structures from Diffraction Studies and Image Reconstruction                  | 101 |
| 3.41 | Crystallization of Membrane Proteins  | 101 |
| 3.42 | Image Reconstruction and Two-Dimensional Crystals   | 103 |
| 3.5  | Three Examples of Structural Studies on Membrane Proteins                                       | 105 |
| 3.51 | Structure of the Photosynthetic Reaction Centers of <i>R. viridis</i> and <i>R. Sphaeroides</i> | 106 |
| 3.52 | The Structure of Bacteriorhodopsin  | 110 |
| 3.53 | The Structure of Porin  | 116 |
| 3.6  | Principles of Membrane Protein Structure and Predictive Algorithms                              | 118 |
| 3.61 | Membrane Proteins Are Amphiphilic   | 118 |

|         |   |     |
|---------|---|-----|
| 3.62    | Ionizable Amino Acid Residues in Transmembrane Segments     | 120 |
| 3.63    | Charged Amino Acids in the Solvent-Exposed Segments         | 121 |
| 3.64    | A Special Role for Proline?                                 | 122 |
| 3.65    | Algorithms for Identifying Primary Amphiphilic Structures   | 122 |
| 3.66    | Algorithms for Identifying Secondary Amphiphilic Structures | 126 |
| 3.7     | Peptide Models for Membrane Proteins                        | 127 |
| 3.71    | Naturally Occurring Peptides                                | 128 |
| 3.72    | Synthetic Peptide Models                                    | 131 |
| 3.8     | Membrane Proteins Covalently Bound to Lipids                | 132 |
| 3.9     | Membrane Proteins Covalently Bound to Carbohydrates         | 134 |
| 3.10    | Chapter Summary   | 134 |
| Box 3.1 | Image Reconstruction  | 103 |

## Chapter 4

### Lateral and Transverse Asymmetry in Membranes

|      |   |     |
|------|---|-----|
| 4.1  | Overview  | 138 |
| 4.2  | Membrane Protein Topography                                     | 139 |
| 4.21 | Methodology   | 139 |
| 4.22 | Examples of Topographic Analysis of Membrane Proteins           | 145 |
| 4.3  | The Cytoskeleton  | 147 |
| 4.31 | Microfilaments  | 148 |
| 4.32 | Intermediate Filaments  | 148 |
| 4.33 | Microtubules  | 148 |
| 4.34 | The Erythrocyte Membrane and Cytoskeleton                       | 148 |
| 4.4  | Transverse Lipid Asymmetry                                      | 151 |
| 4.41 | Methodology for Measuring Lipid Distribution Across the Bilayer | 152 |
| 4.42 | Examples of Lipid Asymmetry                                     | 154 |
| 4.43 | Transbilayer Motion of Lipids                                   | 159 |
| 4.5  | Lateral Heterogeneity in Membranes                              | 160 |
| 4.51 | Macroscopic Domains and Plasma Membrane Barriers                | 160 |
| 4.52 | The Thylakoid Membranes   | 162 |
| 4.53 | Enveloped Viruses   | 163 |
| 4.54 | Lipid Microdomains  | 164 |
| 4.6  | Chapter Summary   | 165 |

## Chapter 5

### Membrane Dynamics and Protein—Lipid Interactions

|      |  |     |
|------|--|-----|
| 5.1  | Overview   | 166 |
| 5.11 | Some Simple Models for the Motion of Membrane Components                                   | 168 |
| 5.2  | Membrane Fluidity and the Application of Membrane Probes                                   | 169 |
| 5.21 | Physiological Relevance of Membrane Fluidity   | 173 |
| 5.22 | The Range and Rate of Motion Measured with $^2\text{H}$ -HMR, ESR, and Fluorescence Probes | 173 |
| 5.23 | ESR Probes for Measuring Membrane Fluidity   | 175 |
| 5.24 | Fluorescence Probes for Measuring Membrane Fluidity  | 176 |
| 5.3  | Rotation of Membrane Proteins  | 178 |
| 5.31 | Examples of Protein Rotation   | 181 |
| 5.4  | Lateral Diffusion of Lipids and Proteins in Membranes                                      | 182 |

|                            |  |     |
|----------------------------|--|-----|
| 5.41                       | Theoretical Models of Lateral Diffusion  | 183 |
| 5.42                       | Examples of Lateral Diffusion of Membrane Components   | 185 |
| 5.5                        | Protein—Lipid Interactions   | 187 |
| 5.51                       | The Binding of Lipids to Intrinsic Membrane Proteins in the Bilayer                              | 187 |
| 5.52                       | Perturbations of the Lipid Bilayer Due to the Presence of Integral Membrane Proteins             | 191 |
| 5.53                       | Backbone and Side Chain Dynamics of Membrane Proteins  | 195 |
| 5.54                       | The Binding of Peripheral Membrane Proteins to the Lipid Bilayer                                 | 196 |
| 5.6                        | Chapter Summary  | 197 |
| Box 5.1                    | The Depolarization of the Emitted Light Is Used to Measure Molecular Rotation                    | 177 |
| Box 5.2                    | The Rotation of Band 3 and of Cytochrome P450 Can Be Used to Monitor Intermolecular Associations | 181 |
| Box 5.3                    | Some Proteins Exhibit Selectivity in Binding to Phospholipids with Different Headgroups          | 190 |
| Box 5.4                    | Phospholipid Polymorphism Can Be Influenced by Proteins  | 193 |
| <b>Chapter 6</b>           |  |     |
| <b>Membrane Enzymology</b> |  | 199 |
| 6.1                        | Overview   | 199 |
| 6.2                        | Some Special Considerations Relevant to the Activity of Membrane Enzymes                         | 201 |
| 6.3                        | Reconstitution of Membrane Enzymes   | 204 |
| 6.31                       | Some Characteristics of Reconstituted Protein-Phospholipid Vesicles (Proteoliposomes)            | 207 |
| 6.4                        | The Role of Lipids in the Activity of Membrane-Bound Enzymes                                     | 209 |
| 6.5                        | Some Examples of Lipid-Requiring Enzymes   | 211 |
| 6.51                       | $\beta$ -Hydroxybutyrate Dehydrogenase   | 211 |
| 6.52                       | Pyruvate Oxidase   | 213 |
| 6.53                       | $\text{Ca}^{2+}$ -ATPase   | 214 |
| 6.54                       | $\text{Na}^+/\text{K}^+$ -ATPase   | 216 |
| 6.55                       | Glucose Transporter  | 216 |
| 6.6                        | Membrane-Bound Electron Transfer Chains  | 218 |
| 6.61                       | The Mitochondrial Steroidogenic System   | 220 |
| 6.62                       | The Microsomal Electron Transfer Chains  | 221 |
| 6.63                       | The Mitochondrial Respiratory System   | 222 |
| 6.64                       | The Photosynthetic Electron Transport System of Thylakoids                                       | 224 |
| 6.7                        | The Interactions Between Membranes and Soluble Enzymes   | 225 |
| 6.71                       | Soluble Enzymes Which Are Recruited to the Membrane when Needed                                  | 226 |
| 6.72                       | Soluble Enzymes and Enzyme Assemblies Which May Be Membrane-Bound In Vivo                        | 229 |
| 6.73                       | Blood Coagulation Factors—Extracellular Enzymes Activated by Membrane Binding                    | 230 |
| 6.74                       | Phospholipases—Soluble Enzymes Which Act on Membrane-Bound Substrates                            | 231 |
| 6.8                        | Chapter Summary  | 234 |
| Box 6.1                    | The Reconstitution of Membrane Enzymes into Lipid Vesicles                                       | 205 |

|   |     |
|---|-----|
| Box 6.2 Surface Dilution Effects in Mixed Micelles                                      | 227 |
| Box 6.3 Several Theories Have Been Proposed to Explain the Activation of Phospholipases | 232 |

## Chapter 7

### Interactions of Small Molecules with Membranes: Partitioning, Permeability, and Electrical Effects

|  |     |
|--|-----|
| 7.1 Overview   | 235 |
| 7.11 Analysis of the Adsorption of Ligands to the Bilayer                                | 235 |
| 7.12 Classes of Ligands Which Interact with the Lipid Bilayer                            | 238 |
| 7.2 Permeability of Lipid Bilayer Membranes to Nonelectrolytes                           | 241 |
| 7.21 Water Permeability  | 247 |
| 7.3 Electrical Properties of Membranes   | 248 |
| 7.31 Work Required to Place an Ion Inside a Bilayer Membrane                             | 250 |
| 7.32 Internal Dipole Potential   | 251 |
| 7.33 Membrane Surface Potential  | 252 |
| 7.4 The Transmembrane Potential  | 261 |
| 7.41 Measuring the Transmembrane Potential   | 263 |
| 7.42 The Concept of an Energized Membrane  | 264 |
| 7.5 The Permeability of Lipid Bilayer Membranes to Ions                                  | 265 |
| 7.51 Permeability to Protons   | 265 |
| 7.52 Ionophores  | 266 |
| 7.6 Chapter Summary  | 268 |
| Box 7.1 The Intrinsic $pK_a$ and Apparent $pK_a$ of a Group on the Surface of a Membrane | 256 |

## Chapter 8

### Pores, Channels, and Transporters

|   |     |
|---|-----|
| 8.1 Overview  | 270 |
| 8.11 Channels Versus Transporters: A Range of Functions and Rates                     | 272 |
| 8.12 Channels and Transporters Viewed as Enzymes: Application of Rate Theory          | 276 |
| 8.13 Steady State Assays  | 281 |
| 8.14 Single-Channel Recordings: Reconstitution in Planar Membranes and Patch Clamping | 283 |
| 8.15 Small Molecules Which Serve as Models for Channels and Pores                     | 286 |
| 8.2 Several Examples of Pores and Channels  | 291 |
| 8.21 Gap Junctions  | 292 |
| 8.22 Nuclear Pore Complex   | 292 |
| 8.23 Porins   | 293 |
| 8.24 The Nicotinic Acetylcholine Receptor Channel                                     | 294 |
| 8.25 The Voltage-Sensitive Sodium Channel   | 299 |
| 8.26 The Calcium Channel  | 301 |
| 8.27 Summary  | 302 |
| 8.3 Several Examples of Uniporters, Symporters, and Antiporters                       | 302 |
| 8.31 The Erythrocyte Glucose Transporter  | 303 |
| 8.32 The Lactose Permease from <i>E. coli</i>   | 304 |

|         |   |     |
|---------|---|-----|
| 8.33    | Band 3, the Erythrocyte Anion Transporter   | 307 |
| 8.34    | A Family of Mitochondrial Solute Transporters   | 308 |
| 8.4     | Several Examples of Active Transporters Driven by ATP or PEP  | 309 |
| 8.41    | Plasma Membrane ( $E_1E_2$ -Type) Cation Transporters:<br>ATP-Linked Ion Pumps                        | 311 |
| 8.42    | The Mitochondrial, Chloroplast, and Bacterial $F_1F_0$ -Type ATPases                                  | 314 |
| 8.43    | Three Other Classes of Transporters   | 316 |
| 8.5     | Active Transport Systems Driven by Electron Transfer or Light   | 317 |
| 8.51    | Cytochrome <i>c</i> Oxidase, a Redox-Linked $H^+$ -Pump   | 318 |
| 8.52    | Bacteriorhodopsin, a Light-Driven $H^+$ -Pump   | 318 |
| 8.6     | Membrane Pores Created by Exogenous Agents  | 319 |
| 8.61    | Toxins and Cytolytic Proteins   | 319 |
| 8.62    | Permeabilization by Detergents  | 320 |
| 8.63    | Permeabilization by Osmotic Stress  | 320 |
| 8.64    | Permeabilization by Electroporation   | 321 |
| 8.65    | Permeabilization by Creating Packing Defects in the Membrane  | 321 |
| 8.7     | Chapter Summary   | 321 |
| Box 8.1 | The Electrical Response Time of a Membrane  | 274 |
| Box 8.2 | Steady-State Transport Assays with Mutational Variants<br>of the Lactose Permease of <i>E. coli</i>   | 282 |
| Box 8.3 | Determination of the Binding Constant of a Channel<br>Inhibitor by Single-Channel Conductance Studies | 285 |
| Box 8.4 | Genetics and Site-Directed Mutagenesis Are Powerful<br>Techniques in Studying Lactose Permease        | 306 |

## Chapter 9

### The Cell Surface: Receptors, Membrane Recycling, and Signal Transduction

|      |  |     |
|------|--|-----|
| 9.1  | Overview   | 323 |
| 9.2  | A View of the Animal Cell Surface  | 325 |
| 9.3  | Receptors for Cell Adhesion  | 327 |
| 9.31 | Bacterial Adhesion to a Glycolipid   | 328 |
| 9.32 | "Homing" of Lymphocytes and Hemopoietic Stem Cells Also<br>Requires Glycoconjugates                      | 329 |
| 9.33 | Cell Adhesion Molecules  | 329 |
| 9.34 | Receptors Involved in Cellular Interactions in the Immune Response                                       | 332 |
| 9.35 | Integrins — A Family of Receptors Which Bind to Extracellular<br>Matrix Components and Adhesive Proteins | 334 |
| 9.36 | Other Modes of Binding to Matrix and Adhesive Proteins   | 336 |
| 9.4  | Membrane Recycling and Receptor-Mediated Endocytosis   | 336 |
| 9.41 | General Features of the Endocytic Pathway  | 337 |
| 9.42 | Receptor-Ligand Sorting  | 339 |
| 9.43 | Clathrin   | 343 |
| 9.44 | Some Examples of Receptors Which Become Internalized   | 343 |
| 9.5  | Membrane Fusion  | 346 |
| 9.51 | Studies with Lipid Vesicles  | 346 |
| 9.52 | Studies with Viral Spike Proteins  | 349 |
| 9.6  | Bacterial Signal Response Systems Demonstrate Some Features Found<br>in Higher Organisms                 | 351 |

|  |  |     |
|--|--|-----|
| 9.61                                       | Chemotaxis Receptors of <i>E. coli</i>   | 352 |
| 9.62                                       | Receptors Coupled to Transcriptional Activation                                      | 354 |
| 9.7  | Signal Transduction in Animal Cells  | 354 |
| 9.71                                       | The Primary Response and Receptor Families   | 355 |
| 9.72                                       | G Proteins   | 356 |
| 9.73                                       | Phosphatidylinositol Turnover and Second Messengers                                  | 361 |
| 9.74                                       | Receptor Phosphorylation and Desensitization   | 364 |
| 9.75                                       | Several Examples of Receptors Involved in Signal Transduction in Animal Cells        | 365 |
| 9.8  | Oncogenes and Signal Transduction  | 368 |
| 9.9  | Chapter Summary  | 369 |
| Box 9.1                                    | Several Examples of Integrins  | 335 |
| Box 9.2                                    | Fusogenic Agents Promote Membrane Fusion   | 347 |
| Box 9.3                                    | The Best Characterized Spike Protein Is the Hemagglutinin Protein of Influenza Virus | 350 |
| <b>Chapter 10</b>                          |  |     |
| <b>Membrane Biogenesis</b>                 |  | 370 |
| 10.1                                       | Overview   | 370 |
| 10.2                                       | General Features of the Exocytic Pathway   | 375 |
| 10.3                                       | General Features of Membrane Protein Biosynthesis                                    | 379 |
| 10.31                                      | Are Channels Needed for Protein Translocation?                                       | 384 |
| 10.32                                      | Polypeptide Signals Which Direct Protein Sorting and Membrane Insertion              | 387 |
| 10.33                                      | Signal Peptidases  | 402 |
| 10.34                                      | Soluble and Membrane-Bound Proteins Required for Translocation                       | 403 |
| 10.35                                      | Assembly of Multisubunit Complexes and Membrane Protein Turnover                     | 405 |
| 10.4                                       | Membrane Lipid Biosynthesis and Distribution   | 407 |
| 10.41                                      | Where Are Membrane Lipids Synthesized?   | 408 |
| 10.42                                      | Transport of Lipids from Their Site of Synthesis                                     | 411 |
| 10.43                                      | Phospholipid Turnover  | 415 |
| 10.5                                       | Adaptation of Membrane Lipid Composition in Response to Environmental Changes        | 416 |
| 10.6                                       | Chapter Summary  | 417 |
| Box 10.1                                   | An In Vitro Assay for Vesicle-Mediated Intracellular Transport                       | 377 |
| Box 10.2                                   | The Transport of Proteins Across a Membrane Requires an Unfolded Conformation        | 382 |
| Box 10.3                                   | Two Interesting Examples of Membrane Protein Turnover                                | 407 |
| <b>Appendix 1</b>                          |  |     |
| <b>Single-Letter Codes for Amino Acids</b> |  | 418 |
| <b>References</b>                          |  | 419 |
| <b>Index</b>                               |  | 511 |