

Table of Contents

Editor's Preface.	9
1 Introduction.	11
2 Total Synthesis of Penicillins and Cephalosporins	13
2.1 Natural skeleton	13
2.1.1 Total synthesis of penicillins.	14
2.1.2 Biomimetic approaches to penicillins and cephalosporins	17
2.1.3 Total synthesis of cephalosporins.	22
2.1.4 Close analogues of penicillins	31
2.1.4.1 2-Substituted penicillins	31
2.1.4.2 2,3-Substituted penicillins	35
2.1.4.3 5-Substituted penicillins	38
2.1.5 Close analogues of cephalosporins by total and partial synthesis.	39
2.2 Non-natural skeleton	51
2.2.1 Oxapenamams	51
2.2.2 2-Isopenams	57
2.2.3 1-Oxa, 1-aza, 1-carbacephems	61
2.2.3.1 1-Oxacephems.	61
2.2.3.2 6-Epi-1-oxacephems	78
2.2.3.3 1-Azacephems.	79
2.2.3.4 1-Carbacephems	82
2.2.4 2-Isocephems and analogues	89
2.2.4.1 2-Isocephems	89
2.2.4.2 2-Isooxacephems	91
2.2.4.3 2-Isoazacephems	99

2.3	Highly modified structures	100
2.3.1	Penems	100
2.3.2	Tricyclic β -lactams containing a fused aromatic ring	104
2.3.2.1	1,2-Benzofused carbacephams and cephems	104
2.3.2.2	2,3-Benzofused and related systems	109
2.3.2.3	3,4-Benzofused and related systems	111
2.3.3	Cyclopropanocephams	113
2.3.3.1	2,3-Methylene cepham	114
2.3.3.2	3,4-Methylene cepham	114
2.3.4	Spirocyclopropylcephalosporins	115
2.3.5	Cyclopropanopenam	116
2.3.6	Fused cyclopentanocephems	116
2.3.7	Other tricyclic β -lactams	117
2.3.7.1	Tricyclic diazacephams	117
2.3.7.2	Bridged tricyclic β -lactams	118
2.3.8	Diverse bicyclic β -lactams	119
2.3.9	5,6-Dehydro penicillins	119
3	New Structures Obtained by Semisynthesis	121
3.1	Transformation of penicillins into cephalosporins	121
3.1.1	Synthesis and antibacterial activity of β -lactam sulphoxides	121
3.1.2	Synthetic utility of the Morin reaction	123
3.1.2.1	Nucleophilic trapping	125
3.1.2.2	Intramolecular trapping	128
3.1.2.3	Electrophilic trapping	130
3.1.2.4	Reduction of sulphenic acids	130
3.1.2.5	Isolation and reactivity of sulphenic acids	136
3.1.2.6	Miscellaneous	136
3.1.3	Reaction of penicillins or their sulphoxides with electrophiles	137
3.1.3.1	Halogenating agents	137
3.1.3.2	Alkylating agents: 1,2 secopenicillins	141
3.1.3.3	Other cleavages of the thiazolidine ring	151
3.2	4-Thionoazetidin-2-ones	152
3.3	Epi-penicillins and epi-cephalosporins	155
3.3.1	6-Epipenicillins and 7-Epicephalosporins	155
3.3.1.1	Direct epimerisation	155
3.3.1.2	Indirect epimerisation	156
3.3.2	5-Epipenicillins and 6-epicephalosporins	156

3.4	C-3 Exomethylene cepham	159
3.4.1	Preparation of C-3 exomethylene cepham and their synthetic applications	159
3.4.1.1	Indirect route, starting with penicillins	160
3.4.1.2	Direct route, starting with cephalosporins	164
3.4.2	Synthetic applications of exomethylene cepham	166
3.5	Ring contraction of cepham to penam	170
4	Modifications at C-2/C-3; C-3/C-4; C-6/C-7; C-7/C-8 in Penicillins and Cephalosporins	173
4.1	C-2 Substituted cephalosporins	173
4.2	Modifications of penicillin and cephalosporin at the 3-/4-position	179
4.2.1	Penicillins and cephalosporins bearing an acidic group other than a carboxylic acid function	183
4.2.1.1	Tetrazolyl penams and cephem	183
4.2.1.2	Phosphono β -lactams	184
4.2.1.3	3(Pyrimidine-4',6'-dion-2'-yl) penicillins	187
4.2.1.4	Cephem bearing a carboxylic acid in a position vinylogous to that in the natural cephalosporins	188
4.2.1.5	Miscellaneous related modifications	188
4.2.2	Esters capable of <i>in vivo</i> hydrolysis	188
4.3	6 α -Substituted penicillins and 7 α -substituted cephalosporins	190
4.3.1	Transacylation of cephamycins	193
4.3.2	Methoxylation at C-6(7) of penicillins (cephalosporins)	196
4.3.3	Functionalisation at C-6 α of 6-APA and C-7 α of 7-ACA or 7-ADCA via their Schiff's bases	201
4.3.4	Methoxylation of 7-sulpheniminocepham	206
4.3.5	Activation of C-6 by isonitrile formation	208
4.3.6	Preparation of 6 α /7 α methoxypenicillins and cephalosporins by partial or total synthesis	209
4.3.7	Preparation of 6,6-spirocyclic penams and 7,7-spirocyclic cephem	211
4.4	Modifications at C-7/8 of penams and cephem	217
4.5	Penicillins and cephalosporins having non-amidic side-chains	218
4.5.1	Penicillins and cephalosporins having basic side-chains	218
4.5.2	Compounds prepared from 6(7)-diazopenicillanic (cephalosporanic) acid	224
4.5.3	Compounds prepared from 6(7)-oxapenicillins (cephalosporins)	231

4.5.4	Compounds prepared from 6(7) halopenicillins (cephalosporins)	236
4.5.5	Other amine derivatives of 6-APA and 7-ADCA	239
References		243
Acknowledgements		267
Abbreviations		269
Index		275