

## CONTENTS, VOLS 08.01, 08.02, AND 08.03

§D 1044-82	Test Method for Resistance of Transparent Plastics to Abrasion
D 1045-80	Methods of Sampling and Testing Plasticizers Used in Plastics
D 1180-57(1978)	Test Method for Bursting Strength of Round Rigid Plastic Tubing
D 1181-56(1971)	Test Method for Warpage of Sheet Plastics (Discontinued 1980†)
D 1201-81	Specification for Thermosetting Polyester Molding Compounds
§D 1203-67(1981) <sup>1</sup>	Test Methods for Volatile Loss from Plastics Using Activated Carbon Methods
D 1204-84	Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheetting or Film at Elevated Temperature
D 1238-82	Test Method for Flow Rates of Thermoplastics by Extrusion Plastometer
D 1239-55(1982) <sup>1</sup>	Test Method for Resistance of Plastic Films to Extraction by Chemicals
§D 1242-56(1981) <sup>1</sup>	Test Methods for Resistance of Plastic Materials to Abrasion
D 1243-79	Test Method for Dilute Solution Viscosity of Vinyl Chloride Polymers
D 1248-81a	Specification for Polyethylene Plastics Molding and Extrusion Materials
D 1249-81	Specification for Octyl Ortho-Phthalate Ester Plasticizers
D 1299-55(1979)	Test Method for Shrinkage of Molded and Laminated Thermosetting Plastics at Elevated Temperature
D 1303-55(1979) <sup>1</sup>	Test Method for Total Chlorine in Vinyl Chloride Polymers and Copolymers
D 1430-81	Specification for Polychlorotrifluoroethylene (PCTFE) Plastics
D 1431-83	Specification for Styrene-Acrylonitrile Copolymer Molding and Extrusion Materials
§D 1433-77	Test Method for Rate of Burning and/or Extent and Time of Burning of Flexible Thin Plastic Sheetting Supported on a 45-deg Incline
D 1434-82 <sup>1</sup>	Method for Determining Gas Permeability Characteristics of Plastic Film and Sheetting
D 1435-75(1979) <sup>1</sup>	Recommended Practice for Outdoor Weathering of Plastics
D 1457-83	Specification for PTFE Molding and Extrusion Materials
D 1463-81	Specification for Biaxially Oriented Styrene Plastics Sheet
D 1494-60(1980) <sup>1</sup>	Test Method for Diffuse Light Transmission Factor of Reinforced Plastics Panels
§D 1499-64(1977) <sup>1</sup>	Recommended Practice for Operating Light- and Water-Exposure Apparatus (Carbon-Arc Type) for Exposure of Plastics
§D 1501-71	Recommended Practice for Exposure of Plastics to Fluorescent Sunlamp (Discontinued 1981†)
§D 1502-60(1980) <sup>1</sup>	Test Method for Transverse Load of Corrugated Reinforced Plastic Panels (Discontinued 1984†)
D 1504-70(1977)	Recommended Practice for Determining Orientation Release Stress of Plastic Sheetting
§D 1505-68(1979)	Test Method for Density of Plastics by the Density-Gradient Technique
§D 1525-82	Test Method for Vicat Softening Temperature of Plastics
§D 1547-81	Specification for Extruded Acrylic Plastic Sheet
D 1562-82	Specification for Cellulose Propionate Molding and Extrusion Compounds
D 1593-81	Specification for Nonrigid Vinyl Chloride Plastic Sheetting
D 1600-83	Abbreviations of Terms Relating to Plastics

### Volume 08.02

D 1601-78	Test Method for Dilute Solution Viscosity of Ethylene Polymers
D 1602-60(1980) <sup>1</sup>	Test Method for Bearing Load of Corrugated Reinforced Plastics Panels
D 1603-76(1983)	Test Method for Carbon Black in Olefin Plastics
D 1604-63(1975)	Test Method for Flatness of Plastics Sheet or Collapsed Tubing (Discontinued 1982†)
§D 1621-73(1979)	Test Method for Compressive Properties of Rigid Cellular Plastics
§D 1622-83	Test Method for Apparent Density of Rigid Cellular Plastics
D 1623-78	Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics
D 1636-81	Specification for Allyl Molding Compounds
D 1637-83	Test Method for Tensile Heat Distortion Temperature of Plastic Sheetting
§D 1638-74	Methods of Testing Urethane Foam Isocyanate Raw Materials
§D 1652-73(1980) <sup>1</sup>	Test Method for Epoxy Content of Epoxy Resins
D 1673-79	Test Methods for Relative Permittivity and Dissipation Factor of Expanded Cellular Plastics Used for Electrical Insulation
§D 1693-70(1980) <sup>1</sup>	Test Method for Environmental Stress-Cracking of Ethylene Plastics
D 1703-62(1976)	Recommended Practice for Presentation of Capillary Flow Data on Molten Thermoplastics (Discontinued 1982†—Replaced by D 3835)
D 1705-82	Method for Particle Size Analysis of Powdered Polymers and Copolymers of Vinyl Chloride
§D 1708-79	Test Method for Tensile Properties of Plastics by Use of Microtensile Specimens
D 1709-75(1980)	Test Methods for Impact Resistance of Polyethylene Film by the Free Falling Dart Method
D 1710-81	Specification for TFE-Fluorocarbon Rod
D 1712-83	Test Method for Resistance of Plastics to Sulfide Staining
§D 1746-70(1978)	Test Method for Transparency of Plastic Sheetting

## CONTENTS, VOLS 08.01, 08.02, AND 08.03

- D 1755 - 81 Specification for Poly(Vinyl Chloride) Resins  
D 1763 - 81 Specification for Epoxy Resins  
D 1784 - 81 Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds  
D 1786 - 73(1978) Specification for Toluenediisocyanate  
D 1788 - 81 Specification for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Plastics  
D 1789 - 65(1977) Test Method for Welding Performance of Poly(Vinyl Chloride) Structures (Discontinued 1984†)  
D 1790 - 83 Test Method for Brittleness Temperature of Plastic Sheeting by Impact  
D 1822 - 83 Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials  
D 1822M - 83 Test Method for Tensile-Impact Energy to Break Plastics and Electrical Insulating Materials (Metric)  
D 1823 - 82 Test Method for Apparent Viscosity of Plastisols and Organosols at High Shear Rates by Castor-Severs Viscometer  
D 1824 - 83 Test Method for Apparent Viscosity of Plastisols and Organosols at Low Shear Rates by Brookfield Viscometer  
D 1870 - 68(1983)<sup>1</sup> Practice for Elevated Temperature Aging Using a Tubular Oven  
D 1892 - 81 Specification for Styrene-Butadiene Molding and Extrusion Materials  
§D 1893 - 67(1978) Test Method for Blocking of Plastic Film  
D 1894 - 78 Test Method for Static and Kinetic Coefficients of Friction of Plastic Film and Sheeting  
§D 1895 - 69(1979) Test Methods for Apparent Density, Bulk Factor, and Pourability of Plastic Materials  
D 1896 - 72(1981) Practice for Transfer Molding Specimens of Thermosetting Compounds  
D 1897 - 77(1981) Practice for Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials  
D 1898 - 68(1979)<sup>1</sup> Recommended Practice for Sampling of Plastics  
D 1920 - 69(1976) Recommended Practice for Determining Light Dosage in Carbon-Arc Light Aging Apparatus (Discontinued 1983†)  
D 1921 - 63(1975) Test Methods for Particle Size (Sieve Analysis) of Plastic Materials  
D 1922 - 67(1978) Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method  
D 1925 - 70(1977)<sup>1</sup> Test Method for Yellowness Index of Plastics  
D 1927 - 81 Specification for Rigid Poly(Vinyl Chloride) Plastic Sheet  
§D 1928 - 80 Method for Preparation of Compression-Molded Test Sheets and Test Specimens  
§D 1929 - 77 Test Method for Ignition Properties of Plastics  
D 1938 - 67(1978) Test Method for Tear Propagation Resistance of Plastic Film and Thin Sheeting by a Single-Tear Method  
D 1939 - 72(1978)<sup>1</sup> Recommended Practice for Determining Residual Stresses in Extruded or Molded Acrylonitrile-Butadiene-Styrene (ABS) Parts by Immersion in Glacial Acetic Acid  
D 2103 - 81 Specification for Polyethylene Film and Sheeting  
D 2115 - 67(1980) Practice for Oven Heat Stability of Poly(Vinyl Chloride) Compositions  
D 2116 - 83 Specification for FEP-Fluorocarbon Molding and Extrusion Materials  
D 2117 - 82 Test Method for Melting Point of Semicrystalline Polymers by the Hot Stage Microscopy Method  
D 2123 - 81 Specification for Rigid Poly(Vinyl Chloride-Vinyl Acetate) Plastic Sheet  
D 2124 - 70(1979) Method for Analysis of Components in Poly(Vinyl Chloride) Compounds Using an Infrared Spectrophotometric Technique  
§D 2126 - 75 Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging  
D 2133 - 81 Specification for Acetal Resin Injection Molding and Extrusion Materials  
D 2134 - 66(1980)<sup>1</sup> Test Method for Softening of Organic Coatings by Plastic Compositions  
D 2141 - 68(1974) Test Method for Adhesion Ratio of Polyethylene Film (Discontinued 1982†)  
D 2146 - 82 Specification for Propylene Plastic Molding and Extrusion Materials  
D 2150 - 81 Specification for Woven Roving Glass Fabric for Polyester-Glass Laminates  
D 2151 - 68(1982) Test Method for Staining of Poly(Vinyl Chloride) Compositions by Rubber Compounding Ingredients  
D 2188 - 69(1977) Recommended Practice for Statistical Design in Interlaboratory Testing of Plastics (Discontinued 1983†—Replaced by E 691)  
D 2222 - 66(1978) Test Method for Methanol Extract of Vinyl Chloride Resins  
D 2236 - 81 Test Method for Dynamic Mechanical Properties of Plastics by Means of a Torsional Pendulum  
D 2237 - 70(1980) Test Method for Rate-of-Rise (Volume Increase) Properties of Urethane Foaming Systems  
D 2238 - 68(1979) Test Methods for Absorbance of Polyethylene Due to Methyl Groups at 1378 cm<sup>-1</sup>  
§D 2240 - 81<sup>1</sup> Test Method for Rubber Property—Durometer Hardness  
D 2287 - 81 Specification for Nonrigid Vinyl Chloride Polymer and Copolymer Molding and Extrusion Compounds  
D 2288 - 69(1980)<sup>1</sup> Test Method for Weight Loss of Plasticizers on Heating

## CONTENTS, VOLS 08.01, 08.02, AND 08.03

- D2289 – 81 Test Method for Tensile Properties of Plastics at High Speeds
- D2292 – 68(1981) Practice for Compression Molding Test Specimens of Styrene-Butadiene Molding and Extrusion Materials
- D2299 – 68(1982) Recommended Practice for Determining Relative Stain Resistance of Plastics
- D2341 – 81 Specification for Rigid Urethane Foam
- D2342 – 68(1972) Test Method for Lot-to-Lot Stabilization Uniformity of Propylene Plastics (Discontinued 1980†)
- D2343 – 67(1979)<sup>1</sup> Test Method for Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics
- D2383 – 69(1981)<sup>1</sup> Practice for Testing Plasticizer Compatibility in Poly(Vinyl Chloride) (PVC) Compounds Under Humid Conditions
- D2393 – 80 Test Method for Viscosity of Epoxy Resins and Related Components
- D2396 – 79 Recommended Practice for Powder-Mix Test of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer
- D2408 – 82 Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Amino-Silane Type Finishes, for Plastic Laminates
- D2409 – 82 Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Vinyl-Silane Type Finishes, for Plastic Laminates
- §D2410 – 82 Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Chrome Complexes, for Plastic Laminates
- D2411 – 81 Specification for Cellulose Acetate Butyrate Film and Sheeting for Fabricating and Forming
- D2445 – 69(1981)<sup>1</sup> Test Method for Thermal Oxidative Stability of Propylene Plastics
- D2457 – 70(1977)<sup>1</sup> Test Method for Specular Gloss of Plastic Films
- D2463 – 74(1983)<sup>1</sup> Test Method for Drop Impact Resistance of Blow-Molded Thermoplastic Containers
- D2471 – 71(1979) Test Method for Gel Time and Peak Exothermic Temperature of Reacting Thermosetting Resins
- D2473 – 81 Specification for Polycarbonate Plastic Molding, Extrusion, and Casting Materials (Discontinued 1983†—Replaced by D 3935)
- D2474 – 81 Specification for Vinyl Chloride Copolymer Resins
- D2530 – 81 Specification for Nonoriented Propylene Plastic Film
- D2531 – 68 Specification for Phenoxy Plastics Molding and Extrusion Materials (Discontinued 1980†)
- D2538 – 79 Recommended Practice for Fusion Test of Poly(Vinyl Chloride) (PVC) Resins Using a Torque Rheometer
- D2552 – 69(1980)<sup>1</sup> Test Method for Environmental Stress Rupture of Type III Polyethylenes Under Constant Tensile Load
- D2561 – 70(1976) Test Method for Environmental Stress-Crack Resistance of Blow-Molded Polyethylene Containers
- D2562 – 70(1977) Recommended Practice for Classifying Visual Defects in Parts Molded from Reinforced Thermosetting Plastics
- D2563 – 70(1977) Recommended Practice for Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts
- D2565 – 83 Practice for Operating Xenon Arc-Type (Water-Cooled) Light-Exposure Apparatus With and Without Water for Exposure of Plastics
- D2566 – 79 Test Method for Linear Shrinkage of Cured Thermosetting Casting Resins During Cure
- D2578 – 67(1979) Test Method for Wetting Tension of Polyethylene and Polypropylene Films
- D2581 – 80 Specification for Polybutylene (PB) Plastics Molding and Extrusion Materials
- D2582 – 67(1978) Test Method for Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting
- §D2583 – 81 Test Method for Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor
- §D2584 – 68(1979)<sup>1</sup> Test Method for Ignition Loss of Cured Reinforced Resins
- D2587 – 68(1979)<sup>1</sup> Test Method for Acetone Extraction and Ignition of Glass Fiber Strands, Yarns, and Roving for Reinforced Plastics
- D2589 – 70(1982) Test Method for Bauer-McNett Wet Classification of Asbestos Fiber
- D2590 – 77(1982) Method of Sampling Asbestos Fiber for Testing
- D2647 – 80 Specification for Crosslinkable Ethylene Plastics
- D2659 – 67(1979) Test Method for Column Crush Properties of Blown Thermoplastic Containers
- D2660 – 82 Test Method for Finish Content of Woven Glass Fabric, Cleaned and After-Finished with Acrylic-Silane Type Finishes, for Plastic Laminates
- D2673 – 81 Specification for Oriented Polypropylene Film
- D2684 – 73(1979) Recommended Practice for Determining Permeability of Thermoplastic Containers
- D2730 – 80 Test Method for Sag Flow of Highly Viscous Resins
- D2732 – 83 Test Method for Unrestrained Linear Thermal Shrinkage of Plastic Film and Sheeting
- §D2733 – 70(1976) Test Methods for Interlaminar Shear Strength of Structural Reinforced Plastics at Elevated Temperatures (Discontinued 1980†—Replaced by D 3846)
- D2734 – 70(1980) Test Methods for Void Content of Reinforced Plastics

## CONTENTS, VOLS 08.01, 08.02, AND 08.03

- D2735-78 Practice for Determination of Effect of Cyclic Immersion of Syntactic Foam at Pressure (Discontinued 1984†)
- D2736-78 Practices for Determination of Hydrostatic Compressive Strength of Rigid Syntactic Foam (Discontinued 1984†)
- D2741-68 (1979) Test Method for Susceptibility of Polyethylene Bottles to Soot Accumulation
- D2752-72 (1980)<sup>1</sup> Test Method for Air Permeability of Asbestos Fibers
- D2765-68 (1978) Test Methods for Degree of Crosslinking in Crosslinked Ethylene Plastics as Determined by Solvent Extraction
- D2838-83 Test Method for Shrink Tension and Orientation Release Stress of Plastic Film and Thin Sheeting
- D2839-69 (1980)<sup>1</sup> Practice for Use of a Melt Index Strand for Determining Density of Polyethylene
- D2840-69 (1976) Test Method for Average True Particle Density of Hollow Microspheres (Intent to Withdraw)
- D2841-83 Practice for Sampling Hollow Microspheres
- D2842-69 (1975)<sup>1</sup> Test Method for Water Absorption of Rigid Cellular Plastics
- §D2843-77 Test Method for Density of Smoke from the Burning or Decomposition of Plastics
- D2848-81 Specification for Reinforced Polycarbonate Injection Molding and Extrusion Materials (Discontinued 1983†—Replaced by D 3935)
- D2849-69 (1980) Methods of Testing Urethane Foam Polyol Raw Materials
- D2853-81 Specification for Reinforced Olefin Injection Molding and Extrusion Materials
- D2856-70 (1976) Test Method for Open Cell Content of Rigid Cellular Plastics by the Air Pycnometer
- D2857-70 (1977) Test Method for Dilute Solution Viscosity of Polymers
- §D2863-77 Method for Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index)
- D2873-70 (1982)<sup>1</sup> Test Method for Interior Porosity of Poly(Vinyl Chloride) (PVC) Resins by Mercury Intrusion Porosimetry
- D2874-70 (1976) Specification for Polyphenylene Oxide Molding and Extrusion Materials (Discontinued 1983†)
- D2897-81 Specification for Reinforced and Filled Nylon Injection Molding and Extrusion Materials (Discontinued 1983†—Replaced by D 4066)
- D2911-82 Specification for Dimensions and Tolerances for Plastic Bottles
- D2923-70 (1983) Test Method for Rigidity of Polyolefin Film and Sheeting
- D2926-70 (1976) Test Method for Bulk Modulus of Elasticity of Syntactic Foam (Piston-Cylinder Method)
- D2946-80 Definitions of Terms Relating to Asbestos Fiber
- D2947-74 (1980)<sup>1</sup> Method for Screen Analysis of Asbestos Fibers
- D2948-81<sup>1</sup> Specification for Glass-Reinforced and Glass-Filled Acetal Resin Molding and Extrusion Materials
- D2951-71 (1983) Test Method for Thermal Stress-Cracking Resistance of Types III and IV Polyethylene Plastics
- D2952-81 Specification for Ethylene Plastics
- D2985-74 (1980)<sup>1</sup> Test Method for Color of Asbestos
- D2987-74 (1980)<sup>1</sup> Test Method for Moisture Content of Asbestos Fiber
- §D2990-77 (1982)<sup>1</sup> Test Methods for Tensile, Compressive, and Flexural Creep and Creep Rupture of Plastics
- D2991-71 (1978) Recommended Practice for Testing Stress-Relaxation of Plastics
- D3010-71 (1981) Practice for Preparing Compression-Molded Test Sample Plaques of Rigid Poly(Vinyl Chloride) Compounds
- D3011-81 Specification for Reinforced and Filled Polystyrene, Styrene-Acrylonitrile, and Acrylonitrile-Butadiene-Styrene Molding and Extrusion Materials
- D3012-79 Test Method for Thermal Oxidative Stability of Propylene Plastics, Using a Biaxial Rotator
- D3013-81 Specification for Epoxy Molding Compounds
- §D3014-76 Test Method for Flame Height, Time of Burning, and Loss of Weight of Rigid Cellular Plastics in a Vertical Position
- D3015-72 (1978) Recommended Practice for Microscopical Examination of Pigment Dispersion in Plastic Compounds
- D3016-78 Practice for Use of Liquid Exclusion Chromatography Terms and Relationships
- D3027-72 (1981) Practice for Compression Molding Specimens of Allyl Molding Compounds
- D3028-72 (1983)<sup>1</sup> Test Method for Kinetic Coefficient of Friction of Plastic Solids and Sheeting
- §D3029-82a Test Method for Impact Resistance of Rigid Plastic Sheeting or Parts by Means of a Tup (Falling Weight)
- D3030-79 Test Method for Volatile Matter (Including Water) of Vinyl Chloride Resins
- D3045-74 (1979)<sup>1</sup> Recommended Practice for Heat Aging of Plastics Without Load
- D3098-82 Test Method for Finish Content of Woven Glass Fabric, Cleaned, and After-Finished with Epoxy-Functional Silane Type Finishes for Plastic Laminates
- D3099-72 (1979) Test Method for Pneumatic Ball Impact Resistance of Plastic Film and Sheeting (Discontinued 1982†)