

CONTENIDO

Construction and characterization of new cloning vehicles V.	
Mobilization and coding properties of pBR322 and several deletion derivatives including pBR327 and pBR328	1
Recombinant plasmids carrying the glutamate dehydrogenase structural gene from <i>Escherichia coli</i> K-12	13
Construction and characterization of new cloning vehicles VI.	
Plasmid pBR329, a new derivative of pBR328 lacking the 482-base-pair inverted duplication	21
Clonación molecular de DNA complementario a RNA mensajero que codifica para preproinsulina de rata	33
A new cloning vehicle in which the Cm ^r gene is transcribed from a promoter within the Tc ^r gene	52
Evidencias bioquímicas de la presencia del gene estructural de la deshidrogenasa glutámica de <i>E. coli</i> K-12 en plásmidos recombinantes	55
Nucleotide sequence of the promoter and amino-terminal coding region of the glutamate dehydrogenase structural gene of <i>Escherichia coli</i>	63
Structural organization of the genes that encode two glutamate synthase subunits of <i>Escherichia coli</i>	75
Glucosa isomerasa: sobreproducción de la enzima por técnicas de ingeniería genética molecular	82
Complete nucleotide sequence of the glutamate dehydrogenase gene from <i>Escherichia coli</i> K-12	94
Construction and characterization of new cloning vehicles VII.	
Construction of plasmid pBR327 <i>par</i> , a completely sequenced stable derivative of pBR327 containing the <i>par</i> locus of pSC101	101
Clonación de un cDNA de interferón leucocitario humano y su estrategia de producción en <i>E. coli</i>	105
Repetitive extragenic palindromic (REP) sequences in the <i>Escherichia coli</i> <i>gdhA</i> gene	115

Identification and isolation of human insulin A and B chains by high-performance liquid chromatography.....	125
Influence of regions upstream the promoter for the primer RNA on the copy number and stability of pBR327 derived plasmids	134
A common precursor for the two subunits of the penicillin acylase from <i>Escherichia coli</i> ATCC11105	135
Plasmid vector pBR322 and its special-purpose derivatives —a review.....	141
Characterization of the regulatory region of the <i>Escherichia coli</i> penicillin acylase structural gene.....	179
A new expression vector for the production of fused proteins in <i>Escherichia coli</i>	183
An analytical HPLC method for the isolation and characterization of insulin	189
Deletion of a repetitive extragenic palindromic (REP) sequence downstream from the structural gene of <i>Escherichia coli</i> glutamate dehydrogenase affects the stability of its mRNA	199
Determination of the nucleotide sequence for the glutamate synthase structural genes of <i>Escherichia coli</i> K-12	205
The plasmid, pBR322	218
Overproduction of proteins by recombinant DNA: human insulin	255
Cloning, sequencing, and expression in ficoll-generated minicells of an <i>Escherichia coli</i> heat-stable enterotoxin gene	271
Plasmid pBR322: the multipurpose cloning vector	283
Identification of a functional promoter for the <i>Escherichia coli</i> <i>gdhA</i> gene and its regulation	287
Amino acid sequence analysis of the glutamate synthase enzyme from <i>Escherichia coli</i> K-12	301
The ribonucleoside diphosphate reductase gene (<i>nrdA</i>) of <i>Escherichia coli</i> carries a repetitive extragenic palindromic (REP) sequence in its 3' structural terminus	309
Design and construction of expression plasmid vectors in <i>Escherichia coli</i>	315
Maximizing the expression of recombinant proteins in <i>Escherichia coli</i> by manipulation of culture conditions	339
Preparative isolation by high performance liquid chromatography of human insulin B chain produced in <i>Escherichia coli</i>	347
Multipurpose tools in molecular biology	360
The role of penicillin amidases in nature and in industry	361
Experience in production of recombinant DNA products at the Research Center of Genetic Engineering and Biotechnology, National University of Mexico	367

New insights on the comma-less theory.....	373
A general, PCR-based method for single or combinatorial oligonucleotide-directed mutagenesis on pUC/M13 vectors.....	377
Carbon regulation and the role in nature of the <i>Escherichia coli</i> penicillin acylase (<i>pac</i>) gene.....	379
Preparative isolation of recombinant human insulin-A chain by ion exchange chromatography.....	387
<i>gltF</i> , a member of the <i>gltBDF</i> operon of <i>Escherichia coli</i> , is involved in nitrogen-regulated gene expression.....	401
Recovery of DNA from agarose gels stained with methylene blue.....	411
Cloning and characterization of cDNAs that code for Na^+ -channel-blocking toxins of the scorpion <i>Centruroides noxius</i> Hoffmann.....	413
Recombinant protein production in cultures of an <i>Escherichia coli</i> <i>trp</i> ⁻ strain.....	421
Primary structure determination and cloning of the cDNA encoding toxin 4 of the scorpion <i>Centruroides noxius</i> Hoffmann.....	427
The genomic region encoding toxin gamma from the scorpion <i>Tityus serrulatus</i> contains an intron.....	431
Plasmid pBINT: a vector for chromosomal insertion of cloned DNA.....	435
Kinetic study of penicillin acylase production by recombinant <i>E. coli</i> in batch cultures.....	439
Antisense overlapping open reading frames in genes from bacteria to humans.....	449
Strategies in the design of a penicillin acylase process.....	455
Production in <i>Escherichia coli</i> of a rat chimeric proinsulin polypeptide carrying human A and B chains and its preparative chromatography.....	467
Cloning of genes encoding scorpion toxins: an interpretative review.....	475
Cloning of the two pyruvate kinase isoenzyme structural genes from <i>Escherichia coli</i> : the relative roles of these enzymes in pyruvate biosynthesis.....	493
A functional Spo0A is required for maximal <i>aprE</i> expression in <i>Bacillus subtilis</i>	497
Pathway engineering for the production of aromatic compounds in <i>Escherichia coli</i>	501
A pBINT family of plasmids for integration of cloned DNA into the <i>Escherichia coli</i> chromosome.....	505
Basic and applied aspects of metabolic diversity: the phosphoenolpyruvate node.....	511
Effects of the <i>sinR</i> and <i>degU32</i> (Hy) mutations on the regulation of the <i>aprE</i> gene in <i>Bacillus subtilis</i>	517