

# Contents

---

Preface	v	<b>2.2 DNA Cloning</b>	43
A Note to the Reader	vii	2.2.1 Cloning vectors and the way they are used	44
Contents in Brief	xi	Vectors based on <i>E. coli</i> plasmids	45
Abbreviations	xix	Technical Note 2.3: DNA purification	46
		Cloning vectors based on <i>E. coli</i> bacteriophage genomes	48
		Vectors for longer pieces of DNA	51
		Cloning in organisms other than <i>E. coli</i>	53
<b>PART 1 Studying Genomes</b>	<b>1</b>	<b>2.3 The Polymerase Chain Reaction (PCR)</b>	<b>55</b>
<b>Chapter 1 Genomes, Transcriptomes, and Proteomes</b>	<b>3</b>	2.3.1 Carrying out a PCR	55
1.1 DNA	5	Technical Note 2.4: Working with a clone library	56
1.1.1 Genes are made of DNA	5	2.3.2 The applications of PCR	57
1.1.2 The structure of DNA	8	Study Aids	59
Nucleotides and polynucleotides	8		
The evidence that led to the double helix	9	<b>Chapter 3 Mapping Genomes</b>	<b>63</b>
The key features of the double helix	11	3.1 Genetic and Physical Maps	65
The double helix has structural flexibility	12		
1.2 RNA and the Transcriptome	14	3.2 Genetic Mapping	65
1.2.1 The structure of RNA	15	3.2.1 Genes were the first markers to be used	66
1.2.2 The RNA content of the cell	15	3.2.2 DNA markers for genetic mapping	67
1.2.3 Processing of precursor RNA	17	Restriction fragment length polymorphisms	67
1.2.4 The transcriptome	17	Simple sequence length polymorphisms	68
1.3 Proteins and the Proteome	18	Single nucleotide polymorphisms	69
1.3.1 Protein structure	18	Technical Note 3.1: DNA microarrays and chips	71
The four levels of protein structure	18	3.2.3 Linkage analysis is the basis of genetic mapping	72
Amino acid diversity underlies protein diversity	19	The principles of inheritance and the discovery of linkage	72
1.3.2 The proteome	20	Partial linkage is explained by the behavior of chromosomes during meiosis	74
The link between the transcriptome and the proteome	21	From partial linkage to genetic mapping	77
The genetic code is not universal	22	3.2.4 Linkage analysis with different types of organism	77
The link between the proteome and the biochemistry of the cell	23	Linkage analysis when planned breeding experiments are possible	78
Study Aids	26	Gene mapping by human pedigree analysis	80
		Genetic mapping in bacteria	81
<b>Chapter 2 Studying DNA</b>	<b>31</b>	<b>3.3 Physical Mapping</b>	<b>82</b>
2.1 Enzymes for DNA Manipulation	33	3.3.1 Restriction mapping	84
2.1.1 DNA polymerases	34	The basic methodology for restriction mapping	84
Technical Note 2.1: DNA labeling	34	The scale of restriction mapping is limited by the sizes of the restriction fragments	86
The mode of action of a template-dependent polymerase	35	Direct examination of DNA molecules for restriction sites	87
The types of DNA polymerases used in research	36	3.3.2 Fluorescent <i>in situ</i> hybridization	89
2.1.2 Nucleases	37	<i>In situ</i> hybridization with radioactive or fluorescent probes	89
Restriction endonucleases enable the DNA molecules to be cut at defined positions	38	FISH in action	90
Technical Note 2.2: Agarose gel electrophoresis	40	3.3.3 Sequence tagged site mapping	91
Examining the results of a restriction digest	41	Any unique DNA sequence can be used as an STS	92
2.1.3 DNA ligases	42		
2.1.4 End-modification enzymes	42		

Fragments of DNA for STS mapping	93	Hybridization tests can determine if a fragment contains transcribed sequences	141
A clone library can also be used as the mapping reagent for STS analysis	94	Technical Note 5.1: Techniques for studying RNA	142
Study Aids	97	cDNA sequencing enables genes to be mapped within DNA fragments	142
<b>Chapter 4 Sequencing Genomes</b>	<b>103</b>	Methods are available for precise mapping of the ends of transcripts	143
<b>4.1 The Methodology for DNA Sequencing</b>	<b>104</b>	Exon-intron boundaries can also be located with precision	144
Technical Note 4.1: Polyacrylamide gel electrophoresis	104	<b>5.2 Determining the Functions of Individual Genes</b>	<b>144</b>
4.1.1 Chain termination DNA sequencing	105	5.2.1 Computer analysis of gene function	145
Chain termination sequencing in outline	105	Homology reflects evolutionary relationships	145
Chain termination sequencing requires a single-stranded DNA template	107	Homology analysis can provide information on the function of an entire gene or of segments within it	145
DNA polymerases for chain termination sequencing	108	Using homology searching to assign functions to human disease genes	147
The primer determines the region of the template DNA that will be sequenced	108	5.2.2 Assigning gene function by experimental analysis	148
Thermal cycle sequencing offers an alternative to the traditional methodology	109	Functional analysis by gene inactivation	149
4.1.2 Alternative methods for DNA sequencing	109	Individual genes can be inactivated by homologous recombination	149
Chemical degradation sequencing	110	Gene inactivation without homologous recombination	150
Pyrosequencing is used for rapid determination of very short sequences	111	Gene overexpression can also be used to assess function	151
<b>4.2 Assembly of a Contiguous DNA Sequence</b>	<b>112</b>	The phenotypic effect of gene inactivation or overexpression may be difficult to discern	152
4.2.1 Sequence assembly by the shotgun method	112	5.2.3 More detailed studies of the activity of a protein coded by an unknown gene	154
The potential of the shotgun method was proven by the <i>Haemophilus influenzae</i> sequence	113	Directed mutagenesis can be used to probe gene function in detail	154
4.2.2 Sequence assembly by the clone contig method	115	Reporter genes and immunocytochemistry can be used to locate where and when genes are expressed	155
Clone contigs can be built up by chromosome walking, but the method is laborious	115	Technical Note 5.2: Site-directed mutagenesis	156
More rapid methods for clone contig assembly	117	<b>5.3 Case Study: Annotation of the <i>Saccharomyces cerevisiae</i> Genome Sequence</b>	<b>158</b>
4.2.3 Whole-genome shotgun sequencing	119	5.3.1 Annotation of the yeast genome sequence	158
Key features of whole-genome shotgun sequencing	119	5.3.2 Assigning functions to yeast genes	159
<b>4.3 The Human Genome Projects</b>	<b>121</b>	Study Aids	162
4.3.1 The mapping phase of the Human Genome Project	121	<b>Chapter 6 Understanding How a Genome Functions</b>	<b>167</b>
4.3.2 Sequencing the human genome	122	<b>6.1 Studying the Transcriptome</b>	<b>168</b>
4.3.3 The future of the human genome projects	123	6.1.1 Studying a transcriptome by sequence analysis	168
Study Aids	126	6.1.2 Studying a transcriptome by microarray or chip analysis	169
<b>Chapter 5 Understanding a Genome Sequence</b>	<b>133</b>	Using a microarray or chip to study one or more transcriptomes	169
<b>5.1 Locating the Genes in a Genome Sequence</b>	<b>134</b>	Studies of the yeast transcriptome	172
5.1.1 Gene location by sequence inspection	134	The human transcriptome	173
The coding regions of genes are open reading frames	134	<b>6.2 Studying the Proteome</b>	<b>175</b>
Simple ORF scans are less effective with DNA of higher eukaryotes	135	6.2.1 Protein profiling – methodology for identifying the proteins in a proteome	175
Locating genes for functional RNA	137		
Homology searches and comparative genomics give an extra dimension to sequence inspection	138		
Automatic annotation of genome sequences	140		
5.1.2 Experimental techniques for gene location	141		

Separating the proteins in a proteome	175	The traditional view of the prokaryotic chromosome	226
Identifying the proteins in a proteome	177	Some bacteria have linear or multipartite genomes	228
6.2.2 Identifying proteins that interact with one another	179		
Identifying pairs of interacting proteins by phage display and two-hybrid studies	179	<b>8.2 The Genetic Features of Prokaryotic Genomes</b>	230
Identifying the components of multiprotein complexes	181	8.2.1 How are the genes organized in a prokaryotic genome?	230
Identifying proteins with functional interactions	182	Gene organization in the <i>E. coli</i> genome	231
Protein interaction maps	183	Operons are characteristic features of prokaryotic genomes	232
<b>6.3 Beyond the Proteome</b>	184	8.2.2 How many genes are there and what are their functions?	234
6.3.1 The metabolome	185	8.2.3 Prokaryotic genomes and the species concept	236
6.3.2 Understanding biological systems	186		
Study Aids	189	<b>8.3 Eukaryotic Organelle Genomes</b>	238
		8.3.1 The origins of organelle genomes	238
		8.3.2 Physical features of organelle genomes	239
		8.3.3 The genetic content of organelle genomes	239
		Study Aids	244
<b>PART 2 Genome Anatomies</b>	195		
<b>Chapter 7 Eukaryotic Nuclear Genomes</b>	197	<b>Chapter 9 Virus Genomes and Mobile Genetic Elements</b>	249
7.1 Nuclear Genomes are Contained in Chromosomes	198	9.1 The Genomes of Bacteriophages and Eukaryotic Viruses	250
7.1.1 Packaging of DNA into chromosomes	198	9.1.1 Bacteriophage genomes	250
7.1.2 The special features of metaphase chromosomes	199	Bacteriophage genomes have diverse structures and organizations	250
DNA–protein interactions in centromeres and telomeres	202	Replication strategies for bacteriophage genomes	251
		9.1.2 The genomes of eukaryotic viruses	253
<b>7.2 The Genetic Features of Eukaryotic Nuclear Genomes</b>	203	Structures and replication strategies for eukaryotic viral genomes	253
7.2.1 Where are the genes in a nuclear genome?	204	Genomes at the edge of life	254
Technical Note 7.1: Ultracentrifugation techniques	205		
7.2.2 How are the genes organized in a nuclear genome?	205	<b>9.2 Mobile Genetic Elements</b>	256
The genes make up only a small part of the human genome	206	9.2.1 Transposition via an RNA intermediate	257
The yeast genome is very compact	207	RNA transposons with long terminal repeats are related to viral retroelements	257
Gene organization in other eukaryotes	210	RNA transposons that lack LTRs	259
7.2.3 How many genes are there and what are their functions?	211	9.2.2 DNA transposons	259
The human gene catalog	212	DNA transposons are common in prokaryotic genomes	260
Gene catalogs reveal the distinctive features of different organisms	212	DNA transposons are less common in eukaryotic genomes	261
Families of genes	215		
Pseudogenes and other evolutionary relics	216	Study Aids	264
7.2.4 The repetitive DNA content of eukaryotic nuclear genomes	216		
Tandemly repeated DNA is found at centromeres and elsewhere in eukaryotic chromosomes	217	<b>PART 3 How Genomes Function</b>	269
Minisatellites and microsatellites	217	<b>Chapter 10 Accessing the Genome</b>	271
Interspersed repeats	218	10.1 Inside the Nucleus	272
Study Aids	220	10.1.1 The internal architecture of the eukaryotic nucleus	272
		The nucleus has a highly ordered internal structure	273
<b>Chapter 8 Genomes of Prokaryotes and Eukaryotic Organelles</b>	225	Technical Note 10.1: Fluorescence recovery after photobleaching (FRAP)	274
8.1 The Physical Features of Prokaryotic Genomes	226		
8.1.1 The chromosomes of prokaryotes	226		

Each chromosome has its own territory within the nucleus	274	Bacterial RNA polymerases bind to promotor sequences	309
10.1.2 Chromatin domains	275	Eukaryotic promoters are more complex	310
Functional domains are defined by insulators	276	11.2.3 Assembly of the transcription initiation complex	312
Some functional domains contain locus control regions	278	Transcription initiation in <i>E. coli</i>	312
<b>10.2 Chromatin Modifications and Genome Expression</b>	279	Transcription initiation with RNA polymerase II	312
10.2.1 Chemical modification of histones	280	Transcription initiation with RNA polymerases I and III	315
Acetylation of histones influences many nuclear activities including genome expression	280	<b>11.3 Regulation of Transcription Initiation</b>	315
Histone deacetylation represses active regions of the genome	282	11.3.1 Strategies for controlling transcription initiation in bacteria	316
Acetylation is not the only type of histone modification	282	Promotor structure determines the basal level of transcription initiation	316
10.2.2 The influence of nucleosome remodeling on genome expression	284	Regulatory control over bacterial transcription initiation	317
<b>10.3 DNA Modification and Genome Expression</b>	285	11.3.2 Control of transcription initiation in eukaryotes	320
10.3.1 Genome silencing by DNA methylation	285	Eukaryotic promoters contain regulatory modules	321
DNA methyltransferases and the repression of genome activity	286	Activators and coactivators of eukaryotic transcription initiation	322
Methylation is involved in genomic imprinting and X inactivation	287	The mediator forms the contact between an activator and the RNA polymerase II preinitiation complex	323
Study Aids	290	Repressors of eukaryotic transcription initiation	324
<b>Chapter 11 Assembly of the Transcription Initiation Complex</b>	295	Controlling the activities of activators and repressors	325
11.1 DNA-binding Proteins and Their Attachment Sites	297	Study Aids	327
11.1.1 The special features of DNA-binding proteins	297	<b>Chapter 12 Synthesis and Processing of RNA</b>	333
The helix-turn-helix motif is present in prokaryotic and eukaryotic proteins	297	12.1 Synthesis and Processing of Bacterial RNAs	334
Technical Note 11.1: X-ray crystallography and nuclear magnetic resonance spectroscopy	298	12.1.1 Synthesis of bacterial transcripts	335
Zinc fingers are common in eukaryotic proteins	301	Elongation of a transcript by the bacterial RNA polymerase	335
Other nucleic acid-binding motifs	301	Termination of a bacterial transcript	337
11.1.2 Locating the positions of DNA-binding sites in a genome	302	12.1.2 Control over the choice between elongation and termination	338
Gel retardation identifies DNA fragments that bind to proteins	303	Antitermination results in termination signals being ignored	338
Protection assays pinpoint binding sites with greater accuracy	303	Attenuation results in premature termination	340
Modification interference identifies nucleotides central to protein binding	304	Transcript cleavage proteins can prevent stalling of a backtracked polymerase	341
11.1.3 The interaction between DNA and its binding proteins	305	12.1.3 Processing of bacterial RNAs	343
Direct readout of the nucleotide sequence	306	Cutting events release mature rRNAs and tRNAs from their precursor molecules	343
The nucleotide sequence has a number of indirect effects on helix structure	306	Nucleotide modifications broaden the chemical properties of tRNAs and rRNAs	346
Contacts between DNA and proteins	307	12.1.4 Degradation of bacterial RNAs	346
<b>11.2 DNA-Protein Interactions During Transcription Initiation</b>	308	Bacterial mRNAs are degraded in the 3'→5' direction	347
11.2.1 RNA polymerases	308	<b>12.2 Synthesis and Processing of Eukaryotic RNA</b>	348
11.2.2 Recognition sequences for transcription initiation	309	12.2.1 Synthesis of eukaryotic mRNAs by RNA polymerase II	348
		Capping of RNA polymerase II transcripts occurs immediately after initiation	348
		Elongation of eukaryotic mRNAs	350

Termination of synthesis of most mRNAs is combined with polyadenylation	351	Regulation of translation initiation	399
Regulation of mRNA synthesis in eukaryotes	353	13.2.3 The elongation phase of translation	400
12.2.2 Removal of introns from nuclear pre-mRNA	354	Elongation in bacteria and eukaryotes	400
Conserved sequence motifs indicate the key sites in GU-AG introns	355	Peptidyl transferase is a ribozyme	402
Outline of the splicing pathway for GU-AG introns	356	Frameshifting and other unusual events during elongation	403
snRNAs and their associated proteins are the central components of the splicing apparatus	357	13.2.4 Termination of translation	405
Alternative splicing is common in many eukaryotes	359	13.2.5 Translation in the archaea	405
Trans-splicing links exons from different transcription units	362	<b>13.3 Posttranslational Processing of Proteins</b>	406
AU-AC introns are similar to GU-AG introns but require a different splicing apparatus	363	13.3.1 Protein folding	407
12.2.3 Synthesis of functional RNAs in eukaryotes	363	Not all proteins fold spontaneously in the test tube	407
12.2.4 Splicing of eukaryotic pre-rRNA and pre-tRNA	364	In cells, folding is aided by molecular chaperones	409
Introns in eukaryotic pre-rRNAs are autocatalytic	364	13.3.2 Processing by proteolytic cleavage	410
Removal of introns from eukaryotic pre-tRNAs	365	Cleavage of the ends of polypeptides	410
Other types of intron	367	Proteolytic processing of polypeptides	411
12.2.5 Chemical modification of eukaryotic RNAs	368	13.3.3 Processing by chemical modification	412
Small nucleolar RNAs act as guides for chemical modification of eukaryotic rRNAs	369	13.3.4 Inteins	413
RNA editing	369	<b>13.4 Protein Degradation</b>	414
12.2.6 Degradation of eukaryotic RNAs	371	Study Aids	417
Eukaryotes have diverse mechanisms for RNA degradation	371	<b>Chapter 14 Regulation of Genome Activity</b>	423
RNA silencing was first identified as a means of destroying invading viral RNA	373	<b>14.1 Transient Changes in Genome Activity</b>	425
MicroRNAs regulate genome expression by causing specific target mRNAs to be degraded	374	14.1.1 Signal transmission by import of the extracellular signaling compound	427
12.2.7 Transport of RNA within the eukaryotic cell	375	Lactoferrin is an extracellular signaling protein which acts as a transcription activator	428
Study Aids	377	Some imported signaling compounds directly influence the activity of preexisting regulatory proteins	428
<b>Chapter 13 Synthesis and Processing of the Proteome</b>	385	Some imported signaling compounds influence genome activity indirectly	429
<b>13.1 The Role of tRNA in Protein Synthesis</b>	386	14.1.2 Signal transmission mediated by cell surface receptors	432
13.1.1 Aminoacylation: the attachment of amino acids to tRNAs	386	Signal transduction with one step between receptor and genome	433
All tRNAs have a similar structure	386	Signal transduction with many steps between receptor and genome	434
Aminoacyl-tRNA synthetases attach amino acids to tRNAs	388	Signal transduction via second messengers	435
13.1.2 Codon-anticodon interactions: the attachment of tRNAs to mRNA	390	Unraveling a signal transduction pathway	436
<b>13.2 The Role of the Ribosome in Protein-Synthesis</b>	392	<b>14.2 Permanent and Semipermanent Changes in Genome Activity</b>	437
13.2.1 Ribosome structure	393	14.2.1 Genome rearrangements	438
Ultracentrifugation was used to measure the sizes of ribosomes and their components	393	Yeast mating types are determined by gene conversion events	438
Probing the fine structure of the ribosome	393	Genome rearrangements are responsible for immunoglobulin and T-cell receptor diversities	439
13.2.2 Initiation of translation	395	14.2.2 Changes in chromatin structure	441
Initiation in bacteria requires an internal ribosome binding site	395	14.2.3 Genome regulation by feedback loops	443
Initiation in eukaryotes is mediated by the cap structure and poly(A) tail	397	<b>14.3 Regulation of Genome Activity During Development</b>	443
Initiation of eukaryotic translation without scanning	398	14.3.1 The lysogenic cycle of bacteriophage $\lambda$	444

Bacteriophage $\lambda$ must make a choice between lysis and lysogeny	444	15.2.4 Maintaining the ends of a linear DNA molecule	489
14.3.2 Sporulation in <i>Bacillus</i>	446	Telomeric DNA is synthesized by the telomerase enzyme	489
Sporulation involves coordinated activities in two distinct cell types	446	Telomere length is implicated in cell senescence and cancer	491
Special $\sigma$ subunits control genome activity during sporulation	446	Telomeres in <i>Drosophila</i>	492
14.3.3 Vulva development in <i>Caenorhabditis elegans</i>	449	<b>15.3 Regulation of Eukaryotic Genome Replication</b>	493
<i>C. elegans</i> is a model for multicellular eukaryotic development	449	15.3.1 Coordination of genome replication and cell division	493
Determination of cell fate during development of the <i>C. elegans</i> vulva	449	Establishment of the prereplication complex enables genome replication to commence	493
14.3.4 Development in <i>Drosophila melanogaster</i>	451	Regulation of pre-RC assembly	494
Maternal genes establish protein gradients in the <i>Drosophila</i> embryo	452	15.3.2 Control within S phase	495
A cascade of gene expression converts positional information into a segmentation pattern	453	Early and late replication origins	495
Segment identity is determined by homeotic selector genes	454	Checkpoints within S phase	497
Homeotic selector genes are universal features of higher eukaryotic development	455	Study Aids	499
Homeotic genes also underlie plant development	456	<b>Chapter 16 Mutations and DNA Repair</b>	505
Study Aids	459	<b>16.1 Mutations</b>	506
<b>PART 4 How Genomes Replicate and Evolve</b>	465	16.1.1 The causes of mutations	506
<b>Chapter 15 Genome Replication</b>	467	Technical Note 16.1: Mutation detection	508
<b>15.1 The Topological Problem</b>	468	Errors in replication are a source of point mutations	509
15.1.1 Experimental proof for the Watson–Crick scheme for DNA replication	469	Replication errors can also lead to insertion and deletion mutations	510
The Meselson–Stahl experiment	470	Mutations are also caused by chemical and physical mutagens	512
15.1.2 DNA topoisomerases provide a solution to the topological problem	472	16.1.2 The effects of mutations	515
15.1.3 Variations on the semiconservative theme	473	The effects of mutations on genomes	516
<b>15.2 The Replication Process</b>	475	The effects of mutations on multicellular organisms	518
15.2.1 Initiation of genome replication	475	The effects of mutations on microorganisms	519
Initiation at the <i>E. coli</i> origin of replication	475	16.1.3 Hypermutation and the possibility of programmed mutations	521
Origins of replication in yeast have been clearly defined	476	Hypermutation results form abnormal DNA repair processes	521
Replication origins in higher eukaryotes have been less easy to identify	477	Programmed mutations appear to support the Lamarckian theory of evolution	522
15.2.2 The elongation phase of replication	478	<b>16.2 DNA Repair</b>	524
The DNA polymerases of bacteria and eukaryotes	479	16.2.1 Direct repair systems fill in nicks and correct some types of nucleotide modification	525
Discontinuous strand synthesis and the priming problem	481	16.2.2 Excision repair	525
Events at the bacterial replication fork	482	Base excision repairs many types of damaged nucleotide	526
The eukaryotic replication fork: variations on the bacterial theme	484	Nucleotide excision repair is used to correct more extensive types of damage	527
Genome replication in the archaea	486	16.2.3 Mismatch repair: correcting errors of replication	529
15.2.3 Termination of replication	487	16.2.4 Repair of DNA breaks	530
Replication of the <i>E. coli</i> genome terminates within a defined region	487	16.2.5 Bypassing DNA damage during genome replication	531
Little is known about termination of replication in eukaryotes	488	The SOS response is an emergency measure for coping with a damaged genome	531
		16.2.6 Defects in DNA repair underlie human diseases, including cancers	532
		Study Aids	535

<b>Chapter 17 Recombination</b>	<b>541</b>	<b>18.4 The Human Genome: the Last Five Million Years</b>	<b>586</b>
17.1 Homologous Recombination	543	Study Aids	589
17.1.1 Models for homologous recombination	543	<b>Chapter 19 Molecular Phylogenetics</b>	<b>595</b>
The Holliday and Meselson–Radding models for homologous recombination	543	19.1 From Classification to Molecular Phylogenetics	596
The double-strand break model for homologous recombination	545	19.1.1 The origin of molecular phylogenetics	596
17.1.2 The biochemistry of homologous recombination	546	Phenetics and cladistics require large datasets	596
The RecBCD pathway of <i>Escherichia coli</i>	546	Large datasets can be obtained by studying molecular characters	597
Other homologous recombination pathways in <i>E. coli</i>	547	19.2 The Reconstruction of DNA-based Phylogenetic Trees	599
Homologous recombination pathways in eukaryotes	548	19.2.1 The key features of DNA-based phylogenetic trees	599
17.1.3 Homologous recombination and DNA repair	549	Gene trees are not the same as species trees	600
17.2 Site-Specific Recombination	550	19.2.2 Tree reconstruction	602
17.2.1 Integration of $\lambda$ DNA into the <i>E. coli</i> genome	550	Sequence alignment is the essential preliminary to tree reconstruction	602
17.2.2 Site-specific recombination is an aid in genetic engineering	551	Converting alignment data into a phylogenetic tree	603
17.3 Transposition	552	Technical Note 19.1: Phylogenetic analysis	604
17.3.1 Replicative and conservative transposition of DNA transposons	553	Assessing the accuracy of a reconstructed tree	606
17.3.2 Transposition of retroelements	553	Molecular clocks enable the time of divergence of ancestral sequences to be estimated	606
17.3.3 How do cells minimize the harmful effect of transposition?	556	Standard tree reconstruction is not appropriate for all DNA sequence datasets	607
Study Aids	558	19.3 Applications of Molecular Phylogenetics	609
<b>Chapter 18 How Genomes Evolve</b>	<b>563</b>	19.3.1 Examples of the use of phylogenetic trees	609
18.1 Genomes: the First Ten Billion Years	564	DNA phylogenetics has clarified the evolutionary relationships between humans and other primates	609
18.1.1 The origins of genomes	565	The origins of AIDS	610
The first biochemical systems were centered on RNA	565	19.3.2 Molecular phylogenetics as a tool in the study of human prehistory	611
The first DNA genomes	566	Studying genes in populations	611
How unique is life?	568	The origins of modern humans – out of Africa or not?	612
18.2 Acquisition of New Genes	568	Neandertals are not the ancestors of modern Europeans	614
18.2.1 Acquisition of new genes by duplication events	570	The patterns of more recent migrations into Europe are also controversial	616
Genome sequences provide extensive evidence of past gene duplications	571	Prehistoric human migrations into the New World	617
A variety of processes could result in gene duplication	573	Study Aids	621
Whole genome duplication is also possible	574	Appendix	627
Analysis of modern genomes provides evidence for past genome duplications	576	Glossary	653
Smaller duplications can also be identified in the human genome and other genomes	577	Index	683
Genome evolution also involves rearrangement of existing genes	578		
18.2.2 Acquisition of new genes from other species	581		
18.3 Noncoding DNA and Genome Evolution	582		
18.3.1 Transposable elements and genome evolution	583		
18.3.2 The origins of introns	583		
“Introns early” and “introns late”: two competing hypotheses	584		
The current evidence disproves neither hypothesis	585		