

CONTENTS

| | |
|---|-----------|
| <i>Preface</i> | xv |
| <i>Acknowledgments</i> | xix |
| | |
| Section 1 THE FUNDAMENTALS OF GC/MS | 1 |
| | |
| 1 Introduction and History | 3 |
| 1.1 Instrumental Variables | 8 |
| 1.2 Operational Variables | 9 |
| References | 12 |
| | |
| 2 Gas Chromatography | 15 |
| 2.1 Overview of a Gas Chromatograph | 15 |
| 2.2 Sample Introduction | 16 |
| 2.2.1 Inlets for Liquid Samples | 16 |
| 2.2.2 Analysis of Gas Samples | 34 |
| 2.2.3 Solvent-Free Determination of Volatile Compounds in Liquids and Solids | 36 |
| 2.2.4 Probes and Other Direct Sample Introduction Techniques for GC | 43 |
| 2.2.5 Summary of GC Sample Introduction Methods | 47 |
| 2.3 Separation of Components in the GC System | 49 |
| 2.3.1 Columns for GC/MS | 49 |
| 2.3.2 Selecting Column Temperatures in a GC Separation | 58 |
| 2.3.3 Carrier Gas Considerations | 61 |
| 2.3.4 Fast GC | 64 |
| 2.4 Overview of GC Detectors | 66 |
| 2.4.1 Thermal Conductivity Detector | 66 |
| 2.4.2 Flame Ionization Detector | 68 |
| 2.4.3 Nitrogen–Phosphorus Detector | 68 |
| 2.4.4 Electron Capture Detector | 69 |
| 2.4.5 Flame Photometric Detector and Pulsed-Flame Photometric Detector | 70 |
| 2.5 Adding Versatility to the GC/MS System with Valves, Splitters, and Thermal Modulators | 73 |
| 2.5.1 Dual-Detector Analysis | 74 |
| 2.5.2 Multicolumn Systems | 76 |
| References | 79 |

| | | |
|----------|--|------------|
| 3 | The GC/MS Interface | 85 |
| 3.1 | Open-Split Interface | 85 |
| 3.2 | Jet Separator | 87 |
| | References | 88 |
| 4 | Mass Spectrometry Instrumentation | 89 |
| 4.1 | Overview of Mass Spectrometers | 89 |
| 4.2 | Resolution, Resolving Power, and Mass Accuracy | 92 |
| 4.3 | Vacuum System | 99 |
| 4.3.1 | Low-Vacuum Component | 99 |
| 4.3.2 | High-Vacuum Component | 101 |
| 4.4 | Ionization Types | 104 |
| 4.4.1 | Electron Ionization | 105 |
| 4.4.2 | Chemical Ionization | 107 |
| 4.4.3 | Electron Capture Negative Ionization | 110 |
| 4.4.4 | Field Ionization | 112 |
| 4.4.5 | Atmospheric Pressure Chemical Ionization | 112 |
| 4.5 | <i>m/z</i> Analyzer Types | 113 |
| 4.5.1 | Transmission Quadrupole GC-MS (a.k.a. Quadrupole Mass Filter GC-MS) | 113 |
| 4.5.2 | Quadrupole Ion Trap GC-MS | 116 |
| 4.5.3 | Time-of-Flight GC-MS | 123 |
| 4.5.4 | Double-Focusing GC-MS | 126 |
| 4.6 | Ion Detection | 128 |
| 4.7 | <i>m/z</i> Scale Calibration | 132 |
| 4.8 | Tuning the Mass Spectrometer | 134 |
| 4.9 | Data Acquisition | 137 |
| 4.9.1 | Continuous Measurement of Spectra (Full-Spectrum Acquisition) | 138 |
| 4.9.2 | Selected Ion Monitoring | 140 |
| 4.9.3 | Alternate Full-Spectrum Acquisition | 142 |
| 4.10 | Tandem Mass Spectrometry (MS/MS) | 142 |
| 4.10.1 | Tandem-in-Space | 145 |
| 4.10.2 | Tandem-in-Time | 146 |
| 4.11 | Conclusion | 146 |
| | References | 146 |
| 5 | Mass Spectral Data Interpretation | 149 |
| 5.1 | Using the Database Search | 154 |
| 5.2 | Identification of a Molecular Ion Peak in an EI Mass Spectrum | 165 |
| 5.2.1 | Elemental Composition Based on the Relative Intensity of Isotope Peaks | 168 |

| | | |
|------------------|---|------------|
| 5.2.2 | Elemental Composition Based on the Accurate Mass Assignment of an Ion | 174 |
| 5.2.3 | After the Molecular Ion's Elemental Composition Has Been Determined | 176 |
| 5.3 | What to Do If There Is No Molecular Ion Peak | 178 |
| 5.3.1 | Soft Ionization | 182 |
| 5.3.2 | Derivatization | 185 |
| 5.4 | Selecting the Spectrum to Be Interpreted | 191 |
| 5.4.1 | Use of Mass Chromatograms | 193 |
| 5.4.2 | Background Subtraction | 194 |
| 5.4.3 | AMDIS | 196 |
| 5.5 | Reading an EI Mass Spectrum | 198 |
| 5.5.1 | Odd-Electron and Even-Electron Ions | 200 |
| 5.5.2 | Logical Losses | 200 |
| 5.6 | Final Remarks | 201 |
| | References | 205 |
| 6 | Quantitation with GC/MS | 207 |
| 6.1 | Introduction | 207 |
| 6.2 | Selection of the Quantitation Ion | 209 |
| 6.3 | Quantitation Methods | 212 |
| 6.4 | Making Standard Solutions | 212 |
| 6.5 | External Standard Method | 213 |
| 6.6 | Internal Standard Method | 214 |
| 6.7 | Standard Additions | 216 |
| 6.8 | Concluding Remarks | 218 |
| | References | 218 |
| Section 2 | GC CONDITIONS, DERIVATIZATION, AND MASS SPECTRAL INTERPRETATION OF SPECIFIC COMPOUND TYPES | 219 |
| 7 | Acids | 221 |
| 7.1 | GC Separations of Underivatized Carboxylic Acids | 221 |
| 7.2 | General Derivatization Procedure for C ₈ –C ₂₄ Carboxylic Acids | 221 |
| 7.3 | GC Separation of Derivatized Carboxylic Acids | 222 |
| 7.4 | Mass Spectral Interpretation | 227 |
| 8 | Alcohols | 231 |
| 8.1 | GC Conditions for Underivatized Alcohols | 231 |
| 8.2 | TMS Derivative of >C ₁₀ Alcohols | 232 |
| 8.3 | Mass Spectral Interpretation | 232 |
| 8.4 | Aminoalcohols | 237 |

| | | |
|-----------|--|------------|
| 9 | Aldehydes | 239 |
| 9.1 | GC Separation of Underivatized Aldehydes | 239 |
| 9.2 | Derivatization of Formaldehyde | 239 |
| 9.3 | Mass Spectra of Aldehydes | 240 |
| 10 | Amides | 243 |
| 10.1 | GC Separation of Underivatized Amides | 243 |
| 10.2 | Derivatization of Amides | 243 |
| 10.3 | GC Separation of Derivatized Amides (TMS or Methyl-8®) | 244 |
| 10.4 | Mass Spectra of Amides | 244 |
| 10.5 | Mass Spectra of Derivatized Amides | 248 |
| 11 | Amines | 249 |
| 11.1 | GC Separations of Underivatized Amines | 249 |
| 11.2 | Derivatization of Amines and Diamines | 250 |
| 11.3 | GC Separation of Derivatized Amines | 250 |
| 11.4 | Mass Spectral Interpretation of Amines | 251 |
| 11.5 | Amino Alcohols (Aliphatic) | 260 |
| 11.6 | Aminophenols | 262 |
| 11.7 | Solvent Consideration | 263 |
| | References | 263 |
| 12 | Amino Acids | 265 |
| 12.1 | GC Separation | 265 |
| 12.2 | Derivatization of Amino Acids and PTH-Amino Acids | 266 |
| 12.3 | Mass Spectral Interpretation | 268 |
| | References | 271 |
| 13 | Common Contaminants | 273 |
| 13.1 | Contaminants Occasionally Observed after Derivatization with TMS Reagents | 273 |
| 13.2 | Contaminants Occasionally Observed in Underivatized Samples | 274 |
| 13.3 | Column Bleed | 274 |
| 14 | Drugs and Their Metabolites | 277 |
| 14.1 | GC Separations | 277 |
| 14.2 | Sample Preparation | 278 |
| 14.3 | Derivatization of Drugs and Metabolites | 279 |
| 14.4 | Mass Spectral Interpretation | 280 |
| | References | 284 |

| | |
|--|------------|
| 15 Esters | 285 |
| 15.1 GC Separation of Esters of Carboxylic Acids | 285 |
| 15.2 Mass Spectra of Esters | 286 |
| References | 292 |
| 16 Ethers | 293 |
| 16.1 GC Separation of Ethers | 293 |
| 16.2 Mass Spectra of Ethers | 293 |
| 17 Fluorinated Compounds | 301 |
| 17.1 GC Separations | 301 |
| 17.2 Mass Spectra of Fluorinated Compounds | 305 |
| 18 Gases | 317 |
| 18.1 GC Separations | 317 |
| 18.2 General Information | 317 |
| 19 Glycols | 319 |
| 19.1 GC Separations | 319 |
| 19.2 Derivatization of Dry Glycols and Glycol Ethers | 319 |
| 19.3 Mass Spectral Interpretation | 320 |
| References | 322 |
| 20 Halogenated Compounds (Other Than Fluorinated Compounds) | 323 |
| 20.1 GC Separations | 323 |
| 20.2 Mass Spectra of Halogenated Compounds (Other Than Fluorinated Compounds) | 324 |
| 21 Hydrocarbons | 331 |
| 21.1 GC Separation of Hydrocarbons | 331 |
| 21.2 Mass Spectra of Hydrocarbon Compounds | 332 |
| References | 339 |
| 22 Isocyanates | 341 |
| 22.1 GC Separations | 341 |
| 22.2 Mass Spectral Interpretation | 341 |

| | |
|---|------------|
| 23 Ketones | 345 |
| 23.1 GC Separation of Ketones | 345 |
| 23.2 Derivatives of Ketones | 345 |
| 23.3 Mass Spectra of Ketones | 346 |
| References | 349 |
| 24 Nitriles | 351 |
| 24.1 GC Separation of Nitriles | 351 |
| 24.2 Mass Spectra | 351 |
| 25 Nitroaromatics | 355 |
| 25.1 GC Separation of Nitroaromatics | 355 |
| 25.2 Mass Spectra of Nitroaromatics | 355 |
| 26 Nitrogen-Containing Heterocyclic Compounds | 363 |
| 26.1 GC Separations of Nitrogen-Containing Heterocyclic Compounds | 363 |
| 26.2 Mass Spectra of Nitrogen-Containing Heterocyclics | 363 |
| 27 Nucleosides (TMS Derivatives) | 369 |
| 27.1 Derivatization | 369 |
| 27.2 GC Separation of Derivatized Nucleosides | 369 |
| 27.3 Mass Spectra of TMS Nucleosides | 370 |
| References | 371 |
| 28 Pesticides | 373 |
| 28.1 Chlorinated Pesticides | 373 |
| 28.2 Organophosphorus Pesticides | 376 |
| 28.3 Mass Spectra of Pesticides | 379 |
| References | 381 |
| 29 Phenols | 383 |
| 29.1 GC Separations of Underivatized Phenols and Dihydroxybenzenes | 383 |
| 29.2 Derivatization of Phenols and Dihydroxybenzenes | 383 |
| 29.3 GC Separations of Derivatized Phenols and Dihydroxybenzenes | 384 |
| 29.4 Mass Spectra of Phenols | 384 |
| 29.5 Aminophenols | 387 |
| 29.6 Antioxidants | 387 |

| | |
|---|------------|
| 30 Phosphorus Compounds | 389 |
| 30.1 GC Separations | 389 |
| 30.2 Mass Spectra of Phosphorus Compounds | 390 |
| 31 Plasticizers and Other Polymer Additives (Including Phthalates) | 393 |
| 31.1 GC Separations | 393 |
| 31.2 Mass Spectra | 394 |
| References | 395 |
| 32 Prostaglandins (MO–TMS Derivatives) | 397 |
| 32.1 Derivatization (MO–TMS) | 398 |
| 32.2 GC Separation of Derivatized Prostaglandins | 398 |
| 32.3 Mass Spectra of MO–TMS Derivatives of Prostaglandins | 399 |
| References | 400 |
| 33 Solvents and Their Impurities | 401 |
| 33.1 GC Separations of Industrial Solvent Mixtures | 401 |
| 33.2 GC Separations of Impurities in Industrial Solvents | 401 |
| 33.3 Mass Spectra of Solvents and Their Impurities | 402 |
| 34 Steroids | 403 |
| 34.1 GC Separation of Underivatized Steroids | 403 |
| 34.2 Derivatization of Steroids | 403 |
| 34.3 GC Separation of Derivatized Steroids | 403 |
| 34.4 Mass Spectra of Underivatized Steroids | 404 |
| 34.5 Mass Spectra of TMS Derivatives of Steroids | 405 |
| 34.6 Mass Spectra of MO–TMS Derivatives | 405 |
| 35 Sugars (Monosaccharides) | 407 |
| 35.1 GC Separation of Derivatized Sugars | 407 |
| 35.2 Mass Spectral Interpretation | 408 |
| References | 410 |
| 36 Sulfur Compounds | 411 |
| 36.1 GC Separations | 411 |
| 36.2 Mass Spectra of Sulfur Compounds | 412 |

| | | |
|-------------------|--|------------|
| Section 3 | APPENDICES | 415 |
| Appendix A | Definitions of Terms Related to Gas Chromatography | 417 |
| Appendix B | Definitions of Terms Related to Mass Spectrometry | 421 |
| Appendix C | Atomic Masses and Isotope Abundances and Other Information for the Determination of an Elemental Composition from Isotope Peak Intensity Ratios | 431 |
| Appendix D | X+1 and X+2 Values for Ions Containing Atoms of C and H Based on Isotope Contributions | 433 |
| Appendix E | Isotope Peak Patterns for Ions Containing Atoms of Cl and/or Br | 435 |
| Appendix F | Steps to Follow in the Determination of an Elemental Composition Based on Isotope Peak Intensity Ratios | 437 |
| Appendix G | Derivatization in GC/MS | 445 |
| Appendix H | Points of Comparison of LC/MS vs GC/MS | 459 |
| Appendix I | List of Available EI Mass Spectral Databases | 463 |
| Appendix J | Information Required for Reporting a GC/MS Analysis | 469 |
| Appendix K | Third-Party Software for Use with GC/MS | 473 |
| Appendix L | GC Installation and Maintenance | 493 |
| Appendix M | Troubleshooting Common GC Problems | 497 |
| Appendix N | Maintenance, Operating Tips, and Troubleshooting for Mass Spectrometers | 501 |
| Appendix O | Mixtures for Determining Mass Spectral Resolution | 515 |

| | | |
|-------------------|---|------------|
| Appendix P | Cross-Index Chart for GC Stationary Phases | 517 |
| Appendix Q | Ions for Determining Unknown Structures | 519 |
| <i>Index</i> | | 589 |