

# Contents

## PART 1 RACEMATES AND THEIR ENANTIOMER CONSTITUENTS

|       |  |    |
|-------|--|----|
| 1     | Types of Crystalline Racemates   | 3  |
| 1.1   | Definitions, 3   |    |
| 1.2   | The Crystallization of Racemates and Enantiomers, 5  |    |
| 1.2.1 | Chirality and Packing Modes in Crystals, 7   |    |
| 1.2.2 | Preferred Space Groups for Crystalline Enantiomers and Racemic Compounds, 8                        |    |
| 1.2.3 | Enantiomorphous Crystals Derived from Achiral Molecules and from Racemic Compounds, 14             |    |
| 1.2.4 | Characterization of Enantiomorphous and Achiral Crystals by Physical Methods, 18                   |    |
| 1.3   | Relationships Between Arrays of Enantiomers and the Corresponding Racemic Compound in Crystals, 23 |    |
| 1.3.1 | Comparison of Crystal Structures of Enantiomers and of the Racemic Compound, 23                    |    |
| 1.3.2 | Symmetry, Compactness, and Stability: Racemic Compound Versus Conglomerate, 28                     |    |
| 2     | Binary Mixtures of Enantiomers   | 32 |
| 2.1   | Characterization of Racemate Types by Means of Binary (Melting Point) Phase Diagrams, 32           |    |
| 2.1.1 | Representation of Melting Point Phase Diagrams, 33   |    |
| 2.1.2 | Preparation of Mixtures for the Construction of Binary Phase Diagrams, 35                          |    |
| 2.1.3 | Visual Measurement of Transition Temperatures, 36  |    |
| 2.1.4 | Automated Procedures, 37   |    |
| 2.1.5 | The Contact Method of Kofler, 40   |    |

2.2 *Conglomerates*, 43

- 2.2.1 *The Phase Rule*, 43
- 2.2.2 *Analysis of the Binary Phase Diagram*, 44
- 2.2.3 *The Equation of Schröder–Van Laar*, 46
- 2.2.4 *The Ideality of Enantiomer Mixtures in the Liquid State*, 47
- 2.2.5 *Inventory of Enantiomer Mixtures That Exist as Conglomerates*, 53

2.3 *Racemic Compounds*, 88

- 2.3.1 *Phase Diagrams*, 88
- 2.3.2 *Thermodynamic Aspects*, 90
- 2.3.3 *Comparison of Enthalpies of Fusion and Specific Heats of Racemic Compounds with Those of the Crystalline Enantiomers*, 93
- 2.3.4 *The Problem of Racemic Compound Stability*, 93
- 2.3.5 *Quasi-Racemates*, 100

2.4 *Pseudoracemates. Solid Solutions of Enantiomers*, 104

- 2.4.1 *Ideal Solid Solutions*, 105
- 2.4.2 *Nonideal Solid Solutions of Enantiomers. Pseudoracemates with Minimum Melting Point*, 110
- 2.4.3 *Nonideal Solid Solutions of Enantiomers. Pseudoracemates with Minimum Melting Point*, 112
- 2.4.4 *Thermodynamic Properties*, 113
- 2.4.5 *Thermodynamic Aspects. A Priori Calculation of Pseudoracemate Phase Diagrams*, 119
- 2.4.6 *Pseudoracemy and Its Relationship to Isomorphism*, 120
- 2.4.7 *Crystalline Forms of Enantiomers That Cocrystallize*, 123
- 2.4.8 *Partial Miscibility*, 126
- 2.4.9 *Quantitative Definition of Similarity, The Coefficient of Isomorphism*, 128

2.5 *Polymorphism in Binary Systems*, 131

- 2.5.1 *Enantiotropy and Monotropy. Transition Temperature*, 131
- 2.5.2 *Polymorphism Without Alteration of the Nature of the Racemate*, 136
- 2.5.3 *Polymorphism with Alteration to the Nature of the Racemate*, 137

|       |  |       |
|-------|--|-------|
| 2.5.4 | <i>The Racemic Compound <math>\rightleftharpoons</math> Conglomerate Transformation, 140</i> | 2.5   |
| 2.5.5 | <i>Polymorphism of Chiral Mesomorphs, 144</i>  |       |
| 2.6   | <i>Anomalous Racemates, 147</i>  |       |
| 2.7   | <i>Calorimetric Determination of Enantiomeric Purity, 151</i>                                |       |
| 2.7.1 | <i>Principles and Limitations of the Direct Method, 151</i>                                  | 2.7.1 |
| 2.7.2 | <i>Theory of the Indirect Method, 153</i>  |       |
| 2.7.3 | <i>Application of the Indirect Method, 156</i>   |       |
| 2.8   | <i>Solid-Vapor Equilibria. Sublimation of Enantiomer Mixtures, 159</i>                       |       |
| 2.8.1 | <i>Phase Diagrams for Sublimation, 159</i>   | 2.8.1 |
| 2.8.2 | <i>Separation of Enantiomers by Sublimation, 162</i>   |       |
| 2.9   | <i>Liquid-Vapor Equilibria. Distillation of Enantiomer Mixtures, 165</i>                     |       |
| 3.    | <i>Solution Properties of Enantiomers and Their Mixtures</i>                                 | 167   |
| 3.1   | <i>Graphic Representation of Ternary Systems, 167</i>  |       |
| 3.1.1 | <i>Quantitative Definitions of Concentration and Solubility, 167</i>                         | 3.1.1 |
| 3.1.2 | <i>Representation of Ternary Systems. Generalizations, 168</i>                               |       |
| 3.1.3 | <i>Triangular Phase Diagrams, 169</i>  |       |
| 3.1.4 | <i>The Enlargement of Triangular Phase Diagrams, 172</i>                                     |       |
| 3.1.5 | <i>Other Representations of Solubility Diagrams, 173</i>                                     |       |
| 3.1.6 | <i>Construction of Solubility Diagrams, 175</i>  |       |
| 3.2   | <i>Solutions of Conglomerates, 178</i>   |       |
| 3.2.1 | <i>Theoretical Phase Diagrams and Experimental Properties, 178</i>                           | 3.2.1 |
| 3.2.2 | <i>Solubility Rules for Partially Resolved Mixtures, 181</i>                                 |       |
| 3.2.3 | <i>Comparison of the Solubilities of Pure Enantiomers and Their Conglomerate, 182</i>        |       |
| 3.3   | <i>Solutions of Racemic Compounds, 192</i>   |       |
| 3.3.1 | <i>Theoretical Phase Diagrams, 192</i>   | 3.3.1 |
| 3.3.2 | <i>Examples of Experimental Phase Diagrams, 194</i>  |       |
| 3.3.3 | <i>Solubility Rules for Partially Resolved Mixtures, 195</i>                                 |       |
| 3.4   | <i>Solutions of Pseudoracemates, 197</i>   |       |
| 3.4.1 | <i>Theoretical and Experimental Phase Diagrams, 197</i>                                      | 3.4.1 |
| 3.4.2 | <i>Solubility Rules for Partially Resolved Mixtures, 200</i>                                 |       |

3.5 *Polymorphism in Ternary Systems, 201*  
3.5.1 *Description of the Polymorphism of Ternary Systems, 201*  
3.5.2 *Polymorphism and Solvation of Crystals, 203*

3.6 *Enantiomeric Purity Determination from Solubility Measurements, 207*  
3.6.1 *Conglomerates, 208*  
3.6.2 *Racemic Compounds, 210*

## PART 2 RESOLUTION OF ENANTIOMER MIXTURES

### 4. Resolution by Direct Crystallization

217

4.1 *Separation Based upon the Simultaneous Crystallization of the Two Enantiomers, 217*  
4.1.1 *Manual Sorting of the Conglomerate. Triage, 217*  
4.1.2 *Simultaneous and Separate Crystallization of Enantiomers, 219*  
4.1.3 *Simultaneous and Differentiated Crystallization of Enantiomers, 222*

4.2 *Resolution by Entrainment, 223*  
4.2.1 *History and First Examples, 223*  
4.2.2 *Description of the Process of Resolution by Entrainment, 224*  
4.2.3 *Interpretation Based on Solubility Diagrams, 225*  
4.2.4 *Racemates Resolvable by Entrainment, 228*  
4.2.5 *The Search for Conditions Favoring Entrainment. The Method of Amiard, 229*  
4.2.6 *Derivation of Favorable Conditions for Resolutions by Entrainment from the Ternary Diagram, 232*  
4.2.7 *Control of Crystallization Rates, 235*

4.3 *Resolution by Entrainment in a Supercooled Melt, 241*  
4.3.1 *Theory, 242*  
4.3.2 *Application of the Procedure, 243*

4.4 *Crystallization in Optically Active Solvents, 245*  
4.4.1 *Solubility of Pure Enantiomers in Optically Active Solvents, 245*

|            |  |            |
|------------|--|------------|
| 4.4.2      | <i>Resolution Experiments</i> , 246  | 5.2        |
| 4.4.3      | <i>Origin of the Preferential Crystallization Phenomenon</i> , 247   | 5.2        |
| 4.4.4      | <i>Resolution with Inclusion of an Optically Active Solvent</i> , 249  | 5.2        |
| <b>5</b>   | <b>Formation and Separation of Diastereomers</b>   | <b>251</b> |
| <b>5.1</b> | <b><i>Dissociable Compounds and Complexes</i>, 253</b>   |            |
| 5.1.1      | <i>Resolution of Acids</i> , 257   | 1.8        |
| 5.1.2      | <i>Resolution of Bases</i> , 259   | 1.8        |
| 5.1.3      | <i>Resolution of Amino Acids</i> , 261   | 1.8        |
| 5.1.4      | <i>Resolution of Alcohols. Transformation of Alcohols into Salt-Forming Derivatives</i> , 263                        | 1.8        |
| 5.1.5      | <i>Resolution of Aldehydes and Ketones. Transformation of Carbonyl Compounds into Salt-Forming Derivatives</i> , 266 | 1.8        |
| 5.1.6      | <i>Diastereomeric Salts and Resolution of Werner Complexes</i> , 268   | 1.8        |
| 5.1.7      | <i>Lewis Acid-Base Complexes</i> , 273   | 1.8        |
| 5.1.8      | <i>Crystalline Inclusion Compounds</i> , 275   | 1.8        |
| 5.1.9      | <i>Quasi-Racemates</i> , 282   | 1.8        |
| 5.1.10     | <i>Physical Properties of Diastereomeric Salts</i> , 283   | 1.8435     |
| 5.1.11     | <i>Binary Melting Point Diagrams of Diastereomeric Salts</i> , 289   | 1.8        |
| 5.1.12     | <i>Solubility Diagrams of Diastereomer Salt Mixtures</i> , 290   | 1.8        |
| 5.1.13     | <i>Double Salts</i> , 295  | 1.8        |
| 5.1.14     | <i>Cocrystallization of Diastereomeric Salts</i> , 299   | 1.8        |
| 5.1.15     | <i>Isolation of the More Soluble Diastereomeric Salt. The Method of Ingersoll</i> , 301                              | 1.8        |
| 5.1.16     | <i>The Markwald Principle and Reciprocal Resolutions</i> , 306   | 1.8        |
| 5.1.17     | <i>Resolution with Nonstoichiometric Quantities of Reagents</i> , 307  | 1.8        |
| 5.1.18     | <i>The Method of Pope and Peachey</i> , 309  | 1.8        |
| 5.1.19     | <i>Dissociation and Solubility of Salts. Interpretation of "Nonstoichiometric" Resolutions</i> , 312                 | 1.8        |
| 5.1.20     | <i>Optical Rotations of Diastereomeric Salts and Their Constituents</i> , 317  | 1.8        |

|       |  |     |
|-------|--|-----|
| 5.2   | <i>Covalent Compounds</i> , 328  |     |
| 5.2.1 | <i>Covalent Derivatives of Acids</i> , 329   |     |
| 5.2.2 | <i>Covalent Derivatives of Amines</i> , 330  |     |
| 5.2.3 | <i>Covalent Derivatives of Alcohols, Thiols, and Phenols</i> , 332                                     |     |
| 5.2.4 | <i>Covalent Derivatives of Aldehydes, Ketones, and Sulfoxides</i> , 335                                |     |
| 5.2.5 | <i>Resolution of Olefins, Sulfoxides, and Phosphines via Diastereomeric Zerovalent Complexes</i> , 339 |     |
| 5.2.6 | <i>Physical Properties of Covalent Diastereomers and Their Mixtures</i> , 342                          |     |
| 5.2.7 | <i>Chromatographic Behavior of Covalent Diastereomers</i> , 348  |     |
| 5.3   | <i>Structure-Property Correlations of Diastereomers</i> , 359  |     |
| 5.3.1 | <i>Rules of Winther and Werner</i> , 359   |     |
| 5.3.2 | <i>Quasi-Enantiomeric Resolving Agents</i> , 362   |     |
| 6     | <b>Crystallization-Induced Asymmetric Transformations</b>  | 369 |
| 6.1   | <i>Asymmetric Disequilibration of a Racemate. Total "Spontaneous Resolution,"</i> 371                  |     |
| 6.2   | <i>Asymmetric Transformation of Diastereomeric Salts</i> , 373   |     |
| 6.3   | <i>Asymmetric Transformation of Covalent Diastereomers</i> , 376                                       |     |
| 7.    | <b>Experimental Aspects and Art of Resolutions</b>   | 378 |
| 7.1   | <i>Choice of Resolution Method</i> , 378   |     |
| 7.1.1 | <i>Choice of Method as a Function of Scale</i> , 378   |     |
| 7.1.2 | <i>Choice of Method According to the Structure of the Substrate</i> , 379                              |     |
| 7.2   | <i>Obtaining Crystalline Diastereomers</i> , 380   |     |
| 7.2.1 | <i>Systematic Trials. Choice of Resolving Agent</i> , 380  |     |
| 7.2.2 | <i>Choice of Crystallization Solvent</i> , 383   |     |
| 7.2.3 | <i>Isolation of the First Crystallization Seeds</i> , 386  |     |
| 7.2.4 | <i>Neutral Salts and Acid (or Basic) Salts</i> , 387   |     |
| 7.3   | <i>Purification of Diastereomers</i> , 389   |     |
| 7.3.1 | <i>Optimal Conditions for Crystallization. Quantity of Solvent</i> , 389                               |     |
| 7.3.2 | <i>Crystallization with Seeding</i> , 391  |     |

|       |   |
|-------|---|
| 7.3.3 | <i>Influence of Temperature</i> , 392   |
| 7.3.4 | <i>Fractional Crystallization</i> , 392   |
| 7.3.5 | <i>Use of Optically Impure Resolving Agents</i> , 393                                 |
| 7.4   | <i>Recovery of Enantiomers from Diastereomers</i> , 396                               |
| 7.4.1 | <i>Decomposition of Diastereomeric Salts</i> , 396                                    |
| 7.4.2 | <i>Decomposition of Covalent Diastereomers</i> , 399                                  |
| 7.4.3 | <i>Recovery and Purification of Resolving Agents</i> , 403                            |
| 7.5   | <i>Monitoring Enantiomeric Purity</i> , 405   |
| 7.5.1 | <i>Analysis of Diastereomer Mixtures</i> , 406  |
| 7.5.2 | <i>Enantiomeric Composition by Means of Diastereomeric Interactions</i> , 410         |
| 7.5.3 | <i>Calorimetric Methods</i> , 416   |
| 7.5.4 | <i>Isotope Labeling</i> , 417   |
| 7.5.5 | <i>Quantitative Enzymatic Analysis</i> , 419  |
| 7.6   | <i>Final Purification. Enrichment of Partially Resolved Enantiomer Mixtures</i> , 423 |
| 7.6.1 | <i>Definitions. Pure and Ultrapure Enantiomers</i> , 423                              |
| 7.6.2 | <i>Classical Final Purification</i> , 424   |
| 7.6.3 | <i>Ultrapurification by Zone Melting</i> , 428  |
| 7.6.4 | <i>Chemical Purification</i> , 430  |