

Detailed Contents

PART 1: HISTORY, 1



1 The Mendelian View of the World, 5

MENDEL'S DISCOVERIES, 6

The Principle of Independent Segregation, 6

ADVANCED CONCEPTS BOX 1-1 Mendelian Laws, 6

Some Alleles Are neither Dominant nor Recessive, 7

Principle of Independent Assortment, 8

CHROMOSOMAL THEORY OF HEREDITY, 8

GENE LINKAGE AND CROSSING OVER, 9

KEY EXPERIMENTS BOX 1-2 Genes Are Linked to Chromosomes, 10

CHROMOSOME MAPPING, 11

THE ORIGIN OF GENETIC VARIABILITY THROUGH MUTATIONS, 13

EARLY SPECULATIONS ABOUT WHAT GENES ARE AND HOW THEY ACT, 15

PRELIMINARY ATTEMPTS TO FIND A GENE-PROTEIN RELATIONSHIP, 16

SUMMARY, 17

BIBLIOGRAPHY, 17

QUESTIONS, 18



2 Nucleic Acids Convey Genetic Information, 21

AVERY'S BOMBSHELL: DNA CAN CARRY GENETIC SPECIFICITY, 22

Viral Genes Are Also Nucleic Acids, 23

THE DOUBLE HELIX, 24

KEY EXPERIMENTS BOX 2-1 Chargaff's Rules, 26

Finding the Polymerases That Make DNA, 26

Experimental Evidence Favors Strand Separation during DNA Replication, 27

THE GENETIC INFORMATION WITHIN DNA IS CONVEYED BY THE SEQUENCE OF ITS FOUR NUCLEOTIDE BUILDING BLOCKS, 30

KEY EXPERIMENTS BOX 2-2 Evidence That Genes Control Amino Acid Sequences in Proteins, 31

DNA Cannot Be the Template That Directly Orders Amino Acids during Protein Synthesis, 32

RNA Is Chemically Very Similar to DNA, 32

THE CENTRAL DOGMA, 33

The Adaptor Hypothesis of Crick, 34

Discovery of Transfer RNA, 34

The Paradox of the Nonspecific-Appearing Ribosomes, 35

Discovery of Messenger RNA (mRNA), 35

Enzymatic Synthesis of RNA upon DNA Templates, 35

Establishing the Genetic Code, 37

ESTABLISHING THE DIRECTION OF PROTEIN SYNTHESIS, 38

Start and Stop Signals Are Also Encoded within DNA, 40

THE ERA OF GENOMICS, 40

SUMMARY, 41

BIBLIOGRAPHY, 42

QUESTIONS, 42

PART 2: STRUCTURE AND STUDY OF MACROMOLECULES, 45



3 The Importance of Weak and Strong Chemical Bonds, 51

- CHARACTERISTICS OF CHEMICAL BONDS, 51
 - Chemical Bonds Are Explainable in Quantum-Mechanical Terms, 52
 - Chemical-Bond Formation Involves a Change in the Form of Energy, 53
 - Equilibrium between Bond Making and Breaking, 53
- THE CONCEPT OF FREE ENERGY, 54
 - K_{eq} Is Exponentially Related to ΔG , 54
 - Covalent Bonds Are Very Strong, 54
- WEAK BONDS IN BIOLOGICAL SYSTEMS, 55
 - Weak Bonds Have Energies between 1 and 7 kcal/mol, 55
 - Weak Bonds Are Constantly Made and Broken at Physiological Temperatures, 55
 - The Distinction between Polar and Nonpolar Molecules, 55
 - van der Waals Forces, 56
 - Hydrogen Bonds, 57
 - Some Ionic Bonds Are Hydrogen Bonds, 58
 - Weak Interactions Demand Complementary Molecular Surfaces, 58
 - Water Molecules Form Hydrogen Bonds, 59
 - Weak Bonds between Molecules in Aqueous Solutions, 59
 - Organic Molecules That Tend to Form Hydrogen Bonds Are Water Soluble, 60
 - Hydrophobic "Bonds" Stabilize Macromolecules, 60
- ADVANCED CONCEPTS BOX 3-1 *The Uniqueness of Molecular Shapes and the Concept of Selective Stickiness*, 61
 - The Advantage of ΔG between 2 and 5 kcal/mol, 62



4 The Structure of DNA, 77

- DNA STRUCTURE, 78
 - DNA Is Composed of Polynucleotide Chains, 78
 - Each Base Has Its Preferred Tautomeric Form, 80
 - The Two Strands of the Double Helix Are Wound around Each Other in an Antiparallel Orientation, 81
 - The Two Chains of the Double Helix Have Complementary Sequences, 81

- The Double Helix Is Stabilized by Base Pairing and Base Stacking, 82
 - Hydrogen Bonding Is Important for the Specificity of Base Pairing, 83
 - Bases Can Flip Out from the Double Helix, 83
 - DNA Is Usually a Right-Handed Double Helix, 83
- KEY EXPERIMENTS BOX 4-1 *DNA Has 10.5 bp per Turn of the Helix in Solution: The Mica Experiment*, 84

The Double Helix Has Minor and Major Grooves, 84

- The Major Groove Is Rich in Chemical Information, 85
- The Double Helix Exists in Multiple Conformations, 86
- DNA Can Sometimes Form a Left-Handed Helix, 87
- KEY EXPERIMENTS BOX 4-2 *How Spots on an X-Ray Film Reveal the Structure of DNA*, 88
- DNA Strands Can Separate (Denature) and Reassociate, 89
- Some DNA Molecules Are Circles, 92

DNA TOPOLOGY, 93

- Linking Number Is an Invariant Topological Property of Covalently Closed, Circular DNA, 93
- Linking Number Is Composed of Twist and Writhe, 93
- Lk^o Is the Linking Number of Fully Relaxed cccDNA under Physiological Conditions, 94
- DNA in Cells Is Negatively Supercoiled, 95
- Nucleosomes Introduce Negative Supercoiling in Eukaryotes, 96



5 The Structure and Versatility of RNA, 107

- RNA CONTAINS RIBOSE AND URACIL AND IS USUALLY SINGLE-STRANDED, 107
- RNA CHAINS FOLD BACK ON THEMSELVES TO FORM LOCAL REGIONS OF DOUBLE HELIX SIMILAR TO A-FORM DNA, 108
- RNA CAN FOLD UP INTO COMPLEX TERTIARY STRUCTURES, 110
- NUCLEOTIDE SUBSTITUTIONS IN COMBINATION WITH CHEMICAL PROBING PREDICT RNA STRUCTURE, 111
- MEDICAL CONNECTIONS BOX 5-1 *An RNA Switch Controls Protein Synthesis by Murine Leukemia Virus*, 112



6 The Structure of Proteins, 121

- THE BASICS, 121
 - Amino Acids, 121
 - The Peptide Bond, 122
 - Polypeptide Chains, 123
 - Three Amino Acids with Special Conformational Properties, 124
- ADVANCED CONCEPT BOX 6-1 *Ramachandran Plot: Permitted Combinations of Main-Chain Torsion Angles ϕ and ψ* , 124
- ADVANCED CONCEPTS BOX 6-2 *Glossary of Terms*, 130
- Basic Lessons from the Study of Protein Structures, 131

Topoisomerases Can Relax Supercoiled DNA, 97

- Prokaryotes Have a Special Topoisomerase That Introduces Supercoils into DNA, 97
- Topoisomerases Also Unknot and Disentangle DNA Molecules, 98

Topoisomerases Use a Covalent Protein–DNA Linkage to Cleave and Rejoin DNA Strands, 99

- Topoisomerases Form an Enzyme Bridge and Pass DNA Segments through Each Other, 100

DNA Topoisomers Can Be Separated by Electrophoresis, 102

- Ethidium Ions Cause DNA to Unwind, 102

KEY EXPERIMENTS BOX 4-3 *Proving that DNA Has a Helical Periodicity of ~10.5 bp per Turn from the Topological Properties of DNA Rings*, 103

SUMMARY, 103

BIBLIOGRAPHY, 104

QUESTIONS, 104

DIRECTED EVOLUTION SELECTS RNAs THAT BIND SMALL MOLECULES, 114

SOME RNAs ARE ENZYMES, 114

TECHNIQUES BOX 5-2 *Creating an RNA Mimetic of the Green Fluorescent Protein by Directed Evolution*, 115

- The Hammerhead Ribozyme Cleaves RNA by the Formation of a 2', 3' Cyclic Phosphate, 116

A Ribozyme at the Heart of the Ribosome Acts on a Carbon Center, 118

SUMMARY, 118

BIBLIOGRAPHY, 118

QUESTIONS, 118

Classes of Protein Domains, 132
Linkers and Hinges, 133
Post-Translational Modifications, 133
<i>ADVANCED CONCEPTS BOX 6-3 The Antibody Molecule as an Illustration of Protein Domains, 133</i>
FROM AMINO-ACID SEQUENCE TO THREE-DIMENSIONAL STRUCTURE, 134
Protein Folding, 134
<i>KEY EXPERIMENTS BOX 6-4 Three-Dimensional Structure of a Protein Is Specified by Its Amino Acid Sequence (Anfinsen Experiment), 135</i>
Predicting Protein Structure from Amino Acid Sequence, 135
CONFORMATIONAL CHANGES IN PROTEINS, 136

7 Techniques of Molecular Biology, 147

NUCLEIC ACIDS: BASIC METHODS, 148
Gel Electrophoresis Separates DNA and RNA Molecules according to Size, 148
Restriction Endonucleases Cleave DNA Molecules at Particular Sites, 149
DNA Hybridization Can Be Used to Identify Specific DNA Molecules, 151
Hybridization Probes Can Identify Electrophoretically Separated DNAs and RNAs, 151
Isolation of Specific Segments of DNA, 153
DNA Cloning, 154
Vector DNA Can Be Introduced into Host Organisms by Transformation, 155
Libraries of DNA Molecules Can Be Created by Cloning, 156
Hybridization Can Be Used to Identify a Specific Clone in a DNA Library, 156
Chemical Synthesis of Defined DNA Sequences, 157
The Polymerase Chain Reaction Amplifies DNAs by Repeated Rounds of DNA Replication In Vitro, 158
Nested Sets of DNA Fragments Reveal Nucleotide Sequences, 158
<i>TECHNIQUES BOX 7-1 Forensics and the Polymerase Chain Reaction, 160</i>
Shotgun Sequencing a Bacterial Genome, 162
The Shotgun Strategy Permits a Partial Assembly of Large Genome Sequences, 162
<i>KEY EXPERIMENTS BOX 7-2 Sequencers Are Used for High-Throughput Sequencing, 163</i>
The Paired-End Strategy Permits the Assembly of Large-Genome Scaffolds, 165
The \$1000 Human Genome Is within Reach, 167

PROTEINS AS AGENTS OF SPECIFIC MOLECULAR RECOGNITION, 137
Proteins That Recognize DNA Sequence, 137
Protein–Protein Interfaces, 140
Proteins That Recognize RNA, 141
ENZYMES: PROTEINS AS CATALYSTS, 141
REGULATION OF PROTEIN ACTIVITY, 142
SUMMARY, 143
BIBLIOGRAPHY, 144
QUESTIONS, 144

NUCLEIC ACID–PROTEIN INTERACTIONS, 182
The Electrophoretic Mobility of DNA Is Altered by Protein Binding, 183
DNA-Bound Protein Protects the DNA from Nucleases and Chemical Modification, 184
Chromatin Immunoprecipitation Can Detect Protein Association with DNA in the Cell, 185
BIBLIOGRAPHY, 190
QUESTIONS, 190

PART 3: MAINTENANCE OF THE GENOME, 193



8 Genome Structure, Chromatin, and the Nucleosome, 199

GENOME SEQUENCE AND CHROMOSOME DIVERSITY, 200
Chromosomes Can Be Circular or Linear, 200
Every Cell Maintains a Characteristic Number of Chromosomes, 201
Genome Size Is Related to the Complexity of the Organism, 202
The <i>E. coli</i> Genome Is Composed Almost Entirely of Genes, 203
More Complex Organisms Have Decreased Gene Density, 204
Genes Make Up Only a Small Proportion of the Eukaryotic Chromosomal DNA, 205
The Majority of Human Intergenic Sequences Are Composed of Repetitive DNA, 207
CHROMOSOME DUPLICATION AND SEGREGATION, 208
Eukaryotic Chromosomes Require Centromeres, Telomeres, and Origins of Replication to Be Maintained during Cell Division, 208
Eukaryotic Chromosome Duplication and Segregation Occur in Separate Phases of the Cell Cycle, 210
Chromosome Structure Changes as Eukaryotic Cells Divide, 212
Sister-Chromatid Cohesion and Chromosome Condensation Are Mediated by SMC Proteins, 214
Mitosis Maintains the Parental Chromosome Number, 214
During Gap Phases, Cells Prepare for the Next Cell Cycle Stage and Check That the Previous Stage Is Completed Correctly, 217
Meiosis Reduces the Parental Chromosome Number, 217
Different Levels of Chromosome Structure Can Be Observed by Microscopy, 219
THE NUCLEOSOME, 220

Chromosome Conformation Capture Assays Are Used to Analyze Long-Range Interactions, 187
In Vitro Selection Can Be Used to Identify a Protein’s DNA- or RNA-Binding Site, 189
BIBLIOGRAPHY, 190
QUESTIONS, 190
Nucleosomes Are the Building Blocks of Chromosomes, 220
Histones Are Small, Positively Charged Proteins, 221
The Atomic Structure of the Nucleosome, 224
Histones Bind Characteristic Regions of DNA within the Nucleosome, 224
<i>KEY EXPERIMENTS BOX 8-1 Micrococcal Nuclease and the DNA Associated with the Nucleosome, 226</i>
Many DNA Sequence-Independent Contacts Mediate the Interaction between the Core Histones and DNA, 227
The Histone Amino-Terminal Tails Stabilize DNA Wrapping around the Octamer, 227
Wrapping of the DNA around the Histone Protein Core Stores Negative Superhelicity, 228
HIGHER-ORDER CHROMATIN STRUCTURE, 229
Heterochromatin and Euchromatin, 229
<i>KEY EXPERIMENTS BOX 8-2 Nucleosomes and Superhelical Density, 230</i>
Histone H1 Binds to the Linker DNA between Nucleosomes, 232
Nucleosome Arrays Can Form More Complex Structures: The 30-nm Fiber, 232
The Histone Amino-Terminal Tails Are Required for the Formation of the 30-nm Fiber, 234
Further Compaction of DNA Involves Large Loops of Nucleosomal DNA, 234
Histone Variants Alter Nucleosome Function, 234
REGULATION OF CHROMATIN STRUCTURE, 236
The Interaction of DNA with the Histone Octamer Is Dynamic, 236
Nucleosome-Remodeling Complexes Facilitate Nucleosome Movement, 237
Some Nucleosomes Are Found in Specific Positions: Nucleosome Positioning, 240

The Amino-Terminal Tails of the Histones Are Frequently Modified, 241
Protein Domains in Nucleosome-Remodeling and -Modifying Complexes Recognize Modified Histones, 244
KEY EXPERIMENTS BOX 8-3 Determining Nucleosome Position in the Cell, 245
Specific Enzymes Are Responsible for Histone Modification, 248
Nucleosome Modification and Remodeling Work Together to Increase DNA Accessibility, 249

9 The Replication of DNA, 257

THE CHEMISTRY OF DNA SYNTHESIS, 258
DNA Synthesis Requires Deoxynucleoside Triphosphates and a Primer:Template Junction, 258
DNA Is Synthesized by Extending the 3' End of the Primer, 259
Hydrolysis of Pyrophosphate Is the Driving Force for DNA Synthesis, 260
THE MECHANISM OF DNA POLYMERASE, 260
DNA Polymerases Use a Single Active Site to Catalyze DNA Synthesis, 260
TECHNIQUES BOX 9-1 Incorporation Assays Can Be Used to Measure Nucleic Acid and Protein Synthesis, 261
DNA Polymerases Resemble a Hand That Grips the Primer:Template Junction, 263
DNA Polymerases Are Processive Enzymes, 265
Exonucleases Proofread Newly Synthesized DNA, 267
MEDICAL CONNECTIONS BOX 9-2 Anticancer and Antiviral Agents Target DNA Replication, 268

THE REPLICATION FORK, 269
Both Strands of DNA Are Synthesized Together at the Replication Fork, 269
The Initiation of a New Strand of DNA Requires an RNA Primer, 270
RNA Primers Must Be Removed to Complete DNA Replication, 271
DNA Helicases Unwind the Double Helix in Advance of the Replication Fork, 272
DNA Helicase Pulls Single-Stranded DNA through a Central Protein Pore, 273
Single-Stranded DNA-Binding Proteins Stabilize ssDNA before Replication, 273
Topoisomerases Remove Supercoils Produced by DNA Unwinding at the Replication Fork, 275
Replication Fork Enzymes Extend the Range of DNA Polymerase Substrates, 275

NUCLEOSOME ASSEMBLY, 249
Nucleosomes Are Assembled Immediately after DNA Replication, 249
Assembly of Nucleosomes Requires Histone "Chaperones", 253
SUMMARY, 254
BIBLIOGRAPHY, 255
QUESTIONS, 255

Similarities between Eukaryotic and Prokaryotic DNA Replication Initiation, 301
FINISHING REPLICATION, 302
Type II Topoisomerases Are Required to Separate Daughter DNA Molecules, 303
Lagging-Strand Synthesis Is Unable to Copy the Extreme Ends of Linear Chromosomes, 303
Telomerase Is a Novel DNA Polymerase That Does Not Require an Exogenous Template, 305
Telomerase Solves the End Replication Problem by Extending the 3' End of the Chromosome, 305

MEDICAL CONNECTIONS BOX 9-6 Aging, Cancer, and the Telomere Hypothesis, 307
Telomere-Binding Proteins Regulate Telomerase Activity and Telomere Length, 307
Telomere-Binding Proteins Protect Chromosome Ends, 308
SUMMARY, 310
BIBLIOGRAPHY, 311
QUESTIONS, 312

THE SPECIALIZATION OF DNA POLYMERASES, 277
DNA Polymerases Are Specialized for Different Roles in the Cell, 277
Sliding Clamps Dramatically Increase DNA Polymerase Processivity, 278
Sliding Clamps Are Opened and Placed on DNA by Clamp Loaders, 281
ADVANCED CONCEPTS BOX 9-3 ATP Control of Protein Function: Loading a Sliding Clamp, 282
DNA SYNTHESIS AT THE REPLICATION FORK, 283
Interactions between Replication Fork Proteins Form the <i>E. coli</i> Replisome, 286
INITIATION OF DNA REPLICATION, 288
Specific Genomic DNA Sequences Direct the Initiation of DNA Replication, 288
The Replicon Model of Replication Initiation, 288
Replicator Sequences Include Initiator-Binding Sites and Easily Unwound DNA, 289
KEY EXPERIMENTS BOX 9-4 The Identification of Origins of Replication and Replicators, 290

BINDING AND UNWINDING: ORIGIN SELECTION AND ACTIVATION BY THE INITIATOR PROTEIN, 293
Protein–Protein and Protein–DNA Interactions Direct the Initiation Process, 293
ADVANCED CONCEPTS BOX 9-5 E. coli DNA Replication Is Regulated by DnaA-ATP Levels and SeqA, 294
Eukaryotic Chromosomes Are Replicated Exactly Once per Cell Cycle, 297
Helicase Loading Is the First Step in the Initiation of Replication in Eukaryotes, 298
Helicase Loading and Activation Are Regulated to Allow Only a Single Round of Replication during Each Cell Cycle, 300

10 The Mutability and Repair of DNA, 313

REPLICATION ERRORS AND THEIR REPAIR, 314
The Nature of Mutations, 314
Some Replication Errors Escape Proofreading, 315
MEDICAL CONNECTIONS BOX 10-1 Expansion of Triple Repeats Causes Disease, 316
Mismatch Repair Removes Errors That Escape Proofreading, 316
DNA DAMAGE, 320
DNA Undergoes Damage Spontaneously from Hydrolysis and Deamination, 320
MEDICAL CONNECTIONS BOX 10-2 The Ames Test, 321
DNA Is Damaged by Alkylation, Oxidation, and Radiation, 322
ADVANCED CONCEPTS BOX 10-3 Quantitation of DNA Damage and Its Effects on Cellular Survival and Mutagenesis, 323
Mutations Are Also Caused by Base Analogs and Intercalating Agents, 323
REPAIR AND TOLERANCE OF DNA DAMAGE, 324
Direct Reversal of DNA Damage, 325

Base Excision Repair Enzymes Remove Damaged Bases by a Base-Flipping Mechanism, 326
Nucleotide Excision Repair Enzymes Cleave Damaged DNA on Either Side of the Lesion, 328
MEDICAL CONNECTIONS BOX 10-4 Linking Nucleotide Excision Repair and Translesion Synthesis to a Genetic Disorder in Humans, 330
Recombination Repairs DNA Breaks by Retrieving Sequence Information from Undamaged DNA, 330
DSBs in DNA Are Also Repaired by Direct Joining of Broken Ends, 331
MEDICAL CONNECTIONS BOX 10-5 Nonhomologous End Joining, 332
Translesion DNA Synthesis Enables Replication to Proceed across DNA Damage, 333
ADVANCED CONCEPTS BOX 10-6 The Y Family of DNA Polymerases, 336
SUMMARY, 338
BIBLIOGRAPHY, 338
QUESTIONS, 339

11 Homologous Recombination at the Molecular Level, 341

DNA BREAKS ARE COMMON AND INITIATE RECOMBINATION, 342
MODELS FOR HOMOLOGOUS RECOMBINATION, 342
Strand Invasion Is a Key Early Step in Homologous Recombination, 344
Resolving Holliday Junctions Is a Key Step to Finishing Genetic Exchange, 346
The Double-Strand Break–Repair Model Describes Many Recombination Events, 346

HOMOLOGOUS RECOMBINATION PROTEIN MACHINES, 349
ADVANCED CONCEPTS BOX 11-1 How to Resolve a Recombination Intermediate with Two Holliday Junctions, 350
The RecBCD Helicase/Nuclease Processes Broken DNA Molecules for Recombination, 351
Chi Sites Control RecBCD, 354
RecA Protein Assembles on Single-Stranded DNA and Promotes Strand Invasion, 355

Newly Base-Paired Partners Are Established within the RecA Filament, 356	
RecA Homologs Are Present in All Organisms, 359	
The RuvAB Complex Specifically Recognizes Holliday Junctions and Promotes Branch Migration, 359	
RuvC Cleaves Specific DNA Strands at the Holliday Junction to Finish Recombination, 361	
HOMOLOGOUS RECOMBINATION IN EUKARYOTES, 362	
Homologous Recombination Has Additional Functions in Eukaryotes, 362	
Homologous Recombination Is Required for Chromosome Segregation during Meiosis, 362	
Programmed Generation of Double-Stranded DNA Breaks Occurs during Meiosis, 363	
MRX Protein Processes the Cleaved DNA Ends for Assembly of the RecA-Like Strand-Exchange Proteins, 364	
Dmc1 Is a RecA-Like Protein That Specifically Functions in Meiotic Recombination, 366	
Many Proteins Function Together to Promote Meiotic Recombination, 366	

12 Site-Specific Recombination and Transposition of DNA, 377

CONSERVATIVE SITE-SPECIFIC RECOMBINATION, 378
Site-Specific Recombination Occurs at Specific DNA Sequences in the Target DNA, 378
Site-Specific Recombinases Cleave and Rejoin DNA Using a Covalent Protein–DNA Intermediate, 380
Serine Recombinases Introduce Double-Strand Breaks in DNA and Then Swap Strands to Promote Recombination, 382
Structure of the Serine Recombinase–DNA Complex Indicates that Subunits Rotate to Achieve Strand Exchange, 383
Tyrosine Recombinases Break and Rejoin One Pair of DNA Strands at a Time, 383
Structures of Tyrosine Recombinases Bound to DNA Reveal the Mechanism of DNA Exchange, 384
MEDICAL CONNECTIONS BOX 12-1 Application of Site-Specific Recombination to Genetic Engineering, 386

BIOLOGICAL ROLES OF SITE-SPECIFIC RECOMBINATION, 386
λ Integrase Promotes the Integration and Excision of a Viral Genome into the Host-Cell Chromosome, 386
Bacteriophage λ Excision Requires a New DNA-Bending Protein, 389

MEDICAL CONNECTIONS BOX 11-2 The Product of the Tumor Suppressor Gene BRCA2 Interacts with Rad51 Protein and Controls Genome Stability, 367

MEDICAL CONNECTIONS BOX 11-3 Proteins Associated with Premature Aging and Cancer Promote an Alternative Pathway for Holliday Junction Processing, 368

MATING-TYPE SWITCHING, 369

Mating-Type Switching Is Initiated by a Site-Specific Double-Strand Break, 370

Mating-Type Switching Is a Gene Conversion Event and Not Associated with Crossing Over, 370

GENETIC CONSEQUENCES OF THE MECHANISM OF HOMOLOGOUS RECOMBINATION, 371

One Cause of Gene Conversion Is DNA Repair during Recombination, 373

SUMMARY, 374

BIBLIOGRAPHY, 375

QUESTIONS, 376

The Intermediate in Cut-and-Paste Transposition is Finished by Gap Repair, 398

There Are Multiple Mechanisms for Cleaving the Nontransferred Strand during DNA Transposition, 399

DNA Transposition by a Replicative Mechanism, 401

Virus-Like Retrotransposons and Retroviruses Move Using an RNA Intermediate, 403

DNA Transposases and Retroviral Integrases Are Members of a Protein Superfamily, 403

Poly-A Retrotransposons Move by a “Reverse Splicing” Mechanism, 405

EXAMPLES OF TRANSPOSSABLE ELEMENTS AND THEIR REGULATION, 406

KEY EXPERIMENTS BOX 12-3 Maize Elements and Discovery of Transposons, 408

IS4 Family Transposons Are Compact Elements with Multiple Mechanisms for Copy Number Control, 409

Phage Mu Is an Extremely Robust Transposon, 411

Mu Uses Target Immunity to Avoid Transposing into Its Own DNA, 411

Tc1/mariner Elements Are Highly Successful DNA Elements in Eukaryotes, 411

ADVANCED CONCEPTS BOX 12-4 Mechanism of Transposition Target Immunity, 413

Yeast Ty Elements Transpose into Safe Havens in the Genome, 414

LINEs Promote Their Own Transposition and Even Transpose Cellular RNAs, 414

V(D)J RECOMBINATION, 416

The Early Events in V(D)J Recombination Occur by a Mechanism Similar to Transposon Excision, 418

SUMMARY, 420

BIBLIOGRAPHY, 420

QUESTIONS, 421

PART 4: EXPRESSION OF THE GENOME, 423

13 Mechanisms of Transcription, 429

RNA POLYMERASES AND THE TRANSCRIPTION CYCLE, 430

RNA Polymerases Come in Different Forms but Share Many Features, 430

Transcription by RNA Polymerase Proceeds in a Series of Steps, 432

Transcription Initiation Involves Three Defined Steps, 434

THE TRANSCRIPTION CYCLE IN BACTERIA, 434

Bacterial Promoters Vary in Strength and Sequence but Have Certain Defining Features, 434

TECHNIQUES BOX 13-1 Consensus Sequences, 436

The σ Factor Mediates Binding of Polymerase to the Promoter, 437

Transition to the Open Complex Involves Structural Changes in RNA Polymerase and in the Promoter DNA, 438

Transcription Is Initiated by RNA Polymerase without the Need for a Primer, 440

During Initial Transcription, RNA Polymerase Remains Stationary and Pulls Downstream DNA into Itself, 441

Promoter Escape Involves Breaking Polymerase–Promoter Interactions and Polymerase Core– σ Interactions, 442

The Elongating Polymerase Is a Processive Machine That Synthesizes and Proofreads RNA, 442

ADVANCED CONCEPTS BOX 13-2 The Single-Subunit RNA Polymerases, 443

RNA Polymerase Can Become Arrested and Need Removing, 445

Transcription Is Terminated by Signals within the RNA Sequence, 445

TRANSCRIPTION IN EUKARYOTES, 448

RNA Polymerase II Core Promoters Are Made Up of Combinations of Different Classes of Sequence Element, 448

RNA Polymerase II Forms a Preinitiation Complex with General Transcription Factors at the Promoter, 449

Promoter Escape Requires Phosphorylation of the Polymerase “Tail,” 449

TBP Binds to and Distorts DNA Using a β Sheet Inserted into the Minor Groove, 451

The Other General Transcription Factors Also Have Specific Roles in Initiation, 452

In Vivo, Transcription Initiation Requires Additional Proteins, Including the Mediator Complex, 453

Mediator Consists of Many Subunits, Some Conserved from Yeast to Human, 454
A New Set of Factors Stimulates Pol II Elongation and RNA Proofreading, 455
Elongating RNA Polymerase Must Deal with Histones in Its Path, 456
Elongating Polymerase Is Associated with a New Set of Protein Factors Required for Various Types of RNA Processing, 457
Transcription Termination Is Linked to RNA Destruction by a Highly Processive RNase, 460

14 RNA Splicing, 467

THE CHEMISTRY OF RNA SPLICING, 469
Sequences within the RNA Determine Where Splicing Occurs, 469
The Intron Is Removed in a Form Called a Lariat as the Flanking Exons Are Joined, 470
KEY EXPERIMENTS BOX 14-1 Adenovirus and the Discovery of Splicing, 471
THE SPLICEOSOME MACHINERY, 473
RNA Splicing Is Performed by a Large Complex Called the Spliceosome, 473
SPLICING PATHWAYS, 474
Assembly, Rearrangements, and Catalysis within the Spliceosome: The Splicing Pathway, 474
Spliceosome Assembly Is Dynamic and Variable and Its Disassembly Ensures That the Splicing Reaction Goes Only Forward in the Cell, 476
Self-Splicing Introns Reveal That RNA Can Catalyze RNA Splicing, 477
Group I Introns Release a Linear Intron Rather Than a Lariat, 478
KEY EXPERIMENTS BOX 14-2 Converting Group I Introns into Ribozymes, 479
How Does the Spliceosome Find the Splice Sites Reliably?, 480
VARIANTS OF SPLICING, 482
Exons from Different RNA Molecules Can Be Fused by Trans-Splicing, 482
A Small Group of Introns Is Spliced by an Alternative Spliceosome Composed of a Different Set of snRNPs, 483
ALTERNATIVE SPLICING, 483
Single Genes Can Produce Multiple Products by Alternative Splicing, 483

TRANSCRIPTION BY RNA POLYMERASES I AND III, 462
RNA Pol I and Pol III Recognize Distinct Promoters but Still Require TBP, 462
Pol I Transcribes Just the rRNA Genes, 462
Pol III Promoters Are Found Downstream from the Transcription Start Site, 463
SUMMARY, 463
BIBLIOGRAPHY, 464
QUESTIONS, 465

Several Mechanisms Exist to Ensure Mutually Exclusive Splicing, 486
The Curious Case of the <i>Drosophila Dscam</i> Gene: Mutually Exclusive Splicing on a Grand Scale, 487
Mutually Exclusive Splicing of <i>Dscam</i> Exon 6 Cannot Be Accounted for by Any Standard Mechanism and Instead Uses a Novel Strategy, 488
KEY EXPERIMENTS BOX 14-3 Identification of Docking Site and Selector Sequences, 490
Alternative Splicing Is Regulated by Activators and Repressors, 491
Regulation of Alternative Splicing Determines the Sex of Flies, 493
An Alternative Splicing Switch Lies at the Heart of Pluripotency, 495
EXON SHUFFLING, 497
Exons Are Shuffled by Recombination to Produce Genes Encoding New Proteins, 497
MEDICAL CONNECTIONS BOX 14-4 Defects in Pre-mRNA Splicing Cause Human Disease, 497
RNA EDITING, 500
RNA Editing Is Another Way of Altering the Sequence of an mRNA, 500
Guide RNAs Direct the Insertion and Deletion of Uridines, 501
MEDICAL CONNECTIONS BOX 14-5 Deaminases and HIV, 503
mRNA TRANSPORT, 503
Once Processed, mRNA Is Packaged and Exported from the Nucleus into the Cytoplasm for Translation, 503
SUMMARY, 505
BIBLIOGRAPHY, 506
QUESTIONS, 507

15 Translation, 509

MESSENGER RNA, 510
Polypeptide Chains Are Specified by Open Reading Frames, 510
Prokaryotic mRNAs Have a Ribosome-Binding Site That Recruits the Translational Machinery, 512
Eukaryotic mRNAs Are Modified at their 5' and 3' Ends to Facilitate Translation, 512

TRANSFER RNA, 513
tRNAs Are Adaptors between Codons and Amino Acids, 513
ADVANCED CONCEPTS BOX 15-1 CCA-Adding Enzymes: Synthesizing RNA without a Template, 513
tRNAs Share a Common Secondary Structure That Resembles a Cloverleaf, 514
tRNAs Have an L-Shaped Three-Dimensional Structure, 514

ATTACHMENT OF AMINO ACIDS TO tRNA, 515
tRNAs Are Charged by the Attachment of an Amino Acid to the 3'-Terminal Adenosine Nucleotide via a High-Energy Acyl Linkage, 515
Aminoacyl-tRNA Synthetases Charge tRNAs in Two Steps, 515
Each Aminoacyl-tRNA Synthetase Attaches a Single Amino Acid to One or More tRNAs, 515
tRNA Synthetases Recognize Unique Structural Features of Cognate tRNAs, 517
Aminoacyl-tRNA Formation Is Very Accurate, 518
Some Aminoacyl-tRNA Synthetases Use an Editing Pocket to Charge tRNAs with High Accuracy, 518
The Ribosome Is Unable to Discriminate between Correctly and Incorrectly Charged tRNAs, 519

THE RIBOSOME, 519
ADVANCED CONCEPTS BOX 15-2 Selenocysteine, 520
The Ribosome Is Composed of a Large and a Small Subunit, 521
The Large and Small Subunits Undergo Association and Dissociation during Each Cycle of Translation, 522
New Amino Acids Are Attached to the Carboxyl Terminus of the Growing Polypeptide Chain, 523
Peptide Bonds Are Formed by Transfer of the Growing Polypeptide Chain from One tRNA to Another, 524
Ribosomal RNAs Are Both Structural and Catalytic Determinants of the Ribosome, 524
The Ribosome Has Three Binding Sites for tRNA, 525
Channels through the Ribosome Allow the mRNA and Growing Polypeptide to Enter and/or Exit the Ribosome, 527

INITIATION OF TRANSLATION, 528
Prokaryotic mRNAs Are Initially Recruited to the Small Subunit by Base Pairing to rRNA, 528
A Specialized tRNA Charged with a Modified Methionine Binds Directly to the Prokaryotic Small Subunit, 528
Three Initiation Factors Direct the Assembly of an Initiation Complex That Contains mRNA and the Initiator tRNA, 529
Eukaryotic Ribosomes Are Recruited to the mRNA by the 5' Cap, 530
Translation Initiation Factors Hold Eukaryotic mRNAs in Circles, 532
ADVANCED CONCEPTS BOX 15-3 uORFs and IRESS: Exceptions That Prove the Rule, 533
The Start Codon Is Found by Scanning Downstream from the 5' End of the mRNA, 535
TRANSLATION ELONGATION, 535
Aminoacyl-tRNAs Are Delivered to the A-Site by Elongation Factor EF-Tu, 537
The Ribosome Uses Multiple Mechanisms to Select against Incorrect Aminoacyl-tRNAs, 537
The Ribosome Is a Ribozyme, 538
Peptide-Bond Formation Initiates Translocation in the Large Subunit, 541
EF-G Drives Translocation by Stabilizing Intermediates in Translocation, 542
EF-Tu-GDP and EF-G-GDP Must Exchange GDP for GTP before Participating in a New Round of Elongation, 543
A Cycle of Peptide-Bond Formation Consumes Two Molecules of GTP and One Molecule of ATP, 543
TERMINATION OF TRANSLATION, 544
Release Factors Terminate Translation in Response to Stop Codons, 544
Short Regions of Class I Release Factors Recognize Stop Codons and Trigger Release of the Peptidyl Chain, 544
ADVANCED CONCEPTS BOX 15-4 GTP-Binding Proteins, Conformational Switching, and the Fidelity and Ordering of the Events of Translation, 546
GDP/GTP Exchange and GTP Hydrolysis Control the Function of the Class II Release Factor, 547
The Ribosome Recycling Factor Mimics a tRNA, 548
REGULATION OF TRANSLATION, 549
Protein or RNA Binding near the Ribosome-Binding Site Negatively Regulates Bacterial Translation Initiation, 549
Regulation of Prokaryotic Translation: Ribosomal Proteins Are Translational Repressors of Their Own Synthesis, 551

MEDICAL CONNECTIONS BOX 15-5	<i>Antibiotics Arrest Cell Division by Blocking Specific Steps in Translation</i> , 552
Global Regulators of Eukaryotic Translation	Target Key Factors Required for mRNA Recognition and Initiator tRNA Ribosome Binding, 556
Spatial Control of Translation	by mRNA-Specific 4E-BPs, 556
An Iron-Regulated, RNA-Binding Protein	Controls Translation of Ferritin, 557
Translation of the Yeast Transcriptional Activator Gcn4	Is Controlled by Short Upstream ORFs and Ternary Complex Abundance, 558
TECHNIQUES BOX 15-6	<i>Ribosome and Polysome Profiling</i> , 561

16 The Genetic Code, 573

THE CODE IS DEGENERATE , 573	
Perceiving Order in the Makeup of the Code, 575	
Wobble in the Anticodon, 575	
Three Codons Direct Chain Termination, 577	
How the Code Was Cracked, 577	
Stimulation of Amino Acid Incorporation by Synthetic mRNAs, 578	
Poly-U Codes for Polyphenylalanine, 579	
Mixed Copolymers Allowed Additional Codon Assignments, 579	
Transfer RNA Binding to Defined Trinucleotide Codons, 579	
Codon Assignments from Repeating Copolymers, 581	
THREE RULES GOVERN THE GENETIC CODE , 582	
Three Kinds of Point Mutations Alter the Genetic Code, 582	

17 The Origin and Early Evolution of Life, 593

WHEN DID LIFE ARISE ON EARTH? , 594	
WHAT WAS THE BASIS FOR PREBIOTIC ORGANIC CHEMISTRY?, 595	
DID LIFE EVOLVE FROM AN RNA WORLD?, 599	
CAN SELF-REPLICATING RIBOZYMES BE CREATED BY DIRECTED EVOLUTION?, 599	

TRANSLATION-DEPENDENT REGULATION OF mRNA AND PROTEIN STABILITY, 563	
The SsrA RNA Rescues Ribosomes That Translate Broken mRNAs, 563	
MEDICAL CONNECTIONS BOX 15-7	<i>A Frontline Drug in Tuberculosis Therapy Targets SsrA Tagging</i> , 565
Eukaryotic Cells Degrade mRNAs That Are Incomplete or Have Premature Stop Codons, 565	
SUMMARY , 567	
BIBLIOGRAPHY , 570	
QUESTIONS , 570	

PART 5: REGULATION, 609

18 Transcriptional Regulation in Prokaryotes, 615

PRINCIPLES OF TRANSCRIPTIONAL REGULATION , 615	
Gene Expression Is Controlled by Regulatory Proteins, 615	
Most Activators and Repressors Act at the Level of Transcription Initiation, 616	
Many Promoters Are Regulated by Activators That Help RNA Polymerase Bind DNA and by Repressors That Block That Binding, 616	
Some Activators and Repressors Work by Allostery and Regulate Steps in Transcription Initiation after RNA Polymerase Binding, 618	
Action at a Distance and DNA Looping, 618	
Cooperative Binding and Allostery Have Many Roles in Gene Regulation, 619	
Antitermination and Beyond: Not All of Gene Regulation Targets Transcription Initiation, 620	

REGULATION OF TRANSCRIPTION INITIATION: EXAMPLES FROM PROKARYOTES, 620

An Activator and a Repressor Together Control the <i>lac</i> Genes, 620	
CAP and Lac Repressor Have Opposing Effects on RNA Polymerase Binding to the <i>lac</i> Promoter, 622	
CAP Has Separate Activating and DNA-Binding Surfaces, 622	
CAP and Lac Repressor Bind DNA Using a Common Structural Motif, 623	

KEY EXPERIMENTS BOX 18-1

Activator Bypass Experiments, 624

The Activities of Lac Repressor and CAP Are Controlled Allosterically by Their Signals, 626	
Combinatorial Control: CAP Controls Other Genes As Well, 627	

KEY EXPERIMENTS BOX 18-2

Jacob, Monod, and the Ideas behind Gene Regulation, 628

Alternative σ Factors Direct RNA Polymerase to Alternative Sets of Promoters, 630	
NtrC and MerR: Transcriptional Activators That Work by Allostery Rather than by Recruitment, 630	

NtrC Has ATPase Activity and Works from DNA Sites Far from the Gene, 631	
--	--

MerR Activates Transcription by Twisting Promoter DNA, 632	
SUMMARY , 652	
BIBLIOGRAPHY , 653	
QUESTIONS , 654	

Some Repressors Hold RNA Polymerase at the Promoter Rather than Excluding It, 633	
AraC and Control of the <i>araBAD</i> Operon by Antiactivation, 634	
MEDICAL CONNECTIONS 18-3	<i>Blocking Virulence by Silencing Pathways of Intercellular Communication</i> , 635

THE CASE OF BACTERIOPHAGE λ : LAYERS OF REGULATION, 636

Alternative Patterns of Gene Expression Control Lytic and Lysogenic Growth, 636	
Regulatory Proteins and Their Binding Sites, 638	
λ Repressor Binds to Operator Sites Cooperatively, 639	
Repressor and Cro Bind in Different Patterns to Control Lytic and Lysogenic Growth, 640	
ADVANCED CONCEPTS BOX 18-4	<i>Concentration, Affinity, and Cooperative Binding</i> , 641
Lysogenic Induction Requires Proteolytic Cleavage of λ Repressor, 642	
Negative Autoregulation of Repressor Requires Long-Distance Interactions and a Large DNA Loop, 643	
Another Activator, λ CII, Controls the Decision between Lytic and Lysogenic Growth upon Infection of a New Host, 644	

KEY EXPERIMENTS BOX 18-5

Evolution of the λ Switch, 645

The Number of Phage Particles Infecting a Given Cell Affects Whether the Infection Proceeds Lytically or Lysogenically, 647	
Growth Conditions of <i>E. coli</i> Control the Stability of CII Protein and Thus the Lytic/Lysogenic Choice, 648	
Transcriptional Antitermination in λ Development, 648	

KEY EXPERIMENTS BOX 18-6	<i>Genetic Approaches That Identified Genes Involved in the Lytic/Lysogenic Choice</i> , 649
---------------------------------	--

Retroregulation: An Interplay of Controls on RNA Synthesis and Stability Determines <i>int</i> Gene Expression, 651	
---	--



19 Transcriptional Regulation in Eukaryotes, 657

CONSERVED MECHANISMS OF TRANSCRIPTIONAL REGULATION FROM YEAST TO MAMMALS, 659

Activators Have Separate DNA-Binding and Activating Functions, 660

Eukaryotic Regulators Use a Range of DNA-Binding Domains, But DNA Recognition Involves the Same Principles as Found in Bacteria, 661

Activating Regions Are Not Well-Defined Structures, 663

TECHNIQUES BOX 19-1 *The Two-Hybrid Assay*, 664

RECRUITMENT OF PROTEIN COMPLEXES TO GENES BY EUKARYOTIC ACTIVATORS, 665

Activators Recruit the Transcriptional Machinery to the Gene, 665

TECHNIQUES BOX 19-2 *The ChIP-Chip and ChIP-Seq Assays Are the Best Method for Identifying Enhancers*, 666

Activators Also Recruit Nucleosome Modifiers That Help the Transcriptional Machinery Bind at the Promoter or Initiate Transcription, 667

Activators Recruit Additional Factors Needed for Efficient Initiation or Elongation at Some Promoters, 669

MEDICAL CONNECTIONS BOX 19-3 *Histone Modifications, Transcription Elongation, and Leukemia*, 670

Action at a Distance: Loops and Insulators, 672

Appropriate Regulation of Some Groups of Genes Requires Locus Control Regions, 673

SIGNAL INTEGRATION AND COMBINATORIAL CONTROL, 675

Activators Work Synergistically to Integrate Signals, 675

Signal Integration: The *HO* Gene Is Controlled by Two Regulators—One Recruits Nucleosome Modifiers, and the Other Recruits Mediator, 675

Signal Integration: Cooperative Binding of Activators at the Human β -Interferon Gene, 676



20 Regulatory RNAs, 701

REGULATION BY RNAs IN BACTERIA, 701

Riboswitches Reside within the Transcripts of Genes Whose Expression They Control through Changes in Secondary Structure, 703

RNAs as Defense Agents in Prokaryotes and Archaea, 705

Combinatorial Control Lies at the Heart of the Complexity and Diversity of Eukaryotes, 678

Combinatorial Control of the Mating-Type Genes from *S. cerevisiae*, 680

TRANSCRIPTIONAL REPRESSORS, 681

SIGNAL TRANSDUCTION AND THE CONTROL OF TRANSCRIPTIONAL REGULATORS, 682

Signals Are Often Communicated to Transcriptional Regulators through Signal Transduction Pathways, 682

KEY EXPERIMENTS BOX 19-4 *Evolution of a Regulatory Circuit*, 683

Signals Control the Activities of Eukaryotic Transcriptional Regulators in a Variety of Ways, 686

GENE "SILENCING" BY MODIFICATION OF HISTONES AND DNA, 687

Silencing in Yeast Is Mediated by Deacetylation and Methylation of Histones, 688

In *Drosophila*, HP1 Recognizes Methylated Histones and Condenses Chromatin, 689

Repression by Polycomb Also Uses Histone Methylation, 690

ADVANCED CONCEPTS BOX 19-5 *Is There a Histone Code?*, 691

DNA Methylation Is Associated with Silenced Genes in Mammalian Cells, 692

EPIGENETIC GENE REGULATION, 694

Some States of Gene Expression Are Inherited through Cell Division Even When the Initiating Signal Is No Longer Present, 694

MEDICAL CONNECTIONS BOX 19-6 *Transcriptional Repression and Human Disease*, 696

SUMMARY, 697

BIBLIOGRAPHY, 698

QUESTIONS, 699

CRISPRs Are a Record of Infections Survived and Resistance Gained, 706

ADVANCED CONCEPTS BOX 20-1 *Amino Acid Biosynthetic Operons Are Controlled by Attenuation*, 707

Spacer Sequences Are Acquired from Infecting Viruses, 710

A CRISPR Is Transcribed as a Single Long RNA, Which Is Then Processed into Shorter RNA Species That Target Destruction of Invading DNA or RNA, 710

REGULATORY RNAs ARE WIDESPREAD IN EUKARYOTES, 711

Short RNAs That Silence Genes Are Produced from a Variety of Sources and Direct the Silencing of Genes in Three Different Ways, 712

SYNTHESIS AND FUNCTION OF miRNA MOLECULES, 714

miRNAs Have a Characteristic Structure That Assists in Identifying Them and Their Target Genes, 714

An Active miRNA Is Generated through a Two-Step Nucleolytic Processing, 716

Dicer Is the Second RNA-Cleaving Enzyme Involved in miRNA Production and the Only One Needed for siRNA Production, 717

SILENCING GENE EXPRESSION BY SMALL RNAs, 718

Incorporation of a Guide Strand RNA into RISC Makes the Mature Complex That Is Ready to Silence Gene Expression, 718

21 Gene Regulation in Development and Evolution, 733

MEDICAL CONNECTIONS BOX 21-1 *Formation of iPS Cells*, 734

THREE STRATEGIES BY WHICH CELLS ARE INSTRUCTED TO EXPRESS SPECIFIC SETS OF GENES DURING DEVELOPMENT, 735

Some mRNAs Become Localized within Eggs and Embryos Because of an Intrinsic Polarity in the Cytoskeleton, 735

Cell-to-Cell Contact and Secreted Cell-Signaling Molecules Both Elicit Changes in Gene Expression in Neighboring Cells, 736

Gradients of Secreted Signaling Molecules Can Instruct Cells to Follow Different Pathways of Development Based on Their Location, 737

EXAMPLES OF THE THREE STRATEGIES FOR ESTABLISHING DIFFERENTIAL GENE EXPRESSION, 738

The Localized Ash1 Repressor Controls Mating Type in Yeast by Silencing the *HO* Gene, 738

A Localized mRNA Initiates Muscle Differentiation in the Sea Squirt Embryo, 740

ADVANCED CONCEPTS BOX 21-2 *Review of Cytoskeleton: Asymmetry and Growth*, 741

Cell-to-Cell Contact Elicits Differential Gene Expression in the Sporulating Bacterium, *Bacillus subtilis*, 743

Small RNAs Can Transcriptionally Silence Genes by Directing Chromatin Modification, 719

RNAi Is a Defense Mechanism That Protects against Viruses and Transposons, 721

KEY EXPERIMENTS BOX 20-2 *Discovery of miRNAs and RNAi*, 722

RNAi Has Become a Powerful Tool for Manipulating Gene Expression, 725

MEDICAL CONNECTIONS BOX 20-3 *microRNAs and Human Disease*, 727

LONG NON-CODING RNAs AND X-INACTIVATION, 728

Long Non-Coding RNAs Have Many Roles in Gene Regulation, Including *Cis* and *Trans* Effects on Transcription, 728

X-Inactivation Creates Mosaic Individuals, 728

Xist Is a Long Non-Coding RNA That Inactivates a Single X Chromosome in Female Mammals, 729

SUMMARY, 730

BIBLIOGRAPHY, 731

QUESTIONS, 732

A Skin–Nerve Regulatory Switch Is Controlled by Notch Signaling in the Insect Central Nervous System, 743

A Gradient of the Sonic Hedgehog Morphogen Controls the Formation of Different Neurons in the Vertebrate Neural Tube, 744

THE MOLECULAR BIOLOGY OF DROSOPHILA EMBRYOGENESIS, 746

An Overview of *Drosophila* Embryogenesis, 746

A Regulatory Gradient Controls Dorsoventral Patterning of the *Drosophila* Embryo, 747

ADVANCED CONCEPTS BOX 21-3 *Overview of Drosophila Development*, 748

Segmentation Is Initiated by Localized RNAs at the Anterior and Posterior Poles of the Unfertilized Egg, 751

KEY EXPERIMENTS BOX 21-4 *Activator Synergy*, 752

Bicoid and Nanos Regulate *hunchback*, 753

Multiple Enhancers Ensure Precision of *hunchback* Regulation, 754

The Gradient of Hunchback Repressor Establishes Different Limits of Gap Gene Expression, 754

MEDICAL CONNECTIONS BOX 21-5 *Stem Cell Niche*, 755

ADVANCED CONCEPTS BOX 21-6 *Gradient Thresholds*, 757

Hunchback and Gap Proteins Produce Segmentation Stripes of Gene Expression, 758
KEY EXPERIMENTS BOX 21-7 <i>cis</i> -Regulatory Sequences in Animal Development and Evolution, 759
Gap Repressor Gradients Produce Many Stripes of Gene Expression, 760
Short-Range Transcriptional Repressors Permit Different Enhancers to Work Independently of One Another within the Complex <i>eve</i> Regulatory Region, 761
HOMEOTIC GENES: AN IMPORTANT CLASS OF DEVELOPMENTAL REGULATORS , 762
Changes in Homeotic Gene Expression Are Responsible for Arthropod Diversity, 763
Changes in <i>Ubx</i> Expression Explain Modifications in Limbs among the Crustaceans, 763

22 Systems Biology, 775

REGULATORY CIRCUITS , 776
AUTOREGULATION , 776
Negative Autoregulation Dampens Noise and Allows a Rapid Response Time, 777
Gene Expression Is Noisy, 777
Positive Autoregulation Delays Gene Expression, 779
BISTABILITY , 780
Some Regulatory Circuits Persist in Alternative Stable States, 780
Bimodal Switches Vary in Their Persistence, 781
KEY EXPERIMENTS BOX 22-1 Bistability and Hysteresis, 782

PART 6: APPENDICES, 793

APPENDIX 1: Model Organisms , 797
BACTERIOPHAGE , 798
Assays of Phage Growth, 800
The Single-Step Growth Curve, 800
Phage Crosses and Complementation Tests, 801
Transduction and Recombinant DNA, 801
BACTERIA , 802
Assays of Bacterial Growth, 803

ADVANCED CONCEPTS BOX 21-8 Homeotic Genes of <i>Drosophila</i> Are Organized in Special Chromosome Clusters, 764
How Insects Lost Their Abdominal Limbs, 766
Modification of Flight Limbs Might Arise from the Evolution of Regulatory DNA Sequences, 767
GENOME EVOLUTION AND HUMAN ORIGINS , 769
Diverse Animals Contain Remarkably Similar Sets of Genes, 769
Many Animals Contain Anomalous Genes, 769
Synteny Is Evolutionarily Ancient, 770
Deep Sequencing Is Being Used to Explore Human Origins, 772
SUMMARY , 772
BIBLIOGRAPHY , 773
QUESTIONS , 774

FEED-FORWARD LOOPS , 784
Feed-Forward Loops Are Three-Node Networks with Beneficial Properties, 784
Feed-Forward Loops Are Used in Development, 786
OSCILLATING CIRCUITS , 786
Some Circuits Generate Oscillating Patterns of Gene Expression, 786
Synthetic Circuits Mimic Some of the Features of Natural Regulatory Networks, 789
SUMMARY , 790
BIBLIOGRAPHY , 791
QUESTIONS , 791

Whole-Genome Sequencing, and Transcriptional Profiling, 806
Biochemical Analysis Is Especially Powerful in Simple Cells with Well-Developed Tools of Traditional and Molecular Genetics, 806
Bacteria Are Accessible to Cytological Analysis, 807
Phage and Bacteria Told Us Most of the Fundamentals Things about the Gene, 807
Synthetic Circuits and Regulatory Noise, 808
BAKER'S YEAST, SACCHAROMYCES CEREVISIAE , 808
The Existence of Haploid and Diploid Cells Facilitates Genetic Analysis of <i>S. cerevisiae</i> , 809
Generating Precise Mutations in Yeast Is Easy, 810
<i>S. cerevisiae</i> Has a Small, Well-Characterized Genome, 810
<i>S. cerevisiae</i> Cells Change Shape as They Grow, 810
ARABIDOPSIS , 811
<i>Arabidopsis</i> Has a Fast Life Cycle with Haploid and Diploid Phases, 812
<i>Arabidopsis</i> Is Easily Transformed for Reverse Genetics, 813
<i>Arabidopsis</i> Has a Small Genome That Is Readily Manipulated, 813
Epigenetics, 814
Plants Respond to the Environment, 815
Development and Pattern Formation, 815
BIBLIOGRAPHY , 830

APPENDIX 2: Answers, 831

Chapter 1, 831	Chapter 12, 837
Chapter 2, 831	Chapter 13, 838
Chapter 3, 832	Chapter 14, 839
Chapter 4, 833	Chapter 15, 839
Chapter 5, 833	Chapter 16, 840
Chapter 6, 834	Chapter 17, 841
Chapter 7, 834	Chapter 18, 841
Chapter 8, 835	Chapter 19, 843
Chapter 9, 835	Chapter 20, 843
Chapter 10, 836	Chapter 21, 843
Chapter 11, 837	Chapter 22, 844

Index, 845

THE NEMATODE WORM, CAENORHABDITIS ELEGANS , 816
<i>C. elegans</i> Has a Very Rapid Life Cycle, 816
<i>C. elegans</i> Is Composed of Relatively Few, Well-Studied Cell Lineages, 817
The Cell Death Pathway Was Discovered in <i>C. elegans</i> , 818
RNAi Was Discovered in <i>C. elegans</i> , 818
THE FRUIT FLY, DROSOPHILA MELANOGASTER , 819
<i>Drosophila</i> Has a Rapid Life Cycle, 819
The First Genome Maps Were Produced in <i>Drosophila</i> , 820
Genetic Mosaics Permit the Analysis of Lethal Genes in Adult Flies, 822
The Yeast FLP Recombinase Permits the Efficient Production of Genetic Mosaics, 823
It Is Easy to Create Transgenic Fruit Flies that Carry Foreign DNA, 824
THE HOUSE MOUSE, MUS MUSCULUS , 825
Mouse Embryonic Development Depends on Stem Cells, 826
It Is Easy to Introduce Foreign DNA into the Mouse Embryo, 827
Homologous Recombination Permits the Selective Ablation of Individual Genes, 827
Mice Exhibit Epigenetic Inheritance, 829
BIBLIOGRAPHY , 830