

colleague. We feel very fortunate to have such gifted partners as Brook, Shelley, Adam, and Jean-Yves on our team.

We are also deeply indebted to Brian White of the University of Massachusetts–Boston, who wrote the new data analysis problems at the end of each chapter.

Many colleagues played a special role through their interest in the project and their timely input. Prominent among these are Laurens Anderson of the University of Wisconsin–Madison; Jeffrey D. Esko of the University of California, San Diego; Jack Kirsch and his students at the University of California, Berkeley; and Dana Aswad, Shiou-Chuan (Sheryl) Tsai, Michael G. Cumsy, and their colleagues (listed below) at the University of California, Irvine. Many others helped us shape this fifth edition with their comments, suggestions, and criticisms. To all of them, we are deeply grateful:

Richard M. Amasino, *University of Wisconsin–Madison*  
 Louise E. Anderson, *University of Illinois at Chicago*  
 Cheryl Bailey, *University of Nebraska, Lincoln*  
 Kenneth Balazovich, *University of Michigan*  
 Thomas O. Baldwin, *University of Arizona*  
 Vahe Bandarian, *University of Arizona*  
 Eugene Barber, *University of Rochester*  
 Sebastian Y. Bednarek, *University of Wisconsin–Madison*  
 Ramachandra Bhat, *Lincoln University*  
 James Blankenship, *Cornell University*  
 Sandra J. Bonetti, *Colorado State University, Pueblo*  
 Barbara Bowman, *University of California, Berkeley*  
 Scott D. Briggs, *Purdue University*  
 Jeff Brodsky, *University of Pittsburgh*  
 Ben Caldwell, *Missouri Western State University*  
 David Camerini, *University of California, Irvine*  
 Guillaume Chanfreau, *University of California, Los Angeles*  
 Melanie Cocco, *University of California, Irvine*  
 Jeffrey Cohlberg, *California State University, Long Beach*  
 Kim D. Collins, *University of Maryland*  
 Charles T. Dameron, *Duquesne University*  
 Richard S. Eisenstein, *University of Wisconsin–Madison*  
 Gerald W. Feigenson, *Cornell University*  
 Robert H. Fillingame, *University of Wisconsin–Madison*  
 Brian Fox, *University of Wisconsin–Madison*  
 Gerald D. Frenkel, *Rutgers University*  
 Perry Frey, *University of Wisconsin–Madison*  
 David E. Graham, *University of Texas–Austin*  
 William J. Grimes, *University of Arizona*  
 Martyn Gunn, *Texas A&M University*  
 Olivia Hanson, *University of Central Oklahoma*  
 Amy Hark, *Muhlenberg College*  
 Shaun V. Hernandez, *University of Wisconsin–Madison*  
 Peter Hinkle, *Cornell University*  
 P. Shing Ho, *Oregon State University*  
 Charles G. Hoogstraten, *Michigan State University*  
 Gerwald Jögl, *Brown University*  
 Sir Hans Kornberg, *Boston University*  
 Bob Landick, *University of Wisconsin–Madison*  
 Patrick D. Larkin, *Texas A&M University, Corpus Christi*  
 Ryan P. Liegel, *University of Wisconsin–Madison*  
 Maria Linder, *California State University, Fullerton*  
 Andy C. LiWang, *Texas A&M University*  
 John Makemson, *Florida International University*  
 John C. Matthews, *University of Mississippi, School of Pharmacy*  
 Benjamin J. McFarland, *Seattle Pacific University*  
 Anant Menon, *Weill Cornell Medical College*  
 Sabeeha Merchant, *University of California, Los Angeles*

Scott C. Mohr, *Boston University*  
 Kimberly Mowry, *Brown University*  
 Leisha Mullins, *Texas A&M University*  
 Sewite Negash, *California State University, Long Beach*  
 Allen W. Nicholson, *Temple University*  
 Hiroshi Nikaido, *University of California, Berkeley*  
 James Ntambi, *University of Wisconsin–Madison*  
 Timothy F. Osborne, *University of California, Irvine*  
 José R. Pérez-Castñeira, *University of Seville, Spain*  
 Terry Platt, *University of Rochester*  
 Wendy Pogożelski, *State University of New York at Geneseo*  
 Jonathan Popper, *University of Wisconsin–Madison*  
 Thomas Poulos, *University of California, Irvine*  
 Jack Preiss, *Michigan State University*  
 Anna Radominska-Pandya, *University of Arkansas*  
 Ron Raines, *University of Wisconsin–Madison*  
 Tom A. Rapoport, *Harvard Medical School*  
 Jason J. Reddick, *University of North Carolina, Greensboro*  
 Mary Roberts, *Boston College*  
 Ingrid K. Ruf, *University of California, Irvine*  
 Aboozar Soleimani, *Tehran University, Iran*  
 Mark Spaller, *Wayne State University*  
 Stephen Spiro, *University of Texas at Dallas*  
 Narasimha Sreerama, *Colorado State University*  
 Jon D. Stewart, *University of Florida*  
 Koni Stone, *California State University, Stanislaus*  
 Jon R. Stultzfus, *Michigan State University*  
 Jeremy Thorner, *University of California, Berkeley*  
 Dean R. Tolan, *Boston University*  
 Sandra L. Turchi, *Millersville University*  
 Manuel Varela, *Eastern New Mexico University*  
 Bob Warburton, *Shepherd University*  
 Tracy Ware, *Salem State College*  
 Susan Weintraub, *University of Texas, Health Science Center*  
 Michael Yaffe, *Massachusetts Institute of Technology*

We lack the space here to acknowledge all the other individuals whose special efforts went into this book. We offer instead our sincere thanks—and the finished book that they helped guide to completion. We, of course, assume full responsibility for errors of fact or emphasis.

We want especially to thank our students at the University of Wisconsin–Madison for their numerous comments and suggestions. If something in the book does not work, they are never shy about letting us know it. We are grateful to the students and staff of our research groups and of the Center for Biology Education, who helped us balance the competing demands on our time; to our colleagues in the Department of Biochemistry at the University of Wisconsin–Madison, who helped us with advice and criticism; and to the many students and teachers who have written to suggest ways of improving the book. We hope our readers will continue to provide input for future editions.

Finally, we express our deepest appreciation to our wives, Brook and Beth, and our families, who showed extraordinary patience with, and support for, our book writing.

David L. Nelson  
 Michael M. Cox  
 Madison, Wisconsin  
 January 2008

## Contents in Brief

Preface	viii
1 The Foundations of Biochemistry	1
<b>I STRUCTURE AND CATALYSIS</b>	<b>41</b>
2 Water	43
3 Amino Acids, Peptides, and Proteins	71
4 The Three-Dimensional Structure of Proteins	113
5 Protein Function	153
6 Enzymes	183
7 Carbohydrates and Glycobiology	235
8 Nucleotides and Nucleic Acids	271
9 DNA-Based Information Technologies	303
10 Lipids	343
11 Biological Membranes and Transport	371
12 Biosignaling	417
<b>II BIOENERGETICS AND METABOLISM</b>	<b>485</b>
13 Bioenergetics and Biochemical Reaction Types	489
14 Glycolysis, Gluconeogenesis, and the Pentose Phosphate Pathway	527
15 Principles of Metabolic Regulation	569
16 The Citric Acid Cycle	615
17 Fatty Acid Catabolism	647
18 Amino Acid Oxidation and the Production of Urea	673
19 Oxidative Phosphorylation and Photophosphorylation	707
20 Carbohydrate Biosynthesis in Plants and Bacteria	773
21 Lipid Biosynthesis	805
22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules	851
23 Hormonal Regulation and Integration of Mammalian Metabolism	901
<b>III INFORMATION PATHWAYS</b>	<b>945</b>
24 Genes and Chromosomes	947
25 DNA Metabolism	975
26 RNA Metabolism	1021
27 Protein Metabolism	1065
28 Regulation of Gene Expression	1115
Appendix A Common Abbreviations in the Biochemical Research Literature A-1	
Appendix B Abbreviated Solutions to Problems AS-1	
Glossary G-1	
Credits C-1	
Index I-1	

## Contents

<b>1 The Foundations of Biochemistry</b>	<b>1</b>
<b>1.1 Cellular Foundations</b>	<b>2</b>
Cells Are the Structural and Functional Units of All Living Organisms	3
Cellular Dimensions Are Limited by Diffusion	3
There Are Three Distinct Domains of Life	4
<i>Escherichia coli</i> Is the Most-Studied Bacterium	5
Eukaryotic Cells Have a Variety of Membranous Organelles, Which Can Be Isolated for Study	7
The Cytoplasm Is Organized by the Cytoskeleton and Is Highly Dynamic	8
Cells Build Supramolecular Structures	9
In Vitro Studies May Overlook Important Interactions among Molecules	10
<b>1.2 Chemical Foundations</b>	<b>11</b>
Biomolecules Are Compounds of Carbon with a Variety of Functional Groups	11
Cells Contain a Universal Set of Small Molecules	13
<b>Box 1–1 Molecular Weight, Molecular Mass, and Their Correct Units</b>	<b>14</b>
Macromolecules Are the Major Constituents of Cells	14
Three-Dimensional Structure Is Described by Configuration and Conformation	15
<b>Box 1–2 Louis Pasteur and Optical Activity: <i>In Vino, Veritas</i></b>	<b>17</b>
Interactions between Biomolecules Are Stereospecific	18
<b>1.3 Physical Foundations</b>	<b>19</b>
Living Organisms Exist in a Dynamic Steady State, Never at Equilibrium with Their Surroundings	20
Organisms Transform Energy and Matter from Their Surroundings	20
<b>Box 1–3 Entropy: The Advantages of Being Disorganized</b>	<b>21</b>
The Flow of Electrons Provides Energy for Organisms	22
Creating and Maintaining Order Requires Work and Energy	22
Energy Coupling Links Reactions in Biology	22
$K_{eq}$ and $\Delta G^\circ$ Are Measures of a Reaction's Tendency to Proceed Spontaneously	24
Enzymes Promote Sequences of Chemical Reactions	25
Metabolism Is Regulated to Achieve Balance and Economy	26
<b>1.4 Genetic Foundations</b>	<b>27</b>
Genetic Continuity Is Vested in Single DNA Molecules	27
The Structure of DNA Allows for Its Replication and Repair with Near-Perfect Fidelity	28
The Linear Sequence in DNA Encodes Proteins with Three-Dimensional Structures	29

<b>1.5 Evolutionary Foundations</b>	<b>29</b>	<b>2.4 Water as a Reactant</b>	<b>65</b>
Changes in the Hereditary Instructions		<b>2.5 The Fitness of the Aqueous Environment for Living Organisms</b>	<b>65</b>
Allow Evolution	29		
Biomolecules First Arose by Chemical Evolution	30	<b>3 Amino Acids, Peptides, and Proteins</b>	<b>71</b>
RNA or Related Precursors May Have Been the First Genes and Catalysts	31	<b>3.1 Amino Acids</b>	<b>72</b>
Biological Evolution Began More Than Three and a Half Billion Years Ago	32	Amino Acids Share Common Structural Features	72
The First Cell Probably Used Inorganic Fuels	32	The Amino Acid Residues in Proteins Are L Stereoisomers	74
Eukaryotic Cells Evolved from Simpler Precursors in Several Stages	33	Amino Acids Can Be Classified by R Group	74
Molecular Anatomy Reveals Evolutionary Relationships	33	<b>Box 3–1 Methods: Absorption of Light by Molecules: The Lambert-Beer Law</b>	<b>76</b>
Functional Genomics Shows the Allocations of Genes to Specific Cellular Processes	35	Uncommon Amino Acids Also Have Important Functions	77
Genomic Comparisons Have Increasing Importance in Human Biology and Medicine	35	Amino Acids Can Act as Acids and Bases	78
		Amino Acids Have Characteristic Titration Curves	79
<b>1 STRUCTURE AND CATALYSIS</b>	<b>41</b>	Titration Curves Predict the Electric Charge of Amino Acids	80
<b>2 Water</b>	<b>43</b>	Amino Acids Differ in Their Acid-Base Properties	81
<b>2.1 Weak Interactions in Aqueous Systems</b>	<b>43</b>	<b>3.2 Peptides and Proteins</b>	<b>82</b>
Hydrogen Bonding Gives Water Its Unusual Properties	43	Peptides Are Chains of Amino Acids	82
Water Forms Hydrogen Bonds with Polar Solutes	45	Peptides Can Be Distinguished by Their Ionization Behavior	82
Water Interacts Electrostatically with Charged Solutes	46	Biologically Active Peptides and Polypeptides Occur in a Vast Range of Sizes and Compositions	83
Entropy Increases as Crystalline Substances Dissolve	47	Some Proteins Contain Chemical Groups Other Than Amino Acids	84
Nonpolar Gases Are Poorly Soluble in Water	47	<b>3.3 Working with Proteins</b>	<b>85</b>
Nonpolar Compounds Force Energetically Unfavorable Changes in the Structure of Water	47	Proteins Can Be Separated and Purified	85
van der Waals Interactions Are Weak Interatomic Attractions	49	Proteins Can Be Separated and Characterized by Electrophoresis	88
Weak Interactions Are Crucial to Macromolecular Structure and Function	50	Unseparated Proteins Can Be Quantified	91
Solutes Affect the Colligative Properties of Aqueous Solutions	51	<b>3.4 The Structure of Proteins: Primary Structure</b>	<b>92</b>
<b>2.2 Ionization of Water, Weak Acids, and Weak Bases</b>	<b>54</b>	The Function of a Protein Depends on Its Amino Acid Sequence	93
Pure Water Is Slightly Ionized	54	The Amino Acid Sequences of Millions of Proteins Have Been Determined	93
The Ionization of Water Is Expressed by an Equilibrium Constant	55	Short Polypeptides Are Sequenced with Automated Procedures	94
The pH Scale Designates the H <sup>+</sup> and OH <sup>−</sup> Concentrations	56	Large Proteins Must Be Sequenced in Smaller Segments	95
Weak Acids and Bases Have Characteristic Acid Dissociation Constants	57	Amino Acid Sequences Can Also Be Deduced by Other Methods	98
Titration Curves Reveal the pK <sub>a</sub> of Weak Acids	58	<b>Box 3–2 Methods: Investigating Proteins with Mass Spectrometry</b>	<b>98</b>
<b>2.3 Buffering against pH Changes in Biological Systems</b>	<b>59</b>	Small Peptides and Proteins Can Be Chemically Synthesized	100
Buffers Are Mixtures of Weak Acids and Their Conjugate Bases	59	Amino Acid Sequences Provide Important Biochemical Information	102
The Henderson-Hasselbalch Equation Relates pH, pK <sub>a</sub> , and Buffer Concentration	60	Protein Sequences Can Elucidate the History of Life on Earth	102
Weak Acids or Bases Buffer Cells and Tissues against pH Changes	61	<b>Box 3–3 Consensus Sequences and Sequence Logos</b>	<b>103</b>
Untreated Diabetes Produces Life-Threatening Acidosis	63		
<b>Box 2–1 Medicine: On Being One's Own Rabbit (Don't Try This at Home!)</b>	<b>64</b>		

<b>4 The Three-Dimensional Structure of Proteins</b>	<b>113</b>	Protein Structure Affects How Ligands Bind	158
<b>4.1 Overview of Protein Structure</b>	<b>113</b>	Hemoglobin Transports Oxygen in Blood	158
A Protein's Conformation Is Stabilized Largely by Weak Interactions	114	Hemoglobin Subunits Are Structurally Similar to Myoglobin	159
The Peptide Bond Is Rigid and Planar	115	Hemoglobin Undergoes a Structural Change on Binding Oxygen	160
<b>4.2 Protein Secondary Structure</b>	<b>117</b>	Hemoglobin Binds Oxygen Cooperatively	160
The $\alpha$ Helix Is a Common Protein Secondary Structure	117	Cooperative Ligand Binding Can Be Described Quantitatively	162
<b>Box 4–1 Methods: Knowing the Right Hand from the Left</b>	<b>118</b>	<b>Box 5–1 Medicine: Carbon Monoxide: A Stealthy Killer</b>	<b>163</b>
Amino Acid Sequence Affects Stability of the $\alpha$ Helix	119	Two Models Suggest Mechanisms for Cooperative Binding	165
The $\beta$ Conformation Organizes Polypeptide Chains into Sheets	120	Hemoglobin Also Transports H <sup>+</sup> and CO <sub>2</sub>	165
$\beta$ Turns Are Common in Proteins	121	Oxygen Binding to Hemoglobin Is Regulated by 2,3-Bisphosphoglycerate	167
Common Secondary Structures Have Characteristic Dihedral Angles	121	Sickle-Cell Anemia Is a Molecular Disease of Hemoglobin	168
Common Secondary Structures Can Be Assessed by Circular Dichroism	122	<b>5.2 Complementary Interactions between Proteins and Ligands: The Immune System and Immunoglobulins</b>	<b>170</b>
<b>4.3 Protein Tertiary and Quaternary Structures</b>	<b>123</b>	The Immune Response Features a Specialized Array of Cells and Proteins	170
Fibrous Proteins Are Adapted for a Structural Function	123	Antibodies Have Two Identical Antigen-Binding Sites	171
<b>Box 4–2 Permanent Waving Is Biochemical Engineering</b>	<b>125</b>	Antibodies Bind Tightly and Specifically to Antigen	173
<b>Box 4–3 Medicine: Why Sailors, Explorers, and College Students Should Eat Their Fresh Fruits and Vegetables</b>	<b>126</b>	The Antibody-Antigen Interaction Is the Basis for a Variety of Important Analytical Procedures	173
<b>Box 4–4 The Protein Data Bank</b>	<b>129</b>	<b>5.3 Protein Interactions Modulated by Chemical Energy: Actin, Myosin, and Molecular Motors</b>	<b>175</b>
Structural Diversity Reflects Functional Diversity in Globular Proteins	129	The Major Proteins of Muscle Are Myosin and Actin	175
Myoglobin Provided Early Clues about the Complexity of Globular Protein Structure	129	Additional Proteins Organize the Thin and Thick Filaments into Ordered Structures	176
Globular Proteins Have a Variety of Tertiary Structures	131	Myosin Thick Filaments Slide along Actin Thin Filaments	178
<b>Box 4–5 Methods: Methods for Determining the Three-Dimensional Structure of a Protein</b>	<b>132</b>	<b>6 Enzymes</b>	<b>183</b>
Protein Motifs Are the Basis for Protein Structural Classification	136	<b>6.1 An Introduction to Enzymes</b>	<b>183</b>
Protein Quaternary Structures Range from Simple Dimers to Large Complexes	138	Most Enzymes Are Proteins	184
<b>4.4 Protein Denaturation and Folding</b>	<b>140</b>	Enzymes Are Classified by the Reactions They Catalyze	184
Loss of Protein Structure Results in Loss of Function	140	<b>6.2 How Enzymes Work</b>	<b>186</b>
Amino Acid Sequence Determines Tertiary Structure	141	Enzymes Affect Reaction Rates, Not Equilibria	186
Polypeptides Fold Rapidly by a Stepwise Process	142	Reaction Rates and Equilibria Have Precise Thermodynamic Definitions	188
Some Proteins Undergo Assisted Folding	143	A Few Principles Explain the Catalytic Power and Specificity of Enzymes	188
Defects in Protein Folding May Be the Molecular Basis for a Wide Range of Human Genetic Disorders	145	Weak Interactions between Enzyme and Substrate Are Optimized in the Transition State	189
<b>Box 4–6 Medicine: Death by Misfolding: The Prion Diseases</b>	<b>147</b>	Binding Energy Contributes to Reaction Specificity and Catalysis	191
<b>5 Protein Function</b>	<b>153</b>	Specific Catalytic Groups Contribute to Catalysis	192
<b>5.1 Reversible Binding of a Protein to a Ligand: Oxygen-Binding Proteins</b>	<b>154</b>	<b>6.3 Enzyme Kinetics as an Approach to Understanding Mechanism</b>	<b>194</b>
Oxygen Can Bind to a Heme Prosthetic Group	154	Substrate Concentration Affects the Rate of Enzyme-Catalyzed Reactions	194
Myoglobin Has a Single Binding Site for Oxygen	155	The Relationship between Substrate Concentration and Reaction Rate Can Be Expressed Quantitatively	195
Protein-Ligand Interactions Can Be Described Quantitatively	155		





The Topology of an Integral Membrane Protein Can Sometimes Be Predicted from Its Sequence	378
Covalently Attached Lipids Anchor Some Membrane Proteins	379
<b>11.2 Membrane Dynamics</b>	<b>381</b>
Acyl Groups in the Bilayer Interior Are Ordered to Varying Degrees	381
Transbilayer Movement of Lipids Requires Catalysis	381
Lipids and Proteins Diffuse Laterally in the Bilayer	383
Sphingolipids and Cholesterol Cluster Together in Membrane Rafts	384
<b>Box 11–1 Methods: Atomic Force Microscopy to Visualize Membrane Proteins</b>	<b>385</b>
Membrane Curvature and Fusion Are Central to Many Biological Processes	387
Integral Proteins of the Plasma Membrane Are Involved in Surface Adhesion, Signaling, and Other Cellular Processes	388
<b>11.3 Solute Transport across Membranes</b>	<b>389</b>
Passive Transport Is Facilitated by Membrane Proteins	390
Transporters Can Be Grouped into Superfamilies Based on Their Structures	391
The Glucose Transporter of Erythrocytes Mediates Passive Transport	391
The Chloride-Bicarbonate Exchanger Catalyzes Electroneutral Cotransport of Anions across the Plasma Membrane	393
<b>Box 11–2 Medicine: Defective Glucose and Water Transport in Two Forms of Diabetes</b>	<b>394</b>
Active Transport Results in Solute Movement against a Concentration or Electrochemical Gradient	395
P-Type ATPases Undergo Phosphorylation during Their Catalytic Cycles	396
F-Type ATPases Are Reversible, ATP-Driven Proton Pumps	399
ABC Transporters Use ATP to Drive the Active Transport of a Wide Variety of Substrates	400
Ion Gradients Provide the Energy for Secondary Active Transport	400
<b>Box 11–3 Medicine: A Defective Ion Channel in Cystic Fibrosis</b>	<b>401</b>
Aquaporins Form Hydrophilic Transmembrane Channels for the Passage of Water	404
Ion-Selective Channels Allow Rapid Movement of Ions across Membranes	406
Ion-Channel Function Is Measured Electrically	407
The Structure of a K <sup>+</sup> Channel Reveals the Basis for Its Specificity	407
Gated Ion Channels Are Central in Neuronal Function	410
Defective Ion Channels Can Have Severe Physiological Consequences	410
<b>12 Biosignaling</b>	<b>419</b>
<b>12.1 General Features of Signal Transduction</b>	<b>419</b>
<b>Box 12–1 Methods: Scatchard Analysis Quantifies the Receptor-Ligand Interaction</b>	<b>421</b>
<b>12.2 G Protein–Coupled Receptors and Second Messengers</b>	<b>423</b>
The $\beta$ -Adrenergic Receptor System Acts through the Second Messenger cAMP	423
<b>Box 12–2 Medicine: G Proteins: Binary Switches in Health and Disease</b>	<b>425</b>
Several Mechanisms Cause Termination of the $\beta$ -Adrenergic Response	430
The $\beta$ -Adrenergic Receptor Is Desensitized by Phosphorylation and by Association with Arrestin	430
Cyclic AMP Acts as a Second Messenger for Many Regulatory Molecules	431
Diacylglycerol, Inositol Trisphosphate, and Ca <sup>2+</sup> Have Related Roles as Second Messengers	432
<b>Box 12–3 Methods: FRET: Biochemistry Visualized in a Living Cell</b>	<b>434</b>
Calcium Is a Second Messenger That May Be Localized in Space and Time	436
<b>12.3 Receptor Tyrosine Kinases</b>	<b>439</b>
Stimulation of the Insulin Receptor Initiates a Cascade of Protein Phosphorylation Reactions	439
The Membrane Phospholipid PIP <sub>3</sub> Functions at a Branch in Insulin Signaling	441
The JAK-STAT Signaling System Also Involves Tyrosine Kinase Activity	443
Cross Talk among Signaling Systems Is Common and Complex	444
<b>12.4 Receptor Guanylyl Cyclases, cGMP, and Protein Kinase G</b>	<b>445</b>
<b>12.5 Multivalent Adaptor Proteins and Membrane Rafts</b>	<b>446</b>
Protein Modules Bind Phosphorylated Tyr, Ser, or Thr Residues in Partner Proteins	446
Membrane Rafts and Caveolae Segregate Signaling Proteins	449
<b>12.6 Gated Ion Channels</b>	<b>449</b>
Ion Channels Underlie Electrical Signaling in Excitable Cells	449
Voltage-Gated Ion Channels Produce Neuronal Action Potentials	451
The Acetylcholine Receptor Is a Ligand-Gated Ion Channel	453
Neurons Have Receptor Channels That Respond to Different Neurotransmitters	453
Toxins Target Ion Channels	454
<b>12.7 Integrins: Bidirectional Cell Adhesion Receptors</b>	<b>455</b>
<b>12.8 Regulation of Transcription by Steroid Hormones</b>	<b>456</b>
<b>12.9 Signaling in Microorganisms and Plants</b>	<b>457</b>
Bacterial Signaling Entails Phosphorylation in a Two-Component System	457
Signaling Systems of Plants Have Some of the Same Components Used by Microbes and Mammals	458
Plants Detect Ethylene through a Two-Component System and a MAPK Cascade	460
Receptorlike Protein Kinases Transduce Signals from Peptides and Brassinosteroids	460

<b>12.10 Sensory Transduction in Vision, Olfaction, and Gustation</b>	<b>461</b>
The Visual System Uses Classic GPCR Mechanisms	462
Excited Rhodopsin Acts through the G Protein Transducin to Reduce the cGMP Concentration	463
The Visual Signal Is Quickly Terminated	464
Cone Cells Specialize in Color Vision	465
Vertebrate Olfaction and Gustation Use Mechanisms Similar to the Visual System	465
<b>Box 12–4 Medicine: Color Blindness: John Dalton's Experiment from the Grave</b>	<b>466</b>
GPCRs of the Sensory Systems Share Several Features with GPCRs of Hormone Signaling Systems	467
<b>12.11 Regulation of the Cell Cycle by Protein Kinases</b>	<b>469</b>
The Cell Cycle Has Four Stages	469
Levels of Cyclin-Dependent Protein Kinases Oscillate	469
CDKs Regulate Cell Division by Phosphorylating Critical Proteins	472
<b>12.12 Oncogenes, Tumor Suppressor Genes, and Programmed Cell Death</b>	<b>473</b>
Oncogenes Are Mutant Forms of the Genes for Proteins That Regulate the Cell Cycle	473
Defects in Certain Genes Remove Normal Restraints on Cell Division	474
<b>Box 12–5 Medicine: Development of Protein Kinase Inhibitors for Cancer Treatment</b>	<b>475</b>
Apoptosis Is Programmed Cell Suicide	477
<b>II BIOENERGETICS AND METABOLISM</b>	<b>485</b>
<b>13 Bioenergetics and Biochemical Reaction Types</b>	<b>489</b>
<b>13.1 Bioenergetics and Thermodynamics</b>	<b>490</b>
Biological Energy Transformations Obey the Laws of Thermodynamics	490
Cells Require Sources of Free Energy	491
Standard Free-Energy Change Is Directly Related to the Equilibrium Constant	491
Actual Free-Energy Changes Depend on Reactant and Product Concentrations	493
Standard Free-Energy Changes Are Additive	494
<b>13.2 Chemical Logic and Common Biochemical Reactions</b>	<b>495</b>
Biochemical and Chemical Equations Are Not Identical	500
<b>13.3 Phosphoryl Group Transfers and ATP</b>	<b>501</b>
The Free-Energy Change for ATP Hydrolysis Is Large and Negative	501
Other Phosphorylated Compounds and Thioesters Also Have Large Free Energies of Hydrolysis	504
ATP Provides Energy by Group Transfers, Not by Simple Hydrolysis	506
ATP Donates Phosphoryl, Pyrophosphoryl, and Adenylyl Groups	507
Assembly of Informational Macromolecules Requires Energy	508

<b>Box 13–1 Firefly Flashes: Glowing Reports of ATP</b>	<b>509</b>
ATP Energizes Active Transport and Muscle Contraction	509
Transphosphorylations between Nucleotides Occur in All Cell Types	510
Inorganic Polyphosphate Is a Potential Phosphoryl Group Donor	511
<b>13.4 Biological Oxidation-Reduction Reactions</b>	<b>512</b>
The Flow of Electrons Can Do Biological Work	512
Oxidation-Reductions Can Be Described as Half-Reactions	512
Biological Oxidations Often Involve Dehydrogenation	513
Reduction Potentials Measure Affinity for Electrons	514
Standard Reduction Potentials Can Be Used to Calculate Free-Energy Change	515
Cellular Oxidation of Glucose to Carbon Dioxide Requires Specialized Electron Carriers	516
A Few Types of Coenzymes and Proteins Serve as Universal Electron Carriers	516
NADH and NADPH Act with Dehydrogenases as Soluble Electron Carriers	516
Dietary Deficiency of Niacin, the Vitamin Form of NAD and NADP, Causes Pellagra	519
Flavin Nucleotides Are Tightly Bound in Flavoproteins	519
<b>14 Glycolysis, Gluconeogenesis, and the Pentose Phosphate Pathway</b>	<b>527</b>
<b>14.1 Glycolysis</b>	<b>528</b>
An Overview: Glycolysis Has Two Phases	528
The Preparatory Phase of Glycolysis Requires ATP	531
The Payoff Phase of Glycolysis Yields ATP and NADH	535
The Overall Balance Sheet Shows a Net Gain of ATP	538
Glycolysis Is under Tight Regulation	539
Glucose Uptake Is Deficient in Type 1 Diabetes Mellitus	539
<b>Box 14–1 Medicine: High Rate of Glycolysis in Tumors Suggests Targets for Chemotherapy and Facilitates Diagnosis</b>	<b>540</b>
<b>14.2 Feeder Pathways for Glycolysis</b>	<b>543</b>
Dietary Polysaccharides and Disaccharides Undergo Hydrolysis to Monosaccharides	543
Endogenous Glycogen and Starch Are Degraded by Phosphorolysis	544
Other Monosaccharides Enter the Glycolytic Pathway at Several Points	545
<b>14.3 Fates of Pyruvate under Anaerobic Conditions: Fermentation</b>	<b>546</b>
Pyruvate Is the Terminal Electron Acceptor in Lactic Acid Fermentation	546
Ethanol Is the Reduced Product in Ethanol Fermentation	547
<b>Box 14–2 Athletes, Alligators, and Coelacanths: Glycolysis at Limiting Concentrations of Oxygen</b>	<b>548</b>
<b>Box 14–3 Ethanol Fermentations: Brewing Beer and Producing Biofuels</b>	<b>549</b>
Thiamine Pyrophosphate Carries “Active Acetaldehyde” Groups	549



Fermentations Are Used to Produce Some Common Foods and Industrial Chemicals	550
<b>14.4 Gluconeogenesis</b>	<b>551</b>
Conversion of Pyruvate to Phosphoenolpyruvate Requires Two Exergonic Reactions	553
Conversion of Fructose 1,6-Bisphosphate to Fructose 6-Phosphate Is the Second Bypass	556
Conversion of Glucose 6-Phosphate to Glucose Is the Third Bypass	556
Gluconeogenesis Is Energetically Expensive, but Essential	556
Citric Acid Cycle Intermediates and Some Amino Acids Are Glucogenic	557
Mammals Cannot Convert Fatty Acids to Glucose	557
Glycolysis and Gluconeogenesis Are Reciprocally Regulated	557
<b>14.5 Pentose Phosphate Pathway of Glucose Oxidation</b>	<b>558</b>
<b>Box 14–4 Medicine: Why Pythagoras Wouldn't Eat Falafel:</b>	
<b>Glucose 6-Phosphate Dehydrogenase Deficiency</b>	<b>559</b>
The Oxidative Phase Produces Pentose Phosphates and NADPH	559
The Nonoxidative Phase Recycles Pentose Phosphates to Glucose 6-Phosphate	560
Wernicke-Korsakoff Syndrome Is Exacerbated by a Defect in Transketolase	563
Glucose 6-Phosphate Is Partitioned between Glycolysis and the Pentose Phosphate Pathway	563
<b>15 Principles of Metabolic Regulation</b>	<b>569</b>
<b>15.1 Regulation of Metabolic Pathways</b>	<b>570</b>
Cells and Organisms Maintain a Dynamic Steady State	571
Both the Amount and the Catalytic Activity of an Enzyme Can Be Regulated	571
Reactions Far from Equilibrium in Cells Are Common Points of Regulation	574
Adenine Nucleotides Play Special Roles in Metabolic Regulation	575
<b>15.2 Analysis of Metabolic Control</b>	<b>577</b>
The Contribution of Each Enzyme to Flux through a Pathway Is Experimentally Measurable	578
The Control Coefficient Quantifies the Effect of a Change in Enzyme Activity on Metabolite Flux through a Pathway	578
<b>Box 15–1 Methods: Metabolic Control Analysis: Quantitative Aspects</b>	<b>579</b>
The Elasticity Coefficient Is Related to an Enzyme's Responsiveness to Changes in Metabolite or Regulator Concentrations	580
The Response Coefficient Expresses the Effect of an Outside Controller on Flux through a Pathway	581
Metabolic Control Analysis Has Been Applied to Carbohydrate Metabolism, with Surprising Results	581
Metabolic Control Analysis Suggests a General Method for Increasing Flux through a Pathway	582

<b>15.3 Coordinated Regulation of Glycolysis and Gluconeogenesis</b>	<b>582</b>
Hexokinase Isozymes of Muscle and Liver Are Affected Differently by Their Product, Glucose 6-Phosphate	583
<b>Box 15–2 Isozymes: Different Proteins That Catalyze the Same Reaction</b>	<b>584</b>
Hexokinase IV (Glucokinase) and Glucose 6-Phosphatase Are Transcriptionally Regulated	585
Phosphofructokinase-1 and Fructose 1,6-Bisphosphatase Are Reciprocally Regulated	585
Fructose 2,6-Bisphosphate Is a Potent Allosteric Regulator of PFK-1 and FBPase-1	587
Xylulose 5-Phosphate Is a Key Regulator of Carbohydrate and Fat Metabolism	588
The Glycolytic Enzyme Pyruvate Kinase Is Allosterically Inhibited by ATP	588
The Gluconeogenic Conversion of Pyruvate to Phosphoenol Pyruvate Is Under Multiple Types of Regulation	590
Transcriptional Regulation of Glycolysis and Gluconeogenesis Changes the Number of Enzyme Molecules	590
<b>Box 15–3 Medicine: Genetic Mutations That Lead to Rare Forms of Diabetes</b>	<b>593</b>
<b>15.4 The Metabolism of Glycogen in Animals</b>	<b>594</b>
Glycogen Breakdown Is Catalyzed by Glycogen Phosphorylase	595
Glucose 1-Phosphate Can Enter Glycolysis or, in Liver, Replenish Blood Glucose	596
The Sugar Nucleotide UDP-Glucose Donates Glucose for Glycogen Synthesis	596
<b>Box 15–4 Carl and Gerty Cori: Pioneers in Glycogen Metabolism and Disease</b>	<b>598</b>
Glycogenin Primes the Initial Sugar Residues in Glycogen	601
<b>15.5 Coordinated Regulation of Glycogen Synthesis and Breakdown</b>	<b>602</b>
Glycogen Phosphorylase Is Regulated Allosterically and Hormonally	603
Glycogen Synthase Is Also Regulated by Phosphorylation and Dephosphorylation	605
Glycogen Synthase Kinase 3 Mediates Some of the Actions of Insulin	606
Phosphoprotein Phosphatase 1 Is Central to Glycogen Metabolism	606
Allosteric and Hormonal Signals Coordinate Carbohydrate Metabolism Globally	606
Carbohydrate and Lipid Metabolism Are Integrated by Hormonal and Allosteric Mechanisms	608
<b>16 The Citric Acid Cycle</b>	<b>615</b>
<b>16.1 Production of Acetyl-CoA (Activated Acetate)</b>	<b>616</b>
Pyruvate Is Oxidized to Acetyl-CoA and CO <sub>2</sub>	616
The Pyruvate Dehydrogenase Complex Requires Five Coenzymes	617

The Pyruvate Dehydrogenase Complex Consists of Three Distinct Enzymes	618
In Substrate Channeling, Intermediates Never Leave the Enzyme Surface	619
<b>16.2 Reactions of the Citric Acid Cycle</b>	<b>620</b>
The Citric Acid Cycle Has Eight Steps	621
<b>Box 16–1 Moonlighting Enzymes: Proteins with More Than One Job</b>	<b>624</b>
<b>Box 16–2 Synthases and Synthetases; Ligases and Lyases; Kinases, Phosphatases, and Phosphorylases: Yes, the Names Are Confusing!</b>	<b>627</b>
<b>Box 16–3 Citrate: A Symmetric Molecule That Reacts Asymmetrically</b>	<b>629</b>
The Energy of Oxidations in the Cycle Is Efficiently Conserved	630
Why Is the Oxidation of Acetate So Complicated?	631
Citric Acid Cycle Components Are Important Biosynthetic Intermediates	631
Anaplerotic Reactions Replenish Citric Acid Cycle Intermediates	631
<b>Box 16–4 Citrate Synthase, Soda Pop, and the World Food Supply</b>	<b>633</b>
Biotin in Pyruvate Carboxylase Carries CO <sub>2</sub> Groups	633
<b>16.3 Regulation of the Citric Acid Cycle</b>	<b>635</b>
Production of Acetyl-CoA by the Pyruvate Dehydrogenase Complex Is Regulated by Allosteric and Covalent Mechanisms	635
The Citric Acid Cycle Is Regulated at Its Three Exergonic Steps	636
Substrate Channeling through Multienzyme Complexes May Occur in the Citric Acid Cycle	637
Some Mutations in Enzymes of the Citric Acid Cycle Lead to Cancer	637
<b>16.4 The Glyoxylate Cycle</b>	<b>638</b>
The Glyoxylate Cycle Produces Four-Carbon Compounds from Acetate	638
The Citric Acid and Glyoxylate Cycles Are Coordinately Regulated	639
<b>17 Fatty Acid Catabolism</b>	<b>647</b>
<b>17.1 Digestion, Mobilization, and Transport of Fats</b>	<b>648</b>
Dietary Fats Are Absorbed in the Small Intestine	648
Hormones Trigger Mobilization of Stored Triacylglycerols	649
Fatty Acids Are Activated and Transported into Mitochondria	650
<b>17.2 Oxidation of Fatty Acids</b>	<b>652</b>
The $\beta$ Oxidation of Saturated Fatty Acids Has Four Basic Steps	653
The Four $\beta$ -Oxidation Steps Are Repeated to Yield Acetyl-CoA and ATP	654
<b>Box 17–1 Fat Bears Carry Out <math>\beta</math> Oxidation in Their Sleep</b>	<b>655</b>
Acetyl-CoA Can Be Further Oxidized in the Citric Acid Cycle	655
Oxidation of Unsaturated Fatty Acids Requires Two Additional Reactions	656

Complete Oxidation of Odd-Number Fatty Acids Requires Three Extra Reactions	657
<b>Box 17–2 Coenzyme B<sub>12</sub>: A Radical Solution to a Perplexing Problem</b>	<b>658</b>
Fatty Acid Oxidation Is Tightly Regulated	660
Transcription Factors Turn on the Synthesis of Proteins for Lipid Catabolism	660
Genetic Defects in Fatty Acyl-CoA Dehydrogenases Cause Serious Disease	661
Peroxisomes Also Carry Out $\beta$ Oxidation	662
Plant Peroxisomes and Glyoxysomes Use Acetyl-CoA from $\beta$ Oxidation as a Biosynthetic Precursor	662
The $\beta$ -Oxidation Enzymes of Different Organelles Have Diverged during Evolution	663
The $\omega$ Oxidation of Fatty Acids Occurs in the Endoplasmic Reticulum	664
Phytanic Acid Undergoes $\alpha$ Oxidation in Peroxisomes	664
<b>17.3 Ketone Bodies</b>	<b>666</b>
Ketone Bodies, Formed in the Liver, Are Exported to Other Organs as Fuel	666
Ketone Bodies Are Overproduced in Diabetes and during Starvation	667
<b>18 Amino Acid Oxidation and the Production of Urea</b>	<b>673</b>
<b>18.1 Metabolic Fates of Amino Groups</b>	<b>674</b>
Dietary Protein Is Enzymatically Degraded to Amino Acids	674
Pyridoxal Phosphate Participates in the Transfer of $\alpha$ -Amino Groups to $\alpha$ -Ketoglutarate	677
Glutamate Releases Its Amino Group As Ammonia in the Liver	677
<b>Box 18–1 Medicine: Assays for Tissue Damage</b>	<b>678</b>
Glutamine Transports Ammonia in the Bloodstream	680
Alanine Transports Ammonia from Skeletal Muscles to the Liver	681
Ammonia Is Toxic to Animals	681
<b>18.2 Nitrogen Excretion and the Urea Cycle</b>	<b>682</b>
Urea Is Produced from Ammonia in Five Enzymatic Steps	682
The Citric Acid and Urea Cycles Can Be Linked	684
The Activity of the Urea Cycle Is Regulated at Two Levels	685
Pathway Interconnections Reduce the Energetic Cost of Urea Synthesis	686
Genetic Defects in the Urea Cycle Can Be Life-Threatening	686
<b>18.3 Pathways of Amino Acid Degradation</b>	<b>687</b>
Some Amino Acids Are Converted to Glucose, Others to Ketone Bodies	688
Several Enzyme Cofactors Play Important Roles in Amino Acid Catabolism	689
Six Amino Acids Are Degraded to Pyruvate	692
Seven Amino Acids Are Degraded to Acetyl-CoA	695

Phenylalanine Catabolism Is Genetically Defective in Some People	696	ATP-Producing Pathways Are Coordinately Regulated	734
Five Amino Acids Are Converted to $\alpha$ -Ketoglutarate	698	<b>19.4 Mitochondria in Thermogenesis, Steroid Synthesis, and Apoptosis</b>	<b>735</b>
Four Amino Acids Are Converted to Succinyl-CoA	699	Uncoupled Mitochondria in Brown Adipose Tissue Produce Heat	736
<b>Box 18–2 Medicine: Scientific Sleuths Solve a Murder Mystery</b>	<b>700</b>	Mitochondrial P-450 Oxygenases Catalyze Steroid Hydroxylations	736
Branched-Chain Amino Acids Are Not Degraded in the Liver	701	Mitochondria Are Central to the Initiation of Apoptosis	737
Asparagine and Aspartate Are Degraded to Oxaloacetate	701	<b>19.5 Mitochondrial Genes: Their Origin and the Effects of Mutations</b>	<b>738</b>
<b>19 Oxidative Phosphorylation and Photophosphorylation</b>	<b>707</b>	Mitochondria Evolved from Endosymbiotic Bacteria	739
<b>OXIDATIVE PHOSPHORYLATION</b>		Mutations in Mitochondrial DNA Accumulate throughout the Life of the Organism	739
<b>19.1 Electron-Transfer Reactions in Mitochondria</b>	<b>708</b>	Some Mutations in Mitochondrial Genomes Cause Disease	740
Electrons Are Funneled to Universal Electron Acceptors	709	Diabetes Can Result from Defects in the Mitochondria of Pancreatic $\beta$ Cells	741
Electrons Pass through a Series of Membrane-Bound Carriers	710	<b>PHOTOSYNTHESIS: HARVESTING LIGHT ENERGY</b>	
Electron Carriers Function in Multienzyme Complexes	712	<b>19.6 General Features of Photophosphorylation</b>	<b>742</b>
Mitochondrial Complexes May Associate in Respirasomes	718	Photosynthesis in Plants Takes Place in Chloroplasts	743
The Energy of Electron Transfer Is Efficiently Conserved in a Proton Gradient	718	Light Drives Electron Flow in Chloroplasts	743
Reactive Oxygen Species Are Generated during Oxidative Phosphorylation	720	<b>19.7 Light Absorption</b>	<b>744</b>
Plant Mitochondria Have Alternative Mechanisms for Oxidizing NADH	721	Chlorophylls Absorb Light Energy for Photosynthesis	745
<b>Box 19–1 Hot, Stinking Plants and Alternative Respiratory Pathways</b>	<b>722</b>	Accessory Pigments Extend the Range of Light Absorption	747
<b>19.2 ATP Synthesis</b>	<b>723</b>	Chlorophyll Funnels the Absorbed Energy to Reaction Centers by Exciton Transfer	747
ATP Synthase Has Two Functional Domains, $F_0$ and $F_1$	725	<b>19.8 The Central Photochemical Event: Light-Driven Electron Flow</b>	<b>749</b>
ATP Is Stabilized Relative to ADP on the Surface of $F_1$	725	Bacteria Have One of Two Types of Single Photochemical Reaction Center	749
The Proton Gradient Drives the Release of ATP from the Enzyme Surface	726	Kinetic and Thermodynamic Factors Prevent the Dissipation of Energy by Internal Conversion	751
Each $\beta$ Subunit of ATP Synthase Can Assume Three Different Conformations	726	In Plants, Two Reaction Centers Act in Tandem	752
Rotational Catalysis Is Key to the Binding-Change Mechanism for ATP Synthesis	728	Antenna Chlorophylls Are Tightly Integrated with Electron Carriers	754
Chemiosmotic Coupling Allows Nonintegral Stoichiometries of $O_2$ Consumption and ATP Synthesis	729	The Cytochrome $b_6f$ Complex Links Photosystems II and I	755
The Proton-Motive Force Energizes Active Transport	730	Cyclic Electron Flow between PSI and the Cytochrome $b_6f$ Complex Increases the Production of ATP Relative to NADPH	756
Shuttle Systems Indirectly Convey Cytosolic NADH into Mitochondria for Oxidation	731	State Transitions Change the Distribution of LHCI between the Two Photosystems	756
<b>19.3 Regulation of Oxidative Phosphorylation</b>	<b>732</b>	Water Is Split by the Oxygen-Evolving Complex	756
Oxidative Phosphorylation Is Regulated by Cellular Energy Needs	733	<b>19.9 ATP Synthesis by Photophosphorylation</b>	<b>759</b>
An Inhibitory Protein Prevents ATP Hydrolysis during Hypoxia	733	A Proton Gradient Couples Electron Flow and Phosphorylation	759
Hypoxia Leads to ROS Production and Several Adaptive Responses	733	The Approximate Stoichiometry of Photophosphorylation Has Been Established	760
		The ATP Synthase of Chloroplasts Is Like That of Mitochondria	760

<b>19.10 The Evolution of Oxygenic Photosynthesis</b>	<b>761</b>	The Mammalian Fatty Acid Synthase Has Multiple Active Sites	808
Chloroplasts Evolved from Ancient Photosynthetic Bacteria	761	Fatty Acid Synthase Receives the Acetyl and Malonyl Groups	808
In <i>Halobacterium</i> , a Single Protein Absorbs Light and Pumps Protons to Drive ATP Synthesis	762	The Fatty Acid Synthase Reactions Are Repeated to Form Palmitate	811
<b>20 Carbohydrate Biosynthesis in Plants and Bacteria</b>	<b>773</b>	Fatty Acid Synthesis Occurs in the Cytosol of Many Organisms but in the Chloroplasts of Plants	811
<b>20.1 Photosynthetic Carbohydrate Synthesis</b>	<b>773</b>	Acetate Is Shuttled out of Mitochondria as Citrate	813
Plastids Are Organelles Unique to Plant Cells and Algae	774	Fatty Acid Biosynthesis Is Tightly Regulated	814
Carbon Dioxide Assimilation Occurs in Three Stages	775	Long-Chain Saturated Fatty Acids Are Synthesized from Palmitate	814
Synthesis of Each Triose Phosphate from $CO_2$ Requires Six NADPH and Nine ATP	782	Desaturation of Fatty Acids Requires a Mixed-Function Oxidase	815
A Transport System Exports Triose Phosphates from the Chloroplast and Imports Phosphate	783	<b>Box 21–1 Mixed-Function Oxidases, Oxygenases, and Cytochrome P-450</b>	<b>816</b>
Four Enzymes of the Calvin Cycle Are Indirectly Activated by Light	784	Eicosanoids Are Formed from a 20-Carbon Polyunsaturated Fatty Acids	817
<b>20.2 Photorespiration and the <math>C_4</math> and CAM Pathways</b>	<b>786</b>	<b>21.2 Biosynthesis of Triacylglycerols</b>	<b>820</b>
Photorespiration Results from Rubisco's Oxygenase Activity	786	Triacylglycerols and Glycerophospholipids Are Synthesized from the Same Precursors	820
The Salvage of Phosphoglycolate Is Costly	787	Triacylglycerol Biosynthesis in Animals Is Regulated by Hormones	821
In $C_4$ Plants, $CO_2$ Fixation and Rubisco Activity Are Spatially Separated	789	Adipose Tissue Generates Glycerol 3-Phosphate by Glyceroneogenesis	822
In CAM Plants, $CO_2$ Capture and Rubisco Action Are Temporally Separated	791	Thiazolidinediones Treat Type 2 Diabetes by Increasing Glyceroneogenesis	824
<b>20.3 Biosynthesis of Starch and Sucrose</b>	<b>791</b>	<b>21.3 Biosynthesis of Membrane Phospholipids</b>	<b>824</b>
ADP-Glucose Is the Substrate for Starch Synthesis in Plant Plastids and for Glycogen Synthesis in Bacteria	791	Cells Have Two Strategies for Attaching Phospholipid Head Groups	824
UDP-Glucose Is the Substrate for Sucrose Synthesis in the Cytosol of Leaf Cells	792	Phospholipid Synthesis in <i>E. coli</i> Employs CDP-Diacylglycerol	825
Conversion of Triose Phosphates to Sucrose and Starch Is Tightly Regulated	792	Eukaryotes Synthesize Anionic Phospholipids from CDP-Diacylglycerol	827
<b>20.4 Synthesis of Cell Wall Polysaccharides: Plant Cellulose and Bacterial Peptidoglycan</b>	<b>794</b>	Eukaryotic Pathways to Phosphatidylserine, Phosphatidylethanolamine, and Phosphatidylcholine Are Interrelated	827
Cellulose Is Synthesized by Supramolecular Structures in the Plasma Membrane	795	Plasmalogen Synthesis Requires Formation of an Ether-Linked Fatty Alcohol	829
Lipid-Linked Oligosaccharides Are Precursors for Bacterial Cell Wall Synthesis	796	Sphingolipid and Glycerophospholipid Synthesis Share Precursors and Some Mechanisms	829
<b>20.5 Integration of Carbohydrate Metabolism in the Plant Cell</b>	<b>797</b>	Polar Lipids Are Targeted to Specific Cellular Membranes	830
Gluconeogenesis Converts Fats and Proteins to Glucose in Germinating Seeds	798	<b>21.4 Biosynthesis of Cholesterol, Steroids, and Isoprenoids</b>	<b>831</b>
Pools of Common Intermediates Link Pathways in Different Organelles	799	Cholesterol Is Made from Acetyl-CoA in Four Stages	832
<b>21 Lipid Biosynthesis</b>	<b>805</b>	Cholesterol Has Several Fates	836
<b>21.1 Biosynthesis of Fatty Acids and Eicosanoids</b>	<b>805</b>	Cholesterol and Other Lipids Are Carried on Plasma Lipoproteins	836
Malonyl-CoA Is Formed from Acetyl-CoA and Bicarbonate	805	<b>Box 21–2 Medicine: ApoE Alleles Predict Incidence of Alzheimer's Disease</b>	<b>839</b>
Fatty Acid Synthesis Proceeds in a Repeating Reaction Sequence	806	Cholesteryl Esters Enter Cells by Receptor-Mediated Endocytosis	840
		Cholesterol Biosynthesis Is Regulated at Several Levels	841
		<b>Box 21–3 Medicine: The Lipid Hypothesis and the Development of Statins</b>	<b>842</b>



Steroid Hormones Are Formed by Side-Chain Cleavage and Oxidation of Cholesterol	844	Nucleoside Monophosphates Are Converted to Nucleoside Triphosphates	888
Intermediates in Cholesterol Biosynthesis Have Many Alternative Fates	845	Ribonucleotides Are the Precursors of Deoxyribonucleotides	888
<b>22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules</b>	<b>851</b>	Thymidylate Is Derived from dCDP and dUMP	890
<b>22.1 Overview of Nitrogen Metabolism</b>	<b>852</b>	Degradation of Purines and Pyrimidines Produces Uric Acid and Urea, Respectively	892
The Nitrogen Cycle Maintains a Pool of Biologically Available Nitrogen	852	Purine and Pyrimidine Bases Are Recycled by Salvage Pathways	893
Nitrogen Is Fixed by Enzymes of the Nitrogenase Complex	852	Excess Uric Acid Causes Gout	893
<b>Box 22–1 Unusual Lifestyles of the Obscure but Abundant</b>	<b>853</b>	Many Chemotherapeutic Agents Target Enzymes in the Nucleotide Biosynthetic Pathways	894
Ammonia Is Incorporated into Biomolecules through Glutamate and Glutamine	857	<b>23 Hormonal Regulation and Integration of Mammalian Metabolism</b>	<b>901</b>
Glutamine Synthetase Is a Primary Regulatory Point in Nitrogen Metabolism	857	<b>23.1 Hormones: Diverse Structures for Diverse Functions</b>	<b>901</b>
Several Classes of Reactions Play Special Roles in the Biosynthesis of Amino Acids and Nucleotides	859	The Detection and Purification of Hormones Requires a Bioassay	902
<b>22.2 Biosynthesis of Amino Acids</b>	<b>860</b>	<b>Box 23–1 Medicine: How Is a Hormone Discovered? The Arduous Path to Purified Insulin</b>	<b>903</b>
$\alpha$ -Ketoglutarate Gives Rise to Glutamate, Glutamine, Proline, and Arginine	861	Hormones Act through Specific High-Affinity Cellular Receptors	904
Serine, Glycine, and Cysteine Are Derived from 3-Phosphoglycerate	863	Hormones Are Chemically Diverse	906
Three Nonessential and Six Essential Amino Acids Are Synthesized from Oxaloacetate and Pyruvate	865	Hormone Release Is Regulated by a Hierarchy of Neuronal and Hormonal Signals	909
Chorismate Is a Key Intermediate in the Synthesis of Tryptophan, Phenylalanine, and Tyrosine	865	<b>23.2 Tissue-Specific Metabolism: The Division of Labor</b>	<b>912</b>
Histidine Biosynthesis Uses Precursors of Purine Biosynthesis	869	The Liver Processes and Distributes Nutrients	912
Amino Acid Biosynthesis Is under Allosteric Regulation	872	Adipose Tissues Store and Supply Fatty Acids	916
<b>22.3 Molecules Derived from Amino Acids</b>	<b>873</b>	Brown Adipose Tissue Is Thermogenic	917
Glycine Is a Precursor of Porphyrins	873	Muscles Use ATP for Mechanical Work	918
<b>Box 22–2 Medicine: On Kings and Vampires</b>	<b>875</b>	The Brain Uses Energy for Transmission of Electrical Impulses	920
Heme Is the Source of Bile Pigments	875	Blood Carries Oxygen, Metabolites, and Hormones	920
Amino Acids Are Precursors of Creatine and Glutathione	876	<b>23.3 Hormonal Regulation of Fuel Metabolism</b>	<b>922</b>
D-Amino Acids Are Found Primarily in Bacteria	877	Insulin Counters High Blood Glucose	922
Aromatic Amino Acids Are Precursors of Many Plant Substances	878	Pancreatic $\beta$ Cells Secrete Insulin in Response to Changes in Blood Glucose	923
Biological Amines Are Products of Amino Acid Decarboxylation	878	Glucagon Counters Low Blood Glucose	925
<b>Box 22–3 Medicine: Curing African Sleeping Sickness with a Biochemical Trojan Horse</b>	<b>880</b>	During Fasting and Starvation, Metabolism Shifts to Provide Fuel for the Brain	926
Arginine Is the Precursor for Biological Synthesis of Nitric Oxide	882	Epinephrine Signals Impending Activity	928
<b>22.4 Biosynthesis and Degradation of Nucleotides</b>	<b>882</b>	Cortisol Signals Stress, Including Low Blood Glucose	929
De Novo Purine Nucleotide Synthesis Begins with PRPP	883	Diabetes Mellitus Arises from Defects in Insulin Production or Action	929
Purine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition	885	<b>23.4 Obesity and the Regulation of Body Mass</b>	<b>930</b>
Pyrimidine Nucleotides Are Made from Aspartate, PRPP, and Carbamoyl Phosphate	886	Adipose Tissue Has Important Endocrine Functions	930
Pyrimidine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition	887	Leptin Stimulates Production of Anorexigenic Peptide Hormones	932
		Leptin Triggers a Signaling Cascade That Regulates Gene Expression	933
		The Leptin System May Have Evolved to Regulate the Starvation Response	934

Insulin Acts in the Arcuate Nucleus to Regulate Eating and Energy Conservation	934	DNA Replication Requires Many Enzymes and Protein Factors	984
Adiponectin Acts through AMPK to Increase Insulin Sensitivity	934	Replication of the <i>E. coli</i> Chromosome Proceeds in Stages	985
Diet Regulates the Expression of Genes Central to Maintaining Body Mass	936	Replication in Eukaryotic Cells Is Both Similar and More Complex	991
Short-Term Eating Behavior Is Influenced by Ghrelin and PYY <sub>3–36</sub>	937	Viral DNA Polymerases Provide Targets for Antiviral Therapy	992
<b>23.5 Obesity, the Metabolic Syndrome, and Type 2 Diabetes</b>	<b>938</b>	<b>25.2 DNA Repair</b>	<b>993</b>
In Type 2 Diabetes the Tissues Become Insensitive to Insulin	938	Mutations Are Linked to Cancer	993
Type 2 Diabetes Is Managed with Diet, Exercise, and Medication	939	All Cells Have Multiple DNA Repair Systems	993
<b>III INFORMATION PATHWAYS</b>	<b>945</b>	The Interaction of Replication Forks with DNA Damage Can Lead to Error-Prone Translesion DNA Synthesis	1001
<b>24 Genes and Chromosomes</b>	<b>947</b>	<b>Box 25–1 Medicine: DNA Repair and Cancer</b>	<b>1003</b>
<b>24.1 Chromosomal Elements</b>	<b>947</b>	<b>25.3 DNA Recombination</b>	<b>1003</b>
Genes Are Segments of DNA That Code for Polypeptide Chains and RNAs	947	Homologous Genetic Recombination Has Several Functions	1004
DNA Molecules Are Much Longer Than the Cellular or Viral Packages That Contain Them	948	Recombination during Meiosis Is Initiated with Double-Strand Breaks	1005
Eukaryotic Genes and Chromosomes Are Very Complex	952	Recombination Requires a Host of Enzymes and Other Proteins	1007
<b>24.2 DNA Supercoiling</b>	<b>954</b>	All Aspects of DNA Metabolism Come Together to Repair Stalled Replication Forks	1009
Most Cellular DNA Is Underwound	955	Site-Specific Recombination Results in Precise DNA Rearrangements	1010
DNA Underwinding Is Defined by Topological Linking Number	956	Complete Chromosome Replication Can Require Site-Specific Recombination	1012
Topoisomerases Catalyze Changes in the Linking Number of DNA	958	Transposable Genetic Elements Move from One Location to Another	1013
<b>Box 24–1 Medicine: Curing Disease by Inhibiting Topoisomerases</b>	<b>960</b>	Immunoglobulin Genes Assemble by Recombination	1014
DNA Compaction Requires a Special Form of Supercoiling	961	<b>26 RNA Metabolism</b>	<b>1021</b>
<b>24.3 The Structure of Chromosomes</b>	<b>962</b>	<b>26.1 DNA-Dependent Synthesis of RNA</b>	<b>1022</b>
Chromatin Consists of DNA and Proteins	962	RNA Is Synthesized by RNA Polymerases	1022
Histones Are Small, Basic Proteins	963	RNA Synthesis Begins at Promoters	1025
Nucleosomes Are the Fundamental Organizational Units of Chromatin	964	<b>Box 26–1 Methods: RNA Polymerase Leaves Its Footprint on a Promoter</b>	<b>1026</b>
<b>Box 24–2 Medicine: Epigenetics, Nucleosome Structure, and Histone Variants</b>	<b>966</b>	Transcription Is Regulated at Several Levels	1028
Nucleosomes Are Packed into Successively Higher-Order Structures	966	Specific Sequences Signal Termination of RNA Synthesis	1029
Condensed Chromosome Structures Are Maintained by SMC Proteins	969	Eukaryotic Cells Have Three Kinds of Nuclear RNA Polymerases	1030
Bacterial DNA Is Also Highly Organized	970	RNA Polymerase II Requires Many Other Protein Factors for Its Activity	1030
<b>25 DNA Metabolism</b>	<b>975</b>	DNA-Dependent RNA Polymerase Undergoes Selective Inhibition	1033
<b>25.1 DNA Replication</b>	<b>977</b>	<b>26.2 RNA Processing</b>	<b>1033</b>
DNA Replication Follows a Set of Fundamental Rules	977	Eukaryotic mRNAs Are Capped at the 5' End	1034
DNA Is Degraded by Nucleases	979	Both Introns and Exons Are Transcribed from DNA into RNA	1035
DNA Is Synthesized by DNA Polymerases	979	RNA Catalyzes the Splicing of Introns	1036
Replication Is Very Accurate	980	Eukaryotic mRNAs Have a Distinctive 3' End Structure	1039
<i>E. coli</i> Has at Least Five DNA Polymerases	982	A Gene Can Give Rise to Multiple Products by Differential RNA Processing	1040

Ribosomal RNAs and tRNAs Also Undergo Processing	1042
Special-Function RNAs Undergo Several Types of Processing	1045
RNA Enzymes Are the Catalysts of Some Events in RNA Metabolism	1045
Cellular mRNAs Are Degraded at Different Rates	1048
Polynucleotide Phosphorylase Makes Random RNA-like Polymers	1049
<b>26.3 RNA-Dependent Synthesis of RNA and DNA</b>	<b>1050</b>
Reverse Transcriptase Produces DNA from Viral RNA	1050
Some Retroviruses Cause Cancer and AIDS	1051
Many Transposons, Retroviruses, and Introns May Have a Common Evolutionary Origin	1052
<b>Box 26–2 Medicine: Fighting AIDS with Inhibitors of HIV Reverse Transcriptase</b>	<b>1053</b>
Telomerase Is a Specialized Reverse Transcriptase	1053
Some Viral RNAs Are Replicated by RNA-Dependent RNA Polymerase	1056
RNA Synthesis Offers Important Clues to Biochemical Evolution	1056
<b>Box 26–3 Methods: The SELEX Method for Generating RNA Polymers with New Functions</b>	<b>1058</b>
<b>Box 26–4 An Expanding RNA Universe Filled with TUF RNAs</b>	<b>1060</b>
<b>27 Protein Metabolism</b>	<b>1065</b>
<b>27.1 The Genetic Code</b>	<b>1065</b>
The Genetic Code Was Cracked Using Artificial mRNA Templates	1066
<b>Box 27–1 Exceptions That Prove the Rule: Natural Variations in the Genetic Code</b>	<b>1070</b>
Wobble Allows Some tRNAs to Recognize More than One Codon	1070
Translational Frameshifting and RNA Editing Affect How the Code Is Read	1072
<b>27.2 Protein Synthesis</b>	<b>1075</b>
Protein Biosynthesis Takes Place in Five Stages	1075
The Ribosome Is a Complex Supramolecular Machine	1076
<b>Box 27–2 From an RNA World to a Protein World</b>	<b>1078</b>
Transfer RNAs Have Characteristic Structural Features	1079
Stage 1: Aminoacyl-tRNA Synthetases Attach the Correct Amino Acids to Their tRNAs	1081
<b>Box 27–3 Natural and Unnatural Expansion of the Genetic Code</b>	<b>1085</b>
Stage 2: A Specific Amino Acid Initiates Protein Synthesis	1088
Stage 3: Peptide Bonds Are Formed in the Elongation Stage	1091
<b>Box 27–4 Induced Variation in the Genetic Code: Nonsense Suppression</b>	<b>1094</b>
Stage 4: Termination of Polypeptide Synthesis Requires a Special Signal	1094

Stage 5: Newly Synthesized Polypeptide Chains Undergo Folding and Processing	1096
Protein Synthesis Is Inhibited by Many Antibiotics and Toxins	1098
<b>27.3 Protein Targeting and Degradation</b>	<b>1100</b>
Posttranslational Modification of Many Eukaryotic Proteins Begins in the Endoplasmic Reticulum	1100
Glycosylation Plays a Key Role in Protein Targeting	1101
Signal Sequences for Nuclear Transport Are Not Cleaved	1104
Bacteria Also Use Signal Sequences for Protein Targeting	1104
Cells Import Proteins by Receptor-Mediated Endocytosis	1106
Protein Degradation Is Mediated by Specialized Systems in All Cells	1107
<b>28 Regulation of Gene Expression</b>	<b>1115</b>
<b>28.1 Principles of Gene Regulation</b>	<b>1116</b>
RNA Polymerase Binds to DNA at Promoters	1116
Transcription Initiation Is Regulated by Proteins That Bind to or near Promoters	1117
Many Bacterial Genes Are Clustered and Regulated in Operons	1118
The <i>lac</i> Operon Is Subject to Negative Regulation	1119
Regulatory Proteins Have Discrete DNA-Binding Domains	1121
Regulatory Proteins Also Have Protein-Protein Interaction Domains	1124
<b>28.2 Regulation of Gene Expression in Bacteria</b>	<b>1126</b>
The <i>lac</i> Operon Undergoes Positive Regulation	1126
Many Genes for Amino Acid Biosynthetic Enzymes Are Regulated by Transcription Attenuation	1127
Induction of the SOS Response Requires Destruction of Repressor Proteins	1130
Synthesis of Ribosomal Proteins Is Coordinated with rRNA Synthesis	1131
The Function of Some mRNAs Is Regulated by Small RNAs in Cis or in Trans	1132
Some Genes Are Regulated by Genetic Recombination	1134
<b>28.3 Regulation of Gene Expression in Eukaryotes</b>	<b>1136</b>
Transcriptionally Active Chromatin Is Structurally Distinct from Inactive Chromatin	1136
Chromatin Is Remodeled by Acetylation and Nucleosomal Displacement/Repositioning	1137
Many Eukaryotic Promoters Are Positively Regulated	1138
DNA-Binding Activators and Coactivators Facilitate Assembly of the General Transcription Factors	1138
The Genes of Galactose Metabolism in Yeast Are Subject to Both Positive and Negative Regulation	1141
Transcription Activators Have a Modular Structure	1142

Eukaryotic Gene Expression Can Be Regulated by Intercellular and Intracellular Signals	1143
Regulation Can Result from Phosphorylation of Nuclear Transcription Factors	1144
Many Eukaryotic mRNAs Are Subject to Translational Repression	1144
Posttranscriptional Gene Silencing Is Mediated by RNA Interference	1145
RNA-Mediated Regulation of Gene Expression Takes Many Forms in Eukaryotes	1146
Development Is Controlled by Cascades of Regulatory Proteins	1146
<b>Box 28–1 Of Fins, Wings, Beaks, and Things</b>	<b>1152</b>

<i>Appendix A Common Abbreviations in the Biochemical Research Literature</i>	<i>A-1</i>
<i>Appendix B Abbreviated Solutions to Problems</i>	<i>AS-1</i>
<i>Glossary</i>	<i>G-1</i>
<i>Credits</i>	<i>C-1</i>
<i>Index</i>	<i>I-1</i>